









OIL AND GAS APPLICATIONS

STAINLESS STEEL AND HIGH NICKEL ALLOYS SEAMLESS TUBULAR SOLUTIONS



Tubacex: A global technological partner for oil&gas applications

Continuous innovation during the last 30 years has allowed the Companies of the Tubacex Group to become world leaders in the supply of seamless tubes made of stainless steel and nickel alloys to Oil&Gas Companies, fulfilling the tightest requirements.

The Tubacex Group has become one of the main suppliers of Seamless Stainless Steel and Nickel alloy tubes for the Oil&Gas industry. Our integrated production process is comprised of a steel making plant, 3 extrusion presses and more than 20 cold pilger mills and draw benches that allow us to supply tubes for different Top Side, Onshore and Upstream applications. The Oil&Gas industry is a keystone in the Tubacex strategy.

Our organization and investments are continuously being adapted to the growing hostile conditions that Companies of this sector are facing everyday. These new challenging corrosive environments and applications are driving us to implement in our mills the most advanced verification equipment and inspection procedures for the production and control of tubes for downhole, sub-sea, umbilical,... purposes.

Worldwide presence

Through our commercial offices

Competitiveness

Thanks to our lean manufacturing process

Service

Cooperation with or customers

Flexibility

In materials chemical composition & deliveries

Reliability

Of a fully integrated company

Innovation

With the support of Vallourec



The Widest Portfolio in Stainless Steel

SOLUTIONS BUSINESS UNIT ACERALAVA Stainless Steel and High TUBÂCEX Nickel alloys bars and billets TTI **TUBÂCEX SCHOELLER BLECKMANN TUBÂCEX Seamless Pipe and Tubes** to 8" (extrusion, piercing, cold finishing) **SALEM TUBE TUBÂCEX TUBACEX** INDIA TUBÂCEX **IBF Seamless Pipe and Tubes** to 72" TUBÂCEX **TTA TUBÂCEX** Fittings and special connections from ½" to 72" **AWAJI STAINLESS TUBÂCEX** TSS **TUBÂCEX** Stock, Service and **Trading Value added TUBACEX UPSTREAM** operations **TECHNOLOGIES** TUBÂCEX

TUBACEX TUBOS INOXIDABLES - TTI leads the production of OCTG in the facilities located in the north of Spain, whilst SCHOELLER - BLECKMANN EDELSTAHLROHR develops the production of umbilicals in the facilities located close to Vienna - Austria.

Along with IBF, Salem Tube, Tubacex India and TTA, a wide range of products related to Oil & Gas applications is offered by The Tubacex Group.

These plants are supplied by the Group's steel plant ACERÁLAVA, located in Spain, which offers a tailor made list of steels and nickel alloys and is able to offer exceptions over the standard. Tubacex's metallurgical engineers are devoted to the development of sophisticated alloys capable of operating in the demanding environments of the future.

Tubacex brings the experience of a world leader in the manufacturing of stainless steel tubes and pipes; However a strong R&D effort is needed to fulfill future needs. In collaboration with our customer's R&D and high reputed technical institutes, added value solutions have been incorporated to this challenging market.

Tubacex Group tubes for Onshore & Offshore

Subsea Umbilicals Risers Flowlines

TUBACEX is present in the market of base tubular products for:

- Flowlines
- Jumpers
- Risers
- Loops
- Manifolds
- Subsea umbilicals

Subsea umbilicals are control lines used in offshore wells where Christmas trees (an assembly of control valves, gauges and chokes that control oil and gas flow in a completed well) are installed on the ocean floor. Umbilicals make up part of Tubacex SURF package of tubular products for off-shore, which offer high resistance to sea water environments and to the fluids transmitted through the tubes.

decision of making a huge investment in a state of the art new mill, fully dedicated to the production of umbilical tubing. This new production unit integrates the best available technologies and know-how for the production of the best quality product. Highly automatic facilities and a fully integrated traceability system contributes to a very costly efficient product.

A key point in our strategy was to take the

Straight and coiled superduplex umbilical tubes - 3/8 to 4 inch I.D. Duplex and Superduplex Stainless Steel up 72"

Platforms

Tubacex portfolio in Top Side – Platforms in the hardest environment (i.e. Artic Ocean) offers excelent mechanical properties and easy weldability:

- Piping Systems highly resistant to sea water corrosion
- Instrumentation and hydraulic tubing
- Process pipe
- Separators
- Excelent mechanical properties, Easy weldability.


Duplex and Superduplex Seamless Stainless Steel up to 72"

Petrochemical & Gas

Tubacex offers an extensive grade and size portfolio to achieve designers' expectations regarding several areas & equipments in the petrochem industry:

- Regas Facilities
- Reactors
- Refineries
- Heaters and reheaters
- Heat exchangers
- Furnaces

Heat Resistant Austenitic Stainless steel and High Nickel Alloys up to 72"







Oil Country Tubular Goods

Downhole casing and production tubing in CRA such as duplex stainless steels and nickel alloys are ideal to cope with the aggressive corrosion found in sour wells due to hydrogen sulphide, carbon dioxide and other chemicals. Predominantly, Tubacex's downhole casing and production tubing is supplied in cold-worked condition to ensure high strength despite its low weight.

Tubacex tubes cover a wide range of applications:

- HP/HT
- Sour or wet gas
- Enhanced Oil Recovery
- Chlorides, Hydrogen sulphide, free sulphur ...
- Sandscreens
- High corrosion resistance
- Chemical injection

Dual-phase grades, superaustenitic and Ni-base grades guarantee an optimum performance for each well's particular conditions and allows engineers and designers to have a perfect choice depending on the most severe conditions.

Duplex, Superduplex and high Nickel corrosion resistant alloys from 2 3/8 "to 9 5/8" O.D.

Downhole equipment up to 72"



LNG Ships

Seamless Stainless Steel tubes supplied by Tubacex also offer clear aplications in LNG Ships:

- GTL/LNG AND CRYOGENIC
- High pressure for gas compression units
- Process pipe
- Lines
- Cryogenic lines

Austenitic Stainless Steel 3 - 250 mm O.D.




Oil Country Tubular Goods

TUBACEX TUBOS INOXIDABLES - TTI (Subsidiary of TUBACEX, S.A.) has been designated to develop and lead the production of this high quality product in the facilities located in the north of Spain. A key point in our OCTG strategy was the signing of an agreement with Vallourec for common marketing and development of this product. This partnership with a world leader contributes to consolidate our world presence and to satisfy the future growing Customer expectations.

Downhole casing and production tubing in CRA such as duplex stainless steels and nickel alloys are ideal to cope with the aggressive corrosion found in sour wells (due to hydrogen sulphide, carbon dioxide and other chemicals). Predominantly, Tubacex's downhole casing and production tubing is supplied in cold-worked condition to ensure high strength despite its low weight.

CRA tubings are used in designs with long life, high yield strenght requirements and in wells with the most severe corrosive environments

- High temperature
- High pressure of CO2 and/or H2S
- High chlorides content, low pH, presence of free Sulphur...



Grades and equivalences

Material	LINC Number	ISO13680/API5CRA		CHEMISTRY								
	UNS Number	Group	Category	Ni	Cr	Мо	Cu	N	Others	Structure	YS (ksi)	
TX-22	S31803		22-5-3	4,5/6,5	21,0/23,0	2,5/3,5		0,14/0,20		Duplex	65/110/125	
TX 25-NP	S32750	2	25-7-4	6,0/8,0	24,0/26,0	3,0/5,0	-	0,24/0,32		Commenderation	80/125/140	
TX-25W	S32760		25-7-4	6,0/8,0	24,0/26,0	3,0/4,0	0,50/1,0	0,20/0,30	W: 0,5/1,0	Superduplex		
TX-28N	N08535	3	25-32-3	29,0/36,5	24,0/27,0	2,5/4,0	-/1,5			Austenitic Fe	110	
TX-28	N08028	3	27-31-4	30,0/32,0	26,0/28,0	3,0/4,0	0,80/1,40	0,04/0,15		Austenitic Fe	110/125	
TX-28HY	N08028	3	27-31-4	30,0/32,0	26,0/28,0	3,0/4,0	0,80/1,40	0,04/0,15		Austenitic Fe	140	
TX-825	N08825	4	21-42-3	38,0/46,0	19,5/23,5	2,5/3,5	1,5/3,0		Ti: 0,6/1,2	A	110	
TX-G3	N06985	4	22-50-7	44,0/52,0	21,0/23,5	6,5/8,0	1,5/2,5		Fe: 18,0/21,0	Austenitic Ni	110/125	
TX-G50	N06950	4	20-54-9	50 min	19/21	8/10	max 0.5		Fe 15/20	Austenitic Ni	110/125	
Size range goes from 2 3/8" to 9 5/8" Lengths R2 or R3 depending on wall thickness												

Process

STEEL MELTING SHOP **HOT EXTRUSSION PLANT COLD FINISHING PLANT** Steel Hot Hollow release Cold Inspection & Packing & Straightening Cutting Making Extrussion finishing to cold rolling testing Shipping finishing •Scrap, Ni, Cr, •Electric Arc Piercing press Straightening Visual Pilgering Non Destructive Cutting Final Straightening Mo... Furnace Extrussion Cutting inspection Testing (inc. Marking documentation •Argon Oxygen • Picckling -Packaging •PMI Hidrotesting) press Decarburation Water **Pasivating** Visual Inspection Release Mechanical •Forging-rolling quenching Transportation & metalurgical testing

SAFETY MANAGEMENT SYSTEM OHSAS 18001 QUALITY ASSURANCE ISO 9001 & 14001

The group manufactures OCTG in the following dimensional range

• In 2013, a new finishing line exclusively devoted to OCTG production entered into operation in Tubacex Tubos Inoxidables. This state of the art line, along with the rest of Tubacex Group's manufacturing capabilities, covers the following range:

OCTG: TUBACEX MANUFACTURING RANGE										
STEEL	GRADE	2 3/8"-2 7/8"	3 1/2"-4 1/2"	5"-5 1/2"	6 5/8"-7"	7 5/8"-7 3/4"	8 5/8"-9 5/8"			
	65	R3	R3	R3	R3	R2/R3	R3			
22Cr	110	R3	R3	R3	R3	R2				
	125	R3	R3	R3	R3	R2/R3	R3			
25Cr	80	R3	R3	R3	R3	R3	R3			
2501	125	R3	R3	R3	R3	R2/R3	R3			
	110	R3	R3	R3	R3	R2/R3	R3			
28Cr	125	R3	R3	R3	R3	R2/R3	R3			
	140	R3	R3	R3						
825	110	R3	R3	R3	R3	R2/R3	R3			
G3	110	R3	R3	R3	R3	R2/R3	R3			
G3	125	R3	R3	R3	R2/R3	R2/R3				
CFO	110	R3	R3	R3	R3	R3	R3			
G50	125	R3	R3	R3	R2/R3	R2/R3	R3			

^{*}R2/R3 depending on wall thickness.

R&D&I

Our products, processes and quality systems are qualified by the most strict Oil&Gas Operators and approved as per ISO 13680, API Q1, API 5CRA...

Thanks to our own in-house laboratories and research centers located in Spain, Austria, Italy, USA and to the collaboration with our Customers, EPCs, End-users and other research centers, Tubacex is able to provide:

- Tailor made solutions for special applications.
- Finite Element Analysis.
- Active presence at the main technological forums.
- Technical advice for material selection.
- Well environment laboratory testing.
- Failure analysis capabilities.
- Integrated manufacturing.
- Production localization.




Subsea Umbilicals

Materials Selection

Subsea umbilicals are control lines used in offshore wells where Christmas trees (an assembly of control valves, gauges and chokes that control oil and gas flow in a completed well) are installed on the ocean floor. Umbilicals make up part of Tubacex SURF (Subsea Umbilicals, Risers jumpers, manifolds, loops and Flowlines) package of tubular products for offshore resistant to sea water environments and fluids transmitted through the tubes and with high corrosion ressitance to sea water.

For the past years almost any Subsea oil production system in the world utilized Super duplex steel within their umbilical tubes, due to high corrosion resistance in sea water, excellent mechanical properties and resistance and durability. Two superduplex grades are available.



UNS	C Max	Si Max	Mn Max	P Max	S Max	Cr	Ni	Mo	Cu Max	N	W
S32750	0.030	0.75	1.00	0.035	0.003	24.0-26.0	6.0-8.0	3.5-5.0	0.5	0.24-0.31	-

Note: The above chemical composition is based on ASTM standards. Special requirements for chemical composition can be met, subject to agreement.


This material offer excellent anti-corrosion properties. Pitting Resistance Equivalent according to customer requirements and calculated as per: $PREN = %Cr + (3.3 \times %Mo) + (16 \times %N)$.

PREW = %Cr + 3.3 x (% Mo + 0.5 x %W) + (16 x %N)

SUBSEA UMBILICALS: TUBACEX MANUFACTURING RANGE									
SUPERDUPLEX STAINLESS STEEL - ID FROM 3/8 TO 4 INCH									
Production Unit	Tubacex, Spain	SBER, Austria							
Steel grade	UNS S32750	UNS S32750							
Tubes finish	Straight	Straight or Coiled							

Special demands upon request

Process



Traceability

Traceability is important to us. Each product that leaves our tube factory in Ternitz is provided with a works certificate (company certificate), which is presented to the customer upon delivery. This ensures that the quality-controlled production at SBER is traceable for each customer.

Quality

SCHOELLER-BLECKMANN EDELSTAHLROHR manufacturing processes are designed to ensure maximum quality within the production of its seamless grades of umbilical tubes, with particular focus in the heat treatment process. Non Destructive Testing is used along the total length of all produced tubes. The company holds several approvals as a manufacturer of seamless tube and pipe, and can deliver tubular products in accordance with most international standards. Below are some examples.





Quality management

- ASME / NCA-3800
- ISO 9001:2008

Approvals (some examples)

- NORSOK M-650
- ISO 17025 for laboratories
- PED 97/23/EC
- Approved manufacturer status from TüV Lloyd's register, DNV, Germanischer Lloyd, BV, etc.
- IBR well-known steel maker
- AD2000, werkblatt WO

Product Standards (some examples)

- ISO/DIS 13628-5
- ASTM A789
- ASTM A1016
- ANST SNT-TC-1A
- NAS 1638
- ASME BPVC Section V and Section IX
- ASME B31.3
- SAE AS 4059

Overall Range

The Tubacex Group has an extensive manufacturing program covering most dimensions requested by the industry:

- Our steel melting shop Aceralava produces bars and billets up to 20".
- Mills located in Europe, USA and Asia enable us to produce tubes and pipes from 3mmOD to 72".
- Austenitic tubes and pipes are produced in accordance with ASTM Standard, ASME Code and Euronorm Standards, fulfilling the main specifications.
- Tubes can be supplied in random lengths, multiple lengths, fixed lengths as well as U-tubes.
- Coiling available for umbilical application.
- Tubacex also produces Fittings from ½" (5S) to 72" (no WT limitation).

As lengths or dimensions differ according to grade, size and finish, detailed information can be provided upon request.

Specific needs will also be studied at the customer's request.

ASTM ASME B	Manufacturing range											
0	OD			WT								
Inch	mm	0,5	1,65	2,5	7,11	25,4	50,0	no limit				
0,125	3,2											
0,748	19,05											
0,984	25											
1"1/2	48,3				160							
3"	88,9			5	160							
8"	219,1				10	160						
20"	508				20		160					
42"	1067											
72"	1829											

^{*}Simplified reference table. Ask for details









Stainless Steel Grades



From our steel plant Aceralava (spain) we offer a tailor made list of steels. Our metalurgical engineers are devoted to the developement of sophisticated steels capable of operating in the demanding environments of the future.

	ASTM	WNr	AFNOR	C max*	Cr	Ni	Мо	Other
	304	1.4301	TU Z 6 CN 18-09	0,08	17/20	8/11		
	304 L	1.4306	TU Z 2 CN 18-10	0,03	18/20	10/12		
	304 H		TU Z 6 CN 19-10	0,04/0,10	18/20	8/11		
	321	1.4541	TU Z 6 CNT 18-10	0,08	17/19	9/12		5 C € Ti € 0,60
	321 H		TU Z 6 CNT 18-12 B	0,04/0,10	17/20	9/13		4 C € Ti € 0,60
	347	1.4550	TU Z 6 CNNb 18-10	0,08	17/19	9/12		10 C ≤ Nb ≤ 1,0
	347 H		TU Z 6 CNNb 18-12 B	0,04/0,08	17/20	9/13		8 C ≤ Nb ≤ 1,0
	316	1.4401	TU Z 6 CND 17-11	0,08	16/18	11/14	2/3	
	316 L	1.4404	TU Z 2 CND 17-12	0,03	16/18	11/14	2/3	
ţi	316 Ti	1.4571	TU Z 6 CNDT 17-12	0,08	16,5/18,5	10,5/13,5	2/2,5	5 C € Ti € 0,80
ustenitic	(316 L)	1.4435	TU Z 2 CND 17-13	0,03	17/18,5	12,5/15	2,5/3	
te	(316)	1.4436	TU Z 6 CND 17-12	0,07	16,5/18,5	11/14	2,5/3	
	316 Nb	1.4580		0,08	16/18	11/13	2/2,5	10 C < Nb < 1,0
A	316 N/316 LN			0,03	16/18	11/14	2/3	N 0,10/0,16
	316 L urea			0,03	17/18	13/15	2/3	
	317		TU Z 2 CND 19-15	0,08	18/20	11/15	3/4	
	317 L	1.4438	TU Z 2 CND 19-15	0,03	18/20	11/15	3/4	
	309 S/309 H	1.4833	TU Z 12 CN 24-12	0,08	22/24	12/15	€0,75	
	310 S/310 H	1.4845	TU Z 12 CN 25-20	0,08	24/26	19/22	€0,75	
	310 MoLN	1.4466		0,02	24/26	21/23	2/2,5	N=0,1/0,15 Si<0,4 P<0,02
		1.4828	TU Z 17 CNS 20-12	0,20	19/21	11/13		Si 1,5/2,5
	314	1.4841	TU Z 15 CNS 25-20	0,15	24/26	19/21		Si 1,5/2,5
	UNS S31254	1.4547		0,02	19,5/20,5	17,5/18,5	6,0/6,5	Cu 0,50/1,00 N 0,18/0,22
Ë	UNS S31803	1.4462	TU Z 2 CND 22-05-03	0,03	21/23	4,5/6,5	2,5/3,5	N 0,12/0,20
Ferritic austenitic	UNS S32750				24,0/26,0	6,0/8,0	3,0/5,0	
a i	UNS S32760	1.4501	TU Z 3 CND 25-06-Az	0,03	2 4/26	6/8	3/5	N 0,2/0,3 Cu & W 0,5/1,0
	904 L	1.4539	TU Z 1 CNDU 25-20	0,02	19/21	24/26	4/5	Cu 1,20/2,00 N 0,04/0,10
	800-H-HT	1.4876	(TU Z10 NC 32-21)	0,6/0,10	19/23	30/35		Al & Ti 0,15/0,60
High Nickel	UNS N08020	2.4660		0,07	19/21	32/38	2/3	Cu 3/4 Nb 8xC-1,0 Fe Balance
- Z	UNS N08825	2.4858		0,05	19,5/23,5	38/46	2,5/3,5	Cu 1,5/3,0 Al 0,2 max Ti 0,6/1,2 Fe Balance
	UNS N08028	1.4563	TU Z2 CNDU 31-27	0,03	26/28	30/32	3/4	Cu=0,8/1,4 N=0,04/0,15 Fe Balance
	G-3 N06985				21,0/23,5	44,0/52,0	6,5/8,0	Fe: 18,0/21,0


^{*} Maximum unless otherwise indicated

Improved Machinability Available MECATEX

In addition to these standards, Tubacex's capabilities include a wide range of stainless steel and high nickel alloy grades to complement all the needs of our customers.



TUBACEX: Worldwide Presence







Quality and Approvals

Tubacex Group holds several approvals as a manufacturer of seamless tube and pipe, and can deliver tubular products in accordance with most international standards.

Management system certificates

ISO 9001 API Q1 API 5 CRA

Approvals and other certifications*

Approved manufacturer according to TÜV, Lloyd's register, DNV, Germanischer Lloyd's, BV, Norsok etc.

PED 97/23/EC

AD2000, werkblatt W0

JIS Mark scheme

ASME Quality system as material organization for ferrous and non ferrous material

* Not valid for all production units. Please contact your local sales office for detailed information.

Safety and environmental responsibility

Tubacex Group is highly engaged with the environment and it is ISO 14001 certified. Additionally Occupational health and Safety is also a key element of our culture. The company is OHSAS 18.001 certified.





Currently the Tubacex Group is exporting into more than 100 countries worldwide from its manufacturing sites and warehouses. The company has 15 commercial offices and a wide network of agents in several countries that lead to a global presence.



MANUFACTURING COMPANIES

Acería de Álava, S.A.
STEEL MELTING SHOP

Amurrio. SPAIN

Tubacex Tubos Inoxidables, S.A.

HOT EXTRUSION PLANT

Llodio. SPAIN

COLD FINISHING PLANT OCTG FINISHING PLANT

Amurrio. SPAIN

Schoeller Bleckmann Edelstahlrohr, GmbH

COLD FINISHING PLANT HOT EXTRUSION PLANT SPECIAL TUBE PLANT

Ternitz. AUSTRIA

Salem Tube, Inc.

COLD FINISHING PLANT

Greenville. PA. USA

IBF, S.p.a.

TUBES DIVISION

Vituone - Milano. ITALY FITINGS DIVISION

San Nicolò - Piacenza. ITALY

Tubacex Prakash

COLD FINISHING PLANT

Umbergaon. INDIA

Tubacex Awaji

STAINLESS FITTINGS

Amphur Muang-Samutprakarn.

THAILAND

Tubacex Taylor Accesorios, S.A.

BUTT WELDING FITTINGS

Artzeniega. SPAIN

Tubacex Services, S.L.

TUBE FINISHING SERVICES

Santander. SPAIN

SERVICE & DISTRIBUTION COMPANIES

Tubacex Service Solutions, S.A.

STAINLESS STEEL LONG PRODUCTS DISTRIBUTION

Amurrio. SPAIN

Tubacex America, Inc. / TSS Houston

STAINLESS STEEL LONG PRODUCTS DISTRIBUTION

Houston. UNITED STATES

Metaux Inox Services, S.A.S. / TSS France

STAINLESS STEEL LONG PRODUCTS DISTRIBUTION

Satolas & Bonce. FRANCE

Tubos Mecánicos, S.A.

CARBON & ALLOYED MECHANICAL TUBING DISTRIBUTION

Barcelona. SPAIN

TSS Central Europe

STAINLESS STEEL LONG PRODUCTS

DISTRIBUTION

Ternitz. AUSTRIA

TSS Brasil

STAINLESS STEEL LONG PRODUCTS

DISTRIBUTION
Sao Paolo. BRAZIL

TSS India

STAINLESS STEEL LONG PRODUCTS

DISTRIBUTION

Gandhidham. INDIA

TSS Middle East

STAINLESS STEEL LONG PRODUCTS DISTRIBUTION

Dubai. UAE

Tubacex Upstream Technologies

OCTG Premium solutions

Leioa. SPAIN



HEAD OFFICE: TUBACEX GROUP.

Tres Cruces, 8. P.O. Box nº 22 01400 LLODIO (ÁLAVA) SPAIN Phone: +(34) 94 671 93 00 Fax: +(34) 94 671 93 14

+(34) 94 672 50 62/74 e-mail: sales@tubacex.com

MAIN SALES OFFICES AROUND THE WORLD

NETHERLANDS:

TUBACEX NORTH EUROPE

Phone: + 31 (0) 162 690 430 Fax: + 31 (0) 162 690 435

e-mail: salesnetherlands@tubacex.com

GERMANY:

TUBACEX GERMANY

Phone: + (49) 2150 70 567-0 Fax: + (49) 2150 70 567-20 e-mail: salesgermany@tubacex.com

ITALY:

TUBACEX ITALIA

Phone: + (39) 02 669 5505 Fax: + (39) 02 673 845 92 e-mail: salesitaly@tubacex.com

AUSTRIA:

TUBACEX CENTRAL & EAST EUROPE

Phone: + (43) 2630 3160 Fax: + (43) 2630 369 47

e-mail: salesaustria@tubacex.com

CZECH REPUBLIC:

TUBACEX CZECHIA

Phone: + (42) 06 03 817 985 e-mail: salesczechia@tubacex.com

POLAND:

TUBACEX POLAND

Phone: + (48) 32 253 99 67 Fax: + (48) 32 206 82 48 e-mail: salespoland@tubacex.com

RUSSIA:

TUBACEX CIS

Phone: + (7) 916 644 22 51 Fax: + (7) 495 959 21 80 e-mail: sales-cis@tubacex.com

FRANCE:

TUBACEX FRANCE

Phone: + (33) 1 48 79 30 50 Fax: + (33) 1 48 79 18 06 e-mail: salesfrance@tubacex.com

SPAIN:

TUBACEX SERVICE SOLUTIONS S.A.

Phone: + (34) 945 39 36 00 Fax: + (34) 945 39 34 22 e-mail: tss@tubacex.com

UNITED STATES OF AMERICA & CANADA:

TUBACEX AMERICA

Phone: + (1) 713 856 2700/13 Fax: + (1) 713 856 2799 e-mail: sales@tubacex-usa.com

UAE - DUBAI:

TUBACEX MIDDLE EAST

Phone: + (971) 4 701 72 12 Fax: + (971) 4 701 72 13

 $e\hbox{-mail: salesmiddle-east@tubacex.com}$

INDIA:

TUBACEX INDIA

Phone: + (91) 22 40015324 Fax: + (91) 22 40015350 e-mail: sales@tubacexindia.com

CHINA:

TUBACEX NORTH EAST ASIA

Phone: + (86) 21 5298 0242 Fax: + (86) 21 5298 0241

e-mail: tubacexasia@tubacex.com.cn

SINGAPORE:

TUBACEX SOUTH EAST ASIA

Phone: + (65) 6100 6126 e-mail: sales-sg@tubacex.com

KOREA:

TUBACEX KOREA

Phone: + (82) 10 4800 5080 Fax: + (82) 2 6021 4180 e-mail: saleskorea@tubacex.com