

Slimline Plus White Range



Slimline Plus Features



For over 55 years, MK Electric has been a household name throughout the Asia Pacific region, trusted and respected, whilst offering high quality, safe and reliable wiring accessories.


The launch of the all new MK Slimline Plus range sees MK Electric continue with its core traditions of providing high quality, safe and reliable wiring accessories, with a focus on style and flexibility which will compliment any interior.

At MK Electric we continually strive to design products which suit the needs of specifiers and users, whilst considering the practical demands of installers.

The new MK Slimline Plus range offers a wide range of accessories, which are unobtrusive and practical. Manufactured using Polycarbonate, MK Slimline Plus comes with a high gloss finish that is both tough and durable. Quick and easy installation is a given, and multi-fixing points allow for angular movement that will easily accommodate improperly installed back boxes.

Installing MK Slimline Plus will also give you and your customers total peace of mind, with MK's unrivalled 12 year product warranty.


Housing of multiple switches and sockets

STAGE 1	STAGE 2	STAGE 3	STAGE 4
			
<p>Link the required number of black boxes together with a coupler(s)</p>	<p>Unclip the existing front plates on sockets/switches and connect them together with shoulder coupler</p>	<p>Fix the linked sockets/switches onto the connected boxes</p>	<p>Once boxes are mounted into wall, clip the appropriate landscape surround onto product to complete installation</p>


SOCKET OUTLETS




S2757 WHI
1 gang 13A SP
switched socket outlet



S2757DP WHI
1 gang 13A DP
switched socket outlet



S2747 WHI
2 gang 13A SP
switched socket outlet




S2747DP WHI
2 gang 13A DP
switched socket outlet




S2657 WHI
1 gang 13A SP switched
socket outlet with neon



S2657DP WHI
1 gang 13A DP switched
socket outlet with neon




S2647 WHI
2 gang 13A SP switched
socket outlet with neon



S2647DP WHI
2 gang 13A DP switched
socket outlet with neon



S780 WHI
1 gang 13A unswitched
socket outlet




S781 WHI
2 gang 13A unswitched
socket outlet




S2493 WHI
1 gang 15A switched
socket outlet with neon




S2893 WHI
1 gang 15A
switched socket
outlet



S772 WHI
1 gang 15A
unswitched socket
outlet




S2891 WHI
1 gang 5A
switched socket outlet



S8155 WHI
1 gang 16A switched
2 pin universal socket




S4151 WHI
1 gang 16A
schuko socket




S4152 WHI
2 gang 16A schuko socket

STANDARD ROCKER SWITCHES - MONOBLOC


Modular switches allow for re-configuration to suit specific customer requirements. Choice of Modules available on page 6



S4870 WHI (1 way)
S4871 WHI (2 way)
S4875 WHI (Intermediate)
1 gang 10AX SP switch



S4872 W1 WHI (1 way)
S4872 WHI (2 way)
2 gang 10AX SP switch



S4873 W1 WHI (1 way)
S4873 WHI (2 way)
3 gang 10AX SP switch




S4874 W1 WHI (1 way)
S4874 WHI (2 way)
4 gang 10AX SP switch




S5423 WHI
1 gang 20AX DP
1 way switch with neon



S5423 WH WHI
1 gang 20AX DP 1 way
switch with neon marked
'WATER HEATER'



S8425 WHI
1 gang 20AX DP 2 way
switch with neon



S8471 WHI
1 gang 20AX SP 2 way
switch with neon




S8479 WHI
1 gang 20AX intermediate switch


STANDARD ROCKER SWITCHES - MODULAR




S8870 WHI (1 way)
S8871 WHI (2 way)
S8879 WHI (Intermediate)
1 gang 10AX SP switch




S8872 W1 WHI (1 way)
S8872 WHI (2 way)
2 gang 10AX SP switch




S8873 W1 WHI (1 way)
S8873 WHI (2 way)
3 gang 10AX SP switch



S8874 W1 WHI (1 way)
S8874 WHI (2 way)
4 gang 10AX SP switch




S8875 W1 WHI (1 way)
S8875 WHI (2 way)
5 gang 10AX SP switch




S8878B WHI
1 gang 10A SP 1 way push
switch with 'BELL' symbol




S8878P WHI
1 gang 10A SP 1 way push
switch marked 'PRESS'




S8871N WHI
1 gang 10AX SP 2 way
switch with neon



S8403 WHI
1 gang 20AX DP switch



S8404 WHI
2 gang 20AX DP switch




S8423 WHI
1 gang 20AX DP
switch with neon



S8423 WH WHI
1 gang 20AX DP switch
with neon marked
'WATER HEATER'

*The switch must only be used to isolate the Air Conditioner supply. The Air Conditioner unit must be turned "ON" and "OFF" by means of a remote controller, contactor or the Air Conditioner "ON/OFF" Switch.



S8424 WHI
2 gang 20AX DP
switch with neon



S8878P/AC/RGN WHI
2 gang 10A 2 way SP push
switch RED/GREEN with neon
marked 'AIR CONDITIONER'



S8878P/AC/RG WHI
2 gang 10A 2 way SP push
switch RED/GREEN marked
'AIR CONDITIONER'

DIMMERS/ FAN SPEED CONTROLLER




S1512 WHI
600W/250VA 2 way



S1535 WHI
1000W/450VA 1 way



S1561 WHI
1000W/450VA 2 way



S8501 WHI
500W/200VA 1 gang
dimmer with 2 way
switch module



S8522 WHI
500W/200VA 2 gang
dimmer with 2 way
switch modules



S8601 WHI
200VA fan speed controller


WIDE ROCKER SWITCHES




S4781 W1 WHI (1 way)
S4781 WHI (2 way)
S4785 (Intermediate)
 1 gang 10AX SP switch




S4781N W1 WHI (1 way)
S4781N WHI (2 way)
 1 gang 10AX SP switch with neon




S4782 W1 WHI (1 way)
S4782 WHI (2 way)
 2 gang 10AX SP switch



S4782N W1 WHI (1 way)
S4782N WHI (2 way)
 2 gang 10AX SP switch with neon



S4783 WHI
 3 gang 10AX SP
 2 way switch



S4783N WHI
 3 gang 10AX SP
 2 way switch with neon



S4778B WHI
 1 gang 10A 1 way
 push switch with
 'BELL' symbol




S4787 WHI
 1 gang 20AX DP switch



S4787N WHI
 1 gang 20AX DP switch
 with neon



S4788 WHI
 2 gang 20AX DP switch



S4788N WHI
 2 gang 20AX DP switch
 with neon

ARCHITRAVE SWITCHES



S8840 WHI
 1 gang 1 way
 10AX SP switch



S8841 WHI
 1 gang 2 way
 10AX SP switch



S8848B WHI
 1 gang 10A SP
 push switch with
 'BELL' symbol




S8848P WHI
 1 gang 10A SP push
 switch marked 'PRESS'

CONNECTION UNITS




S1070 WHI
 13A switched fused
 connection unit with
 front flex outlet & neon



S1072 WHI
 13A switched fused
 connection unit with
 front flex outlet



S1090 WHI
 25A front flex outlet with
 3 terminal block, each of which
 will accommodate up to 2nos.
 of 4mm² conductors



S1091 WHI
 13A unswitched fused
 connection unit with front
 flex outlet



S1092 WHI
 13A unswitched fused
 connection unit with
 bottom flex outlet



S330 WHI
 13A switched fused
 connection unit with
 bottom flex outlet



S370 WHI
 13A switched fused
 connection unit with
 neon & bottom flex outlet



S377 WHI
 13A unswitched fused
 connection unit with
 neon & bottom flex outlet

VOICE/TV OUTLETS



S4817 WHI (4 wire)
1 gang RJ11 American type



S4827 WHI (4 wire)
2 gang RJ11 American type



S3520 WHI
Single non-isolated




S3521 WHI
Single isolated



S3522 WHI
Double TV/FM isolated



S3527 WHI
Cable Vision TV/FM socket
(For Singapore market only)




S3553 WHI
TV/FM & satellite
non-Isolated
triplexer socket




S3529 WHI
Cable TV 'F' type
connector



S3529S WHI
Single cable TV
'F' type connector
(EMC Compliance)



S5851 WHI
Single non-Isolated
TV socket - IEC socket
(EMC Compliance)



S5852 WHI
Double TV/FM
non-Isolated diplexer
socket (EMC Compliance)



S5853 WHI
TV/FM & satellite
non-Isolated triplexer socket
(EMC Compliance)

DATA/VOICE OUTLETS



S5450 WHI
1 gang euro plate -
1 module



S5451 WHI
1 gang euro plate -
2 modules



SX5452 WHI
1 module blank plate
(For use with S5450 WHI/
S5451 WHI)




SX5453 WHI
1 module adaptor
(For use with S5450 WHI/
S5451 WHI)




S422 WHI
1 gang BT telephone socket
(master)



S427 WHI
1 gang BT telephone socket
(secondary)



S3540 WHI
3 pin telephone socket
marked with 'TELEPHONE'
symbol



S4810 WHI
10 way telephone connector



SX5454 WHI
RJ45 CAT 5e Jack



SX5455 WHI
RJ11 Jack

Slimline Plus

HIGH CURRENT SWITCHES/ COOKER CONTROL UNITS/ SHAVER UNIT



S5105 WHI
32A DP switch with neon



S5061 WHI
Cooker connection unit 45A DP main switch & 13A SP switched socket with neons



S5045 WHI
45A Cooker connection unit with 3 terminal block, each of which will accommodate up to two nos. of 6mm² conductor



S5215 WHI
45A DP switch with neon



S701 WHI
Shaver supply unit, dual voltage 115/230V output 220-240V 50Hz input



S702 WHI
Shaver supply unit, dual voltage 115/230V output 240V 50Hz input (For Malaysia market only)

WHITE FRONT PLATES/ SURROUNDS



S8801 WHI
1 gang for 10A/10AX switch module




S8802 WHI
2 gang for 10A/10AX switch module




S8803 WHI
3 gang for 10A/10AX switch module




S8804 WHI
4 gang for 10A/10AX switch module



S8805 WHI
5 gang for 10A/10AX switch module



S8822 WHI
2 gang including earth terminal (For 20AX, use switch module SX8423)



S8824 WHI
4 gang including earth terminal (For 20AX, use switch module SX8423X, with max. 2 nos only)



S8810 WHI
1 gang architrave front plate



S11 WHI
1 gang surround



S11W WHI
1 gang wide rocker surround



S11D WHI
1 gang bottom fused connection unit surround



S2V WHI
2 gang portrait surround



S2H WHI
2 gang landscape surround



S2H 45A WHI
2 gang landscape surround




S1A WHI
1 gang Architrave surround

WHITE MULTI-GANG SURROUNDS/ ACCESSORIES



Multi-gang surrounds and accessories allow quick and easy installation of customer specific product combination. The landscape surrounds are available in 2,3 and 4 gang formats.



S21H WHI
Landscape 2 x 1 gang surround



S21HW WHI
Landscape - Wide rocker, 2 x 1 gang surround



S31H WHI
Landscape 3 x 1 gang surround



S31HW WHI
Landscape - Wide rocker, 3 x 1 gang surround



S41H WHI
Landscape 4 x 1 gang surround



SS10 WHI
Shoulder coupler to join products for multi-gang surrounds




SS20 WHI
20mm DIA spacer to align boxes for multi-gang surrounds



SS25 WHI
25mm DIA spacer to align boxes for multi-gang surrounds

BLANK PLATES/ COVER CAP



S3827 WHI
1 gang blank plate



S3828 WHI
2 gang blank plates



S15 WHI
Connection unit cover cap to blank off the front flex outlet


MODULES




SX8501 WHI
500W/200VA dimmer module



SX8878B WHI
10A SP 1 way push switch module marked 'BELL' symbol




SX8878P WHI
10A SP 1 way push switch module



SX8870 WHI (1 way)
SX8871 WHI (2 way)
10AX SP switch module



SX8879 WHI
10AX intermediate switch module (For use with 1 gang /2 gang frontplate only)



SX8423 WHI
20AX DP switch module with North/South terminal (For use with S8822 frontplate only)



SX8423X WHI
20AX DP switch module with East/West terminal (For use with S8824 frontplate only)



SX8888P WHI
10A SP 2 way push switch module

MODULES



SX8400 RED
Neon module with cable lead



SX8800 WHI
Blank module


BOXES




31019 WHI
1 gang surface box;
depth : 32mm



31029 WHI
2 gang surface box;
depth : 32mm




2031 WHI
1 gang surface box;
depth : 44mm




2172 WHI
2 gang surface box;
depth : 44mm



861 ZIC : depth 25mm
866 ZIC : depth 35mm
877 ZIC : depth 46mm
1 gang flush box



862 ZIC : depth 25mm
886 ZIC : depth 35mm
878 ZIC : depth 46mm
2 gang flush box



SS30 WHI
1 gang flush box;
depth : 35mm



SS30 BLK
1 gang flush box;
depth : 35mm



G2154 WHI
1 gang architrave box





3921 ZIC
1 gang architrave flush box

CONFORM TO INTERNATIONAL STANDARDS

The products are manufactured in an ISO 9002 environment and comply to British/IEC, Malaysia and Singapore standards.

	British Standard/IEC	Malaysia Standard	Singapore Standard
10A/AX Light Switches (10AX switch rating means no need to derate its current rating when connected to fluorescent lamps or inductive loads)	IEC/BSEN 60669	MS 616	SS 227
20AX DP Switches	IEC/BSEN 60669	MS 616	SS 227
13A Socket Outlets	BS 1363	MS 589	SS 145
15A Socket Outlets	BS 546	-	SS 472
Fused Connection Units	BS 1363	-	SS 403
Shaver Unit	IEC/BSEN 61558	-	-
25A/45A Connection Unit	BS 5733	-	SS 241
DATA Communication Outlets	BS 5733	-	SS 241
16A Universal Socket Outlet	BS 5733	-	SS 241
16A Schuko Socket Outlet	IEC 60884	-	-
45A DP Switch	BSEN 60669	-	-
45A DP Cooker Connection Unit with 13A Switched Socket	BS 4177	-	-
32A DP Switch	IEC/BSEN 60669	MS 616	SS 227
Dimmer/Fan Speed Controller	IEC 60669	MS 616	SS 227
Flush Boxes	BS 4662 IEC 60670	-	-
Coupler & Spacer	BS 5733	-	SS 241

DIMENSIONS



KEY CARD SWITCH



S4324 WHI
10A Key card switch
(220-240VAC 50Hz)



S4325 WHI
10A Key card switch
(12VAC/12VDC 50Hz)



S4326 WHI
10A Key card switch
(127 VAC 60Hz)

- Marked "Insert Card"
- LED indicator at insert slot - lit when card remove
- Time delay 30 secs

"SERVICE", "DO NOT DISTURB" & BELL SWITCH



S4327 WHI
"Service" and "Do Not Disturb"
switch with indicator
10AX 250VAC 50Hz

- Marking on rocker to indicate "Make Up Room" and "Do Not Disturb" with GREEN and RED neon respectively
- Supplied with Interlocking Switching System



S4328 WHI
2 way bell switch with
service indicator
10A 250VAC 50Hz

- Marking on rocker to indicate "Make Up Room" and "Do Not Disturb" respectively

SHAVER UNIT



S701 WHI
Shaver supply unit,
dual voltage
115/230V output
220-240V 50Hz input



S702 WHI
Shaver supply unit,
dual voltage 115/230V output
240V 50Hz input
(For Malaysia market only)



S706 WHI
Shaver supply unit,
115/230V output
127AC 50/60Hz input

SOCKET, DATA/VOICE & TV OUTLETS



S2891 WHI
1 gang 5A SP switch
socket outlet



S2837 WHI
1 gang 16A Unswitch
international socket outlet

Please contact local MK Electric for details of application.



S3553 WHI
SMATV outlet
(non looping)



ISDN/FAX Outlet
1 gang euro plate (S5451WHI)
with 2 adaptors (SX5453 WHI)

Modules are compatible with RJ45 CAT 5e Jack (SX5454) and RJ11 Jack (SX5455). Please contact MK Electric for further details

MK ELECTRIC

MK Electric (Malaysia) Sdn Bhd (Co. No. 39068-A) Komplek Perusahaan LTAT, Jalan Pengapit 15/19, 40000 Shah Alam, Selangor Darul Ehsan, Malaysia	Telephone : (603) 5519 4507	Facsimile : (603) 5510 8867
	Website : www.mkelectric.com.my	
MK Electric (China) Ltd 25/F, Honeywell Tower, Olympia Plaza 255 King's Road, North Point, Hong Kong	Telephone : (852) 2331 9133 / (852) 2834 1988	Facsimile : (852) 2151 9465
	Website : www.mkelectric.com.hk	
MK Electric (Singapore) Pte Ltd 8 Pandan Crescent, UE Tech Park, #01-06 (LL4), Singapore 128464	Telephone : (65) 6461 6333	Facsimile : (65) 6461 6336 / (65) 6461 6338
	Website : www.mkelectric.com.sg	
PT. MK Electric (Indonesia) Mangga Dua Harco Blok E25, Floor 4 Jakarta 10730	Telephone : (62) 021 625 6204	Facsimile : (62) 021 612 1987
	Publication No: SL Hotel 1009	