



CV. HENDRY CIPTA KARYA


Steel Conduit - Accessories & Cable Support System

FABRICATION & STOCKIST

Stainless Steel Conduit & Accessories - Aluminium Conduit & Accessories

Steel Pipa Conduit & Accessories - Cable Tray & Cable Ladder

JIS - ANSI - NEMA STANDARD



KAMI YANG TERBAIK SANG PEMENANG



White Conduit & Conduit Fittings



Plain conduit (Threadless)

JIS C 8305

Item No.	Size	Outside Diameter (mm)	Nominal Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 819T	E 19	19.1	1.20	3,660	1.94	10	400
HCK 825T	E 25	25.4	1.20	3,660	2.62	10	250
HCK 831T	E 31	31.8	1.40	3,660	3.84	7	175
HCK 839T	E 39	38.1	1.40	3,660	4.64	5	125
HCK 851T	E 51	50.8	1.40	3,660	6.24	3	75
HCK 863T	E 63	63.5	1.60	3,660	8.94	-	50
HCK 875T	E 75	76.2	1.80	3,660	12.09	-	40

Thin wall conduit (Threaded)

JIS C 8305

Item No.	Size	Outside Diameter (mm)	Nominal Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 119T	C 19	19.1	1.60	3,660	2.53	10	400
HCK 125T	C 25	25.4	1.60	3,660	3.44	10	250
HCK 131T	C 31	31.8	1.60	3,660	4.36	7	175
HCK 139T	C 39	38.1	1.60	3,660	5.27	5	125
HCK 151T	C 51	50.8	1.60	3,660	7.11	3	75
HCK 163T	C 63	63.5	2.00	3,660	11.10	-	50
HCK 175T	C 75	76.2	2.00	3,660	13.40	-	40

Thick wall conduit (Threaded)

JIS C 8305

Item No.	Size	Outside Diameter (mm)	Nominal Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 216T	G 16	21.0	2.30	3,660	3.88	10	250
HCK 222T	G 22	26.5	2.30	3,660	5.02	10	175
HCK 228T	G 28	33.3	2.50	3,660	6.95	7	125
HCK 236T	G 36	41.9	2.50	3,660	8.89	5	75
HCK 242T	G 42	47.8	2.50	3,660	10.22	3	75
HCK 254T	G 54	59.6	2.80	3,660	14.35	-	50
HCK 270T	G 70	75.2	2.80	3,660	18.30	-	40
HCK 282T	G 82	87.9	2.80	3,660	21.51	-	30
HCK 392T	G 92	100.7	3.50	3,660	30.71	-	20
HCK 394T	G 104	113.4	3.50	3,660	34.72	-	20

SET SCREW CONECTOR



CLAMP BODY / PH



CLAMP PYLUCK / CLIP



FLEXIBLE WP (WATER PROOF) GELOMBANG



SET SCREW COUPLINGS



SADDLES CLAMP



BUSHING ALUMINIUM



FLEXIBLE METAL



UNIVERSAL FITTINGS TYPE T



COUPLING



NORMAL BAND / ELBOW



FLEXIBLE WP (WATER PROOF) DATAR



SURFACE SWITCH BOXES 1 GANG (CARBON STEEL)



CONECTOR METAL NITECH



OUTLET BOX



PIPA CONECTOR WATER PROOF



BOX CONECTOR WATER PROOF



UNION COUPLING



CIRCULAR SURFACE 3 WAY (ALUMINIUM)



CIRCULAR SURFACE BOXES 3 WAY (STEEL)



RIGID STEEL CONDUIT ANSI STANDARD

HCK ANSI QUALITY, LONG-LASTING RIGID STEEL CONDUIT



CONDUIT OUTLET BOXES



ANSI RIGID Steel Conduit (RSC)

EMT (Electrical Metallic Tubing)

UL 797

Item No.	Size (inch)	Outside Diameter (mm)	Minimum Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 012Y	1/2	17.93	1.02	3,048	1.46	10	500
HCK 034Y	3/4	23.42	1.18	3,048	2.21	10	300
HCK 100Y	1	29.54	1.37	3,048	3.08	5	200
HCK 114Y	1 - 1/4	38.35	1.57	3,048	4.74	5	125
HCK 112Y	1 - 1/2	44.20	1.57	3,048	5.49	5	100
HCK 200Y	2	55.80	1.57	3,048	6.99	3	75

IMC (Intermediate Metal Conduit)

UL 1242

Item No.	Size (inch)	Outside Diameter (mm)	Minimum Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 012Y	1/2	20.70	1.79	3,030	2.85	10	300
HCK 034Y	3/4	26.14	1.90	3,030	3.94	10	250
HCK 100Y	1	32.77	2.16	3,025	5.23	5	125
HCK 114Y	1 - 1/4	41.59	2.16	3,025	7.48	3	75
HCK 112Y	1 - 1/2	47.81	2.29	3,025	8.67	3	75
HCK 200Y	2	59.93	2.41	3,025	11.65	-	50
HCK 212Y	2 - 1/2	72.56	3.56	3,010	18.71	-	40
HCK 300Y	3	88.29	3.56	3,010	22.87	-	30
HCK 312Y	3 - 1/2	100.86	3.56	3,005	26.43	-	20
HCK 400Y	4	113.40	3.56	3,005	29.84	-	15

RSC (Rigid Steel Conduit)

UL 6

Item No.	Size (inch)	Outside Diameter (mm)	Minimum Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK012Y/ZY	1/2	21.34	2.64	3,030	3.75	10	300
HCK034Y/ZY	3/4	26.67	2.72	3,030	4.96	10	250
HCK100Y/ZY	1	33.40	3.20	3,025	7.33	5	125
HCK114Y/ZY	1 - 1/4	42.16	3.38	3,025	9.97	3	75
HCK112Y/ZY	1 - 1/2	48.26	3.51	3,025	11.94	3	75
HCK200Y/ZY	2	60.33	3.71	3,025	16.00	-	50
HCK 212Y	2 - 1/2	73.03	4.90	3,010	25.62	-	40
HCK300ZY	3	88.90	5.21	3,010	33.43	-	30
HCK400ZY	4	114.30	5.72	3,005	47.38	-	15
HCK500ZY	5	141.30	6.22	2,995	64.38	-	10
HCK600ZY	6	168.28	6.76	2,995	84.05	-	5



White Conduit & Conduit Fittings



Plain conduit (Threadless)

JIS C 8305

Item No.	Size	Outside Diameter (mm)	Nominal Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 819T	E 19	19.1	1.20	3,00	1.94	10	400
HCK 825T	E 25	25.4	1.20	3,00	2.62	10	250
HCK 831T	E 31	31.8	1.40	3,00	3.84	7	175
HCK 839T	E 39	38.1	1.40	3,00	4.64	5	125
HCK 851T	E 51	50.8	1.40	3,00	6.24	3	75
HCK 863T	E 63	63.5	1.60	3,00	8.94	-	50
HCK 875T	E 75	76.2	1.80	3,00	12.09	-	40

Thick wall conduit (Threaded)

JIS C 8305

Item No.	Size	Outside Diameter (mm)	Nominal Wall Thickness (mm)	Length (mm)	Nominal Weight (kg/pc)	Primary Bundle (pcs)	Master Bundle (pcs)
HCK 216T	G 16	21.0	2.30	3,00	3.88	10	250
HCK 222T	G 22	26.5	2.30	3,00	5.02	10	175
HCK 228T	G 28	33.3	2.50	3,00	6.95	7	125
HCK 236T	G 36	41.9	2.50	3,00	8.89	5	75
HCK 242T	G 42	47.8	2.50	3,00	10.22	3	75
HCK 254T	G 54	59.6	2.80	3,00	14.35	-	50
HCK 270T	G 70	75.2	2.80	3,00	18.30	-	40
HCK 282T	G 82	87.9	2.80	3,00	21.51	-	30
HCK 392T	G 92	100.7	3.50	3,00	30.71	-	20
HCK 394T	G 104	113.4	3.50	3,00	34.72	-	20

SILING FITTING





Rigid Alumunium Conduit & Accessories

ANSI STANDARD



PIPA ALUMUNIAM

RIGID ALUMUNIAM CONDUIT WEIGHTS AND DIMENSIONS

TRADE SIZE	METRIC DESIGNATOR	THREADS/ INCH	ACCEPTABLE LENGTH OF FINISHED CONDUIT WITHOUT COUPLING			WEIGHT OF 10 UNIT LENGTHS WITH COUPLINGS		NOMINAL OUTSIDE DIAMETER*		NOMINAL INSIDE DIAMETER*		NOMINAL WALL THICKNESS*
			ft.	+/- .25 in.	+/- 6 mm	lbs.	kg	in.	mm	in.	mm	
1/2	16	14	9	11 1/4	3030	28.1	12.75	0.840	21.34	0.632	16.05	2.0
3/4	21	14	9	11 1/4	3030	37.4	16.96	1.050	26.67	0.836	21.23	2.0
1	27	11 1/4	9	11	3025	54.5	24.72	1.315	33.40	1.063	27.00	2.0
1 1/4	35	11 1/4	9	11	3025	71.6	32.48	1.660	42.16	1.394	35.41	2.5
1 1/2	41	11 1/4	9	11	3025	88.7	40.23	1.900	48.26	1.624	41.25	2.5
2	53	11 1/4	9	11	3025	118.5	53.75	2.375	60.33	2.083	52.91	2.5
2 1/2	63	8	9	10 1/2	3010	187.5	85.05	2.875	73.03	2.489	63.22	3.0
3	78	8	9	10 1/2	3010	246.3	111.72	3.500	88.90	3.090	78.49	3.0
3 1/2	91	8	9	10 1/4	3005	295.6	134.08	4.000	101.60	3.570	90.68	4.0
4	103	8	9	10 1/4	3005	350.2	158.85	4.500	114.30	4.050	102.87	4.0
5	129	8	9	10	2995	478.9	217.23	5.563	141.30	5.073	128.85	4.0
6	155	8	9	10	2995	630.4	285.95	6.625	168.28	6.093	154.76	5.0


* For information only; not a standards requirement.



ELBOW ALUMUNIAM



COUPLING ALUMUNIAM



BANDING PIPE



TEEDUST ALUMUNIAM TYPE E & G




Cable Support Systems

NEMA STANDARD

STRUT-RACEWAY
CHANEEL-TRUNK



LADDER "U"



TRAY "U"




LADDER "W"



TRAY "C"




DUCTING




COVER


LADDER HEAVY
DUTTY H 150 MM




CABLE CAGE (BRC)



JOINTING SLW



JOINTING SLU




HORIZONTAL
ELBOW




HORIZONTAL
BEND




EQUAL
TEE




STRAIGHT REDUCER




EQUAL CROSS




INSIDE RISER



OUTSIDE RISER




END PLATE




BRACKET



COVER CLAMP



HANGER BEAM




HANGER CLEVIS



BRACKET MOUNTING



JOINTING TRAY C



JOINTING TRAY U



HORIZONTAL
ELBOW TRAY




HORIZONTAL
BEND TRAY



EQUAL TEE TRAY




STRAIGHT REDUCER TRAY




EQUAL CROSS TRAY




OUTSIDE
RISER TRAY



OUTSIDE
RISER TRAY



JOGGLED PLATE TRAY





Cable Support System

NEMA STANDARD



LADDER SLU HDG



CABLE TRAY TYPE C POWDER COATING




CABLE LADDER CAGE (BRC)



TEE LADDER SLU HDG



LADDER dan TRAY



ELBOW LADDER SLU HDG





CV. HENDRY CIPTA KARYA

**Steel Conduit - Cable Support System & Accessories
FABRICATION & STOCKIST**

Jl. Raya Salembaran Jaya No. 8 Kosambi, Dadap - Tangerang

Phone : (021) 5593 3044 / 021 - 2229 - 3004 / Fax : (021) 5593 0832

HP / WhatsApp : 0813 1518 2009 / 0812 8198 5571 / 0877 7575 2009

Email : adi_junadi@yahoo.co.id / hendryciptakarya@yahoo.co.id

Website : www.hendryciptakarya.com || Instagram : [cv.hendryciptakarya](https://www.instagram.com/cv.hendryciptakarya)

GLODOK

Alamat Toko :

Gedung LTC UG Blok A.21 No. 3 Telp : 021 - 6230 - 3549 / HP : 0812 1123 2755

Jakarta Pusat