



NT 70/2

Powerful wet/dry vacuum cleaner with 70 I container capacity and up to three motors.

1 Integrated accessory storage

Large bumper with accessory storage.

3 Ergonomic push handle

The NT 70 has an ergonomic push handle so that the machine can be rolled.

2 Integrated drain hose

■ The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.

4 Robust bumper

■ The robust bumper protects the machine from knocks and bumps.

TECHNICAL DATA AND EQUIPMENT





NT 70/2

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available

Technical data		
Order no.		1.667-269.0
EAN code		4039784725379
Air flow rate	l/s	2 x 56
Vacuum	mbar / kPa	208 / 20.8
Container capacity	1	70
Max. rated input power	W	2400
Standard nominal width		40
Cable length	m	10
Sound pressure level	dB(A)	75
Container material		Plastic
Number of motors		2
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	24.9
Dimensions (L × W × H)	mm	510 × 740 × 1010
Equipment		

Equipment		
Suction hose	m	4
Suction tube, metal 2 x 0.5 m		
Wet and dry floor nozzle	mm	400
Crevice nozzle		1
Cartridge filter		
Drain hose		1
Bend		
Cartridge filter		Paper
Sturdy bumper		
Push handle		1
Protection class		













			T	T					_
		Order no.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Cartridge filter paper					'				
Cartridge filter, paper	1	6.907-038.0	1 piece(s)					Paper, dust class M tested.	
Fabric filter									
Membrane filter	2	6.904-282.0	1 piece(s)					Polyester needle fleece, dust class M, washable (40 °C). Not suitable for dust class H applications.	וב
Paper filter bags (two-ply)									
Paper filter bags	3	6.904-285.0	5 piece(s)					Dust class M, triple-ply, reinforced outer layer, tear-resistant.	
Plastic sacks for dust-free disposal									
Plastic sack for dust-free disposal	4	6.900-698.0	10 piece(s)					PE plastic sack for dust-free disposal.	
Wet filter bag									
Wet filter bag	5	6.904-252.0	5 piece(s)					Dust class L, general cleaning, dry and wet, tear-resistant.	
Coarse dirt filter for wet vacuuming	3								
Foam filter	6	2.889-083.0	1 piece(s)					Foam filter for wet vacuuming, alternative to cartridge filter.	

lacksquare Included in delivery. \Box Available accessories.





















		1					1		_	
		Order no.	Quantity	ID	Length	Width	Price	Description		
Floor nozzies									Ţ	
Multi-purpose nozzle, wet/dry	1	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	ı	
Wet and dry floor nozzle	2	2.889-117.0	1 piece(s)	ID 40		400 mm		The wet and dry floor nozzle (DN 40) allows quick changing		
	3	6.907-510.0	1 piece(s)	ID 40		400 mm		of the squeegees/brush and is ideal for wet vacuum cleanin of large areas.	g	
Multi-purpose nozzle, wet/dry	4	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.		
	5	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.		
	6	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	[
	7	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	[
Crevice nozzles			'			'				
Crevice nozzle	8	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.		
	9	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.		
	10	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	[
	11	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.		
Suction tubes, metal			,					,	Ļ	
Suction tube	12	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	ı	
	13	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.		
Complete suction hoses (clip syste	em)	I.						Creation 5.	+	
Suction hose	1	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	-	
Suction hose + ID 40 bushing	15	4.440-784.0	1 piece(s)	ID 40	16 m			16 m suction hose (C-DN 40) with bayonet and straight adapter.		
Bends, stainless steel										
Bend, stainless steel, ID 35	16	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	[
Bend, stainless steel, ID 40	17	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	[
Bend, plastic										
Plastic bend	18	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).		

[■] Included in delivery.

Available accessories.































	_	1							_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend, plastic, electrically conduc-	19	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip	
tive								system. For all industrial single-motor NT 361 to NT 611 Eco models.	
	20	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	
Bends, metal		1						System, sortable for all fire vaccom creamers.	
Bend, metal	21	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-	
								112.0; C 35-DN 35, plastic, el.).	_
	22	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used	
								instead of a plastic bend (with clip system adapter 5.407- 111.0; C 40-DN 40, plastic, el.).	
All-purpose brushes									
All-purpose brush	23	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
Car cleaning nozzles								,	
Car nozzle	24	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Wide nozzles									
Wide nozzle	25	4.130-432.0	1 piece(s)	ID 40		644 mm		Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.	
Rubber tool									
B 11 15 15		4760 0570	4 1 ()	1.0				Dubbox	
Rubber nozzle, ID 40	26	4.763-057.0	1 piece(s)	40				Rubber.	
Rubber nozzle, ID 40 Rubber suction tools, nose 45°	. 26	4./63-05/.0	1 piece(s)	40				Rubber.	
	26	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Rubber suction tools, nose 45°					220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable	
Rubber suction tools, nose 45°	27	6.902-104.0	1 piece(s)	ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45°	27	6.902-104.0	1 piece(s)	ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes	27	6.902-104.0	1 piece(s) 1 piece(s)	ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush	27	6.902-104.0	1 piece(s) 1 piece(s)	ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles	27 28 29	6.902-104.0 6.902-105.0 6.903-034.0	1 piece(s) 1 piece(s) 1 piece(s)	ID 35 ID 40 ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100	27 28 29 30	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0	1 piece(s) 1 piece(s) 1 piece(s)	ID 35 ID 40 ID 35				45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200	27 28 29 30	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0	1 piece(s) 1 piece(s) 1 piece(s)	ID 35 ID 40 ID 35		70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes	27 28 29 30 31	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35		70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles,	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush	27 28 29 30 31	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0	1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s) 1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35		70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. Stainless steel suction tube (DN 40, 0.5 m) only suitable for	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush Suction tubes, stainless steel	27 28 29 30 31 32	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0 6.903-887.0	1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35 ID 35 ID 35	220 mm	70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush Suction tubes, stainless steel	27 28 29 30 31 32	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0 6.903-887.0	1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35 ID 35 ID 32	220 mm	70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. Stainless steel suction tube (DN 40, 1.0 m) only suitable for Stainless steel suction tube (DN 40, 1.0 m) only suitable for	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush Suction tubes, stainless steel	27 28 29 30 31 32 33 34	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0 6.903-887.0 6.902-081.0 6.906-531.0	1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35 ID 35 ID 36 ID 30 ID 30 ID 40 ID 40	0.5 m	70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. Stainless steel suction tube (DN 40, 1.0 m) only suitable for Stainless steel suction tube (DN 40, 1.0 m) only suitable for	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush Suction tubes, stainless steel Suction tube	27 28 29 30 31 32 33 34	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0 6.903-887.0 6.902-081.0 6.906-531.0	1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35 ID 35 ID 36 ID 30 ID 30 ID 40 ID 40	0.5 m	70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45° Rubber suction tool, nose 45° Radiator brushes Heater brush Pipe dusting nozzles Pipe brush 35/100 Pipe brush 35/200 Suction brushes Suction brush Suction tubes, stainless steel Suction tube Repair kits	27 28 29 30 31 32 33 34 35	6.902-104.0 6.902-105.0 6.903-034.0 6.903-035.0 6.903-036.0 6.903-887.0 6.902-081.0 6.906-531.0	1 piece(s)	ID 35 ID 40 ID 35 ID 35 ID 35 ID 35 ID 32 ID 40 ID 40 ID 40 ID 35	0.5 m	70 mm		45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. Plastic, pipe diameter 100 mm Plastic, pipe diameter 200 mm Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	

[■] Included in delivery.

Available accessories.































		I					T		$\overline{}$
		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction hoses (clip system)									
Suction hose	38	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With	
								bayonet at vacuum end and C 40 clip connection at accesso ry end.	- L
	39	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection.	+
			1					Without bend and adapter.	
	40	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and	d c
	41	6.906-635.0	1 piece(s)	40	16 m			40 clip connection. Without bend and adapter. With bayonet and clip connection.	Г
	42	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	┿
Suction hoses complete	72	0.300 077.0	1 piece(s)	1 40	10111			Social Hose with Bayonet coopinis, electrically conductive.	
Suction hose, complete	43	4.440-264.0	1 piece(s)	ID 61	4 m			4-m standard suction hose with DN 61 bayonet connector a	ıt
								the device end and DN 61 tapered connector at the accessor	- [
		4 4 4 0 2 2 0 0	1 mins = /=\	ID C4	2			ry end.	+
	44	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside	
	45	4.440-467.0	1 piece(s)	ID 61	10 m			10-m standard suction hose with DN 61 bayonet connector	+
								at the device end and DN 61 tapered connector at the ac-	
	4.5		4 1 ()	10.64				cessory end.	+
Suction hose, complete, oil-resist- ant	46 47	4.440-613.0 4.440-614.0	1 piece(s)	ID 61	4 m			Oil-resistant.	
Suction hose, complete, electrically			1 piece(s) 1 piece(s)	ID 61	10 m			Electrically conductive.	
conductive	40	4.440 010.0	1 piece(s)	10 01	4 111			Electrically conductive.	
Suction hose, complete	49	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose wit	h
		4 4 4 0 202 0	4 = : (-)	ID 40	4		-	bayonett at vacuum end and DN 40 cone at accessory end.	÷
	50 51	4.440-303.0 4.440-463.0	1 piece(s) 1 piece(s)	ID 40	4 m			Oil-resistant Electrically non-conductive 10.0m standard suction hose	
	31	4.440-403.0	1 biece(s)	10 40	10 111			with bayonett at vacuum end and DN 40 cone at accessory	
								end.	
	52	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	
Suction hose, complete, oil-resist-	53	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	Г
ant Connecting sleeves									_
Connecting adaptor, ID 27, electri-	54	4.453-006.0	1 piece(s)	ID 27			I	For connecting 2 suction hoses, thread on both sides, elec-	L
cally conductive.	5 1	1.155 555.5	I piece(s)	1.5 27				trically conducitve.	
Adaptor, ID 32/35, with internal	55	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For	
thread								connecting two suction hoses without connectors. Suitable	E
Connecting adaptor, ID 40, with	56	6.900-286.0	1 piece(s)	ID 40				for DN 32 or DN 35. Electrically non-conductive adapter with screw thread at	+
internal thread	50	0.500 200.0	I piece(s)	15 10				both ends. For connecting 2 DN 40 suction hoses without	
								connectors.	\perp
Connecting sleeve, ID 61, with	57	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	Г
female thread Extension hoses (clip system)									_
Extension hose	58	6.906-344.0	1 piece(s)	ID 40	2.5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	
Other		1	<u>'</u>						Ė
Pre-separator, 80 I	59	3.864-010.0	1 piece(s)						
Drum separator	60	3.864-012.0	1 piece(s)						
Pre-separator cover	61	4.063-132.0	1 piece(s)						
Spacer for 200 I drum	62		1 piece(s)						
CS 40 Me	63	2.863-026.0	1 piece(s)						























		Order no.	Quantity	ID	Length	Width	Price	Description
Y-adapter kit			'	•				
Y-adapter kit	64	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.
Connection adaptor C ID (clip to co	one), ele	ctrically conduc	tive		•			
Connection adaptor C DN 35	65	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.
Expansion pieces (tube -> nozzle)								
Adaptor	66	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.
Reducing sleeves								
Reducer	67	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.
Reduction bushing	68	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.
Reducers (tube -> nozzle)								
Reducer	69	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.
Reducer from ID 35 to ID 32	70	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.
Target-group-specific accessory k	its for v	acuum cleaners	•					
Professional cleaning kit	71	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).
Car cleaning accessory kit	72	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.
Swarf kit	73	2.640-760.0		ID 61				Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle.

[■] Included in delivery.

Available accessories.





		Order no.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous								d
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	ַ

[■] Included in delivery.

Available accessories.









					Length			
		Order no.	Quantity	ID	/ width	Price	Description	
Other nozzles								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Scratcher and scraper nozzle, metal	2	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	
Surface nozzle, aluminium	3	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	

[■] Included in delivery.

Available accessories.



		Order no.			Price	Description	
						·	_
Suction hoses							
	1	2.639-905.0				Repair kit for all C-40 and ID 40 hoses	

[■] Included in delivery.

Available accessories.