



Biiston
THERMAL INKJET PRINTER

**G-10
SERIES**



**Hitech
Marwah
Indonesia**
coding marking - automation
and packaging machineries



www.hitechmachine.co.id
www.hitechmarwah.com



[hitechmarwah](https://www.instagram.com/hitechmarwah)



[@hitechmachine](https://www.tiktok.com/@hitechmachine)



[hitechmarwahindonesia](https://www.facebook.com/hitechmarwahindonesia)



[Hitech Marwah Indonesia](https://www.youtube.com/Hitech%20Marwah%20Indonesia)

SINGLE HEAD

10 inch Touch Screen



- Operation System use Customized Android Technology
- Friendly software, even green hand can use easily
- Use 10 inch Touch Screen can be easily to control message

Adjustable Printhead makes it easy to set the distance in millimeters (mm)

Adjustable Printhead



25.4 mm 12.7 mm



There are two sizes of headprint covers to suit the needs of the message to be printed

- Language** : Bahasa Indonesia, Chinese, English, Turkish, Arabic, Korean, Spanish, Russian, Portuguese, Italian, Thai, Persian, Germany, Japanese, ETC 21 languages, any language can be customized
- Font** : Any fonts can be added yourself
- Image Format** : jpg, png, bmp, css, web, etc
- PC Software Format** : Ms Excel, Ms Access, SQL 2000, SQL 2005, SQL 2008
- Data Format** : xls
- Variabel Data Format** : csv, txt, xlsx, xls
- Cartridge Protection** : RFID
- Max Size Printed** : 12,7 mm / 25,4 mm



MULTI HEAD



Stich Mode



Split Mode



Double Head

Max Size Printed use Cover 12,7mm : 25,4 mm
Max Size Printed use Cover 25,4mm : 50,8 mm

Three Head

Max Size Printed use Cover 12,7mm : 38,1 mm
Max Size Printed use Cover 25,4mm : 76,2 mm



Four Head

Max Size Printed use Cover 12,7mm : 50,8 mm
Max Size Printed use Cover 25,4mm : 101,6 mm





Packing carton



Medicine




Furniture and wood



Food packaging



PET plastics



GS1 Data Matrix



Dynamic security barcode



Multi- group printing



HD bold font



Multi-dot font

Technical Parameters

Operation System : Customized Android

CPU : Quad core 1,5GHz

Storage : 3G

Printing accuracy : 150DPI, 300DPI, 600DPI

Printing distance: 2-5 mm

Print content: Text, time, date, pattern, shift, serial number, dynamic barcode / QR code, dynamic serial data, dynamic database(Additional content can be added as required)

Code types : CODE11, C25INTER, CODE39, EXCODE39, EAN13, EAN13x, CODE128, CODE16K, CODE49, CODE93, Flattermarken, UPCA, UPCE, EAN14, VIN, NVE18 QRcode, DataMatrix, MicroQRcode, PDF417, PDF417TRTRUNC, MICROPDF417

Adapter : Input 100-240V AC; output 32V DC, 5A

Machine material : Aluminum

- 12.7mm and 25.4mm cartridges can work on a same printer
- 120m/min at 300 *600 dpi
- Support variable QR code and data GS1 available
- Friendly software, even green hand can use easily
- 21+ languages available can be added any kind you want
- Font can be added by yourself
- Body and screen material aren't plastic, prevent electrostatic interaction
- Support PNP and NPN sensor connection
- Adjustable standart print head, easy to adjust print height
- Support ODM/OEM, MOQ of customs boot screen is 1

Citra Harmoni Blok A-9
Jl. Raya Trosobo KM 20 Taman
Sidoarjo 61257
Jawa Timur - Indonesia



031-7881496



0821 3135 1083
0813 3608 3900
0877 6777 7727



hitech_mw@yahoo.com
info@hitechmarwah.com