




# All-in-1 LED WALL

## eXtraordinary Display For eXecutive Meeting Room & Conference Hall



The ICE Board All-in-One LED Wall combines simplicity, versatility, and exceptional visual performance to create captivating and immersive displays. With its seamless integration, user-friendly controls, and reliable operation, the ICE Board opens up a world of possibilities for digital signage, events, and other applications. Experience the power of the ICE Board and elevate your visual communication to new heights.




# Increase More Engagement With Optimal Visualization



# Bring Your Device & Share Your Screen to ICE Board LED Wall (up to 4 device simultaneously)





ICE Board  
All in One LED Wall



SCAN ME

Installation  
ICE Board LED Wall



SCAN ME

220 inch suitable  
for 3 x 5m display area

120 inch suitable  
for 2,5 x 1,5m display area



Minimalist style design  
with 3 mm  
super narrow frame.

Ultra-slim structure  
with 31 mm  
display thickness.

16:9  
16:9 Display Ratio

Plug & play Operation

Remote Control

Indicator Light

Built-in Smart System

USB Reading



Optional stand for 120"-165"

## Product Specification

- Astonishing Display with Bezel-Free Look
- Wireless screen-sharing (up to 4 devices)
- Built-in Android System
- Adjustable Brightness Setting
- Easy to operate with remote control
- Mirror/enlarge from Interactive Flat Panel (wired)
- Support full-front service
- Bring simplicity for efficient business presentation



ICE BOARD LED WALL	120 Inch	138 Inch	165 Inch	220 Inch
Pixel Pitch (mm)	2.0	1.9	1.9	2.5
Brightness (nits)	100-550	100-550	100-550	100-550
Refresh Rate (Hz)	1920/3840Hz	3840	3840	3840
Resolution	1280x720	1600x900	1920x1080	1920x1080
Power Consumption (Max / Ave)	1.85 / 0.74 (KW)	1.97 / 0.79 (KW)	2.83 / 1.13 (KW)	5.20 / 1.76 (KW)
Display Area (mm)	2664 x 1499	3050 x 1715	3660 x 2058	4880 x 2745
Overall Dimension (mm)	2678 x 1616 x 31	3064 x 1832 x 31	3674 x 2175 x 31	4893 x 2862 x 31
Weight (kg)	90	140	190	330
Recommended Viewing Distance	>2.6m	>3.8m	>3.8m	>5m
Gray Scale (Bit)	13-16bit	13-16bit	13-16bit	13-16bit
Viewing Angle (H/V)	170 / 170	160 / 140	160 / 140	170 / 170
Installation Method	Wall Mounting / With Stand	Wall Mounting / With Stand	Wall Mounting / With Stand	Wall Mounting

Our Partner:

[www.iceboard.id](http://www.iceboard.id)

