



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
Jakarta Barat – DKI Jakarta 11640
Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
Maret 2017

KATALOG PRODUK ALAT KONSTRUKSI (SPESIFIKASI & HARGA)

| HAL- | NAMA PRODUK | KETERANGAN | DESKRIPSI / FUNGSI |
|------|--|---|--|
| 1 | HIGH FREQUENCY CONVERTER & SHAFT INTERNAL VIBRATOR | Electric Vibrator 3 Phasa | Concrete Technology – Alat Pemadatan Cor Beton |
| 2 | TAMPING RAMMERS & PLATE COMPACTOR | Stamper Kuda & Stamper Kodok | Alat pemadat Tanah / Asfalt (Tersedia Gasoline & Diesel) |
| 3 | VIBRATORY / BABY ROLLER | Kapasitas 1,5 Ton- 4,5 Ton | Alat pemadatan Tanah / Asfalt (Sistem dorong & Setir) |
| 4 | VIBRATORY TRUSS SCREED Up To 3 – 12 Meter | Engine + Section + Accessories Outtrigger | Alat Paver Jidar Cor Beton / Alat pemerataan Cor Jalan / Lantai |
| 5 | VIBRATORY WET SCREED | Engine + Blade 1 – 2,5 – 3 – 4 – 6 Mtr | Alat Paver Jidar Cor Beton / Alat pemerataan Cor Jalan / Lantai |
| 6 | JACK HAMMER & BREAKER | Unit Drive + Chissel (Mail Point, Flat, Asfalt Digging) | Alat Bobok / Bongkar Beton, Asfalt Jalan, Batu-Batu, Dinding, etc |
| 7 | ASPALT & CONCRETE CUTTER | Unit Drive + Blade 14" – 16" – 18" – 20" Inch | Alat potong jalan Asfalt / Cor Beton (Maksimal Ketebalan potong 18 Cm) |

Notes Demo Penggunaan alat dapat kunjungi Showroom / Workshop atau Ajukan Inquiry keping Video-CD Via Email*

Kondisi Pra Penawaran :

1. Harga tertera belum termasuk PPN 10 % (Non-PPN harap konfirmasi saat pemesanan)
2. Harga Franco Jakarta & Sekitarnya
3. Harga terbaik yang di sepakati akan di ajukan pada Surat Penawaran Resmi (Harga dapat berubah berdasarkan Fluktuasi Nilai tukar mata uang yang berlaku saat pemesanan)
4. Pengiriman keluar kota / Luar pulau. Maka biaya Pengiriman Cargo dibiayai oleh Customer.
5. Garansi 6 Bulan (Franco Workshop resmi – Jakarta) :Berlaku bebasbiaya service 6 Bulan+ 1 Kali pergantian Spareparts (Syarat & Ketentuan Berlaku). Tidak berlaku : Jika kerusakan teridentifikasi di sebabkan salah Pemakaian / Kesalahan Maintenance atau Kesalahan Prosedur saat Mesin di bongkar atau kerusakan saat pengiriman yang jika tidak dengan Ekspedisi / Cargo yang kami referensikan.

Pra-Syarat Pemesanan :

1. Harap konfirmasi kepada Sales Support keadaan Stock dan kondisi barang sebelum pemesanan
2. Harap ajukan pemesanan resmi dengan Purchase Order (PO)
3. Harap pembayaran di lakukan jika harga sudah di sepakati dan sudah kami ajukan Invoice / Faktur resmi
4. Barang akan di kirim 1 – 2 hari setelah PO dan pelunasan (COD harap konfirmasi / sudah di setuju penjual)
5. Pesanan Barang yang belum lunas / DP maka untuk stok yang tersedia tidak terikat.



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
 Jakarta Barat – DKI Jakarta 11640
 Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
 Maret 2017

=== ELECTRIC CONCRETE VIBRATOR ===



Concrete Technology : Converter Series



HIGH FREQUENCY CONVERTER

| DATA | KTU 2/042/200W | FU 1,8/200W | FU 4/200 | FU 5 z/200 |
|----------------------|---------------------|--------------------|---------------------|----------------------|
| Drive | 230 V 1~ | 400 V 3~ | 400 V 3~ | 400 V 3~ |
| Input power | 3 kVA | 3,5 kVA | 6,9 kVA | 9,2 Kva |
| Output Curent | 35 A | 27 A | 52 A | 69 A |
| Output voltage | 42 V 3~ | 42 V 3~ | 42 V 3~ | 42 V 3~ |
| Output freq | 200 Hz | 200 Hz | 200 Hz | 200 Hz |
| No. Of outlet | 2 | 2 | 3 | 4 |
| Power cable | 25 m | 3 m | 2 m | 2 m |
| Weight | 43.4 kg | 27 kg | 64 kg | 75 kg |
| PRICE (IDR) | 55.500.000,- | 37500.000,- | 78.600.000,- | 116.500.000,- |

*Discount 20 %



SHAFT FLEXIBLEINTERNAL VIBRATOR

TYPE & Ø NUMBER :IREN SERIES

All Size : (5m x 15m)

| TYPE | IREN Ø 30 | IREN Ø 38 | IREN Ø 45 | IREN Ø 57 | IREN Ø 65 |
|----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Vibrator head | Ø 30 mm | Ø 38 mm | Ø 45 mm | Ø 57 mm | Ø 65 mm |
| Compaction dia. | Approx. 40 cm | Approx. 50 cm | Approx. 60 cm | Approx. 85 cm | Aprox. 120 cm |
| Nominal Current | 3.5 A | 7 A | 10 A | 17.3 A | 25 A |
| Vibrations 1/min | Approx. 12000 | Approx. 12000 | Approx. 12000 | Approx. 12000 | Approx. 12000 |
| Weight | 11.3 kg | 10.5 kg | 11.8 kg | 16.2 kg | 22.5 kg |
| PRICE (IDR) | 25.500.000,- | 26.000.000,- | 26.500.000,- | 28.300.000,- | 34.000.000,- |

*Discount 20 %



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
Jakarta Barat – DKI Jakarta 11640
Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
Maret 2017

=== VIBRATORY ROLLER (WALK BEHIND & RIDE ON)===



DOUBLE DRUM 1 - 2 Tons (Hydraulic Walk Behind & Double Vibration)

| TECHNICAL DATA | TYPE : RD 7H-S |
|--|---|
| Overall Size Handle down (L x W x H) | 2.630 x 700 x 1.165 (mm) |
| Shipping size (l x w x h) | 1.475 x 915 x 1.165 mm |
| Dry weight | 753 Kg |
| Shipping weight | 776 Kg |
| Operating Weight | 810 Kg |
| Drum Diameter | 420 mm |
| Drum width | 650 mm |
| Curb clearance (R and L) | 235 mm |
| Side clearance (R and L) | 30 mm |
| Water tank capacity | 53 litre |
| Engine type | Air-cooled, single cylinder, HATZ diesel 7 HP |
| Starting system | Handcrank |
| Displacement | 2.520 cm ³ |
| Maximum power @ 3.600 | 6,3 (8,6) Kw (hp) |
| Operating power | 5,5 (7,5) kw (hp) |
| Operating speed | 2.800 (1 / min) |
| Fuel consumption | 1,67 l / h |
| Fuel tank capacity | 5 litre |
| Dynamic (centrifugal) force | 13 Kn |
| Frequency | 55 Hz |
| Static linear force per drum (f/r) | 5,0 / 7,0 N (N / mm) |
| Dynamic linear force per drum (f/r) | 10,0 / 10,0 (N / mm) |
| Variable speeds - Forward/Reserve | 66,7 / 33,3 (m / min) |
| Maximum gradeability (without vibration) | 40 % |
| Max. Area capacity | 2.613 m ² / h |
| PRICE (IDR) | 270.000.000,- |

*Discount 25%



DOUBLE DRUM 2 - 4 Tons (Ride On with 1 - 2 Vibration)

| TECHNICAL DATA | RD 12A-90 | RD 16-90 |
|--------------------------|-----------------------------|-----------------------------|
| Operating Weight | 1200 Kg | 1600 Kg |
| Drum Diameter | 560 mm | 560 mm |
| Vibrating Drums | 1 | 2 |
| Centrifugal Force / Drum | 15 kN | 15 kN |
| Max. Area Capacity | 7.800 m ² / Hour | 8.386 m ² / Hour |
| Drive Engine | Honda Gasoline 17 HP | Lombardini Diesel 27 HP |
| Overall Size (L x W x H) | 1.825 x 1.035 x 2.300 mm | 1.950 x 1.000 x 2545 mm |
| Starting System | Electric | Electric |
| PRICE (IDR) | indent | indent |

*Discount 20 % (Indent 60 - 90 days)-Indent max 90 days



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
Jakarta Barat – DKI Jakarta 11640
Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
Maret 2017



=== TAMPING RAMMER (STAMPER KUDA)===

TAMPING FOR SOIL & ASPALT

AVAILABLE WITH GASOLINE-2 STROKE & YANMAR DIESEL

| DATA | BS 50-2 | BS 60-2 | DS 70 |
|----------------------|--------------------------|--------------------------|-------------------|
| Weight | 58 / 59 Kg | 66 Kg | 83 Kg |
| Drive Engine | WACKER WM 80 2 STROKE | WACKER WM 80 2 STROKE | YANMAR |
| Engine Perf | 2.3 kW | 2.3 kW | 3.1 kW |
| Widht | 250 mm | 280 mm | 280 mm |
| Percusion Rate | 700 / min | 700 / min | 700 / min |
| Centrifugal Force | 12 kN | 13.4 kN | 16 kN |
| PRICE (IDR) | 54.300.000 | 63.000.000 | 85.750.000 |

*Discount 20 %

=== PLATE COMPACTOR (STAMPER KODOK) ===



Vibratory Plate 15 1/4
MP 15
Item Number: 0900131

These plates prove that performance is valuable

These plates provide superior vibration efficiency and performance at a low cost price. The patented design allows for maximum ground depth in the most common applications of plate compactors. The plate body with electric starting means longer working times and less stress for the operator.

ADDITIONAL ADVANTAGES:

- Proven design and technology from the world's leading brand Wacker Neuson
- These plates are especially suited for a variety of compaction applications thanks to their high speed and compact dimensions.
- Specially designed motor housing reduces vibration and are suitable for hot climate applications.
- Ergonomically designed wing handles make working with vibrating foot compactors easier for the operator.
- A rugged steel case comes as standard, and leads to higher operator comfort and improved productivity during any work cycle.

| TECHNICAL DATA | AP 1550 R | MP 15 |
|----------------------|-----------------------------------|--------------------------|
| Weight | 79 Kg | 74 Kg |
| Drive Engine | ROBIN4-Cycle | ROBIN Air Cooled 4-Cycle |
| Engine Performance | 4.2 kW | 4.2 kW (3.600 rpm) |
| Width Base Plate | 500 x 588mm | 500 x 588 mm |
| Centrifugal force | 15 kN | 15 kN |
| PRICE (IDR) | 32.000.000,- (Check Stock) | 21.520.000,- |

*Discount 20 %



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
Jakarta Barat – DKI Jakarta 11640
Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
Maret 2017

=== VIBRATORY TRUSS SCREED (CONCRETE PAVER & SCREEDER) ===



(1) POWER SECTION

| TECHNICAL DATA - TYPE | HPG 50 A | HPG 100 A |
|-----------------------|---------------------|---------------------|
| Drive Engine | HONDA | HONDA |
| Engine Output | 6 Kw (8HP) | 6 Kw (8HP) |
| Length | 1,5 m | 3,1 m |
| Weight | 66 kg | 92 kg |
| PRICE (IDR) | 61.500.000,- | 73.420.000,- |

*Discount 20 %

(2) CENTER SECTION

| TECHNICAL DATA - TYPE | HC 50 A | HC 100 A |
|-----------------------|---------------------|---------------------|
| Length | 1,5 m | 3,1 m |
| Weight | 26 kg | 57 kg |
| PRICE (IDR) | 26.500.000,- | 51.500.000,- |

*Discount 20 %

(3) END SECTION

| TYPE | HE 50 A | HE 100 A |
|----------------------|---------------------|---------------------|
| Length | 1,5 m | 3,1 m |
| Weight | 30 kg | 57 kg |
| PRICE (IDR) | 26.500.000,- | 51.500.000,- |

Discount 20 %

ACCESORIES ADDITIONAL (ON/OFF)

| TYPE | HC - HE 25 | OUTRIGGER - HPG | OUTRIGGER - HE |
|--------------|------------|--------------------|--------------------|
| Length | 0.75 m | 0.45 m | 0.45 m |
| Weight | 15 kg | 8 kg | 8 kg |
| PRICE | | 1.600.000,- | 1.600.000,- |

Discount 20 %



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
 Jakarta Barat – DKI Jakarta 11640
 Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
 Maret 2017

=== VIBRATORY WET SCREED ===



| TYPE | P 31 A | P 35 A |
|---------------|--------------------|---------------------|
| Drive Engine | HONDA 1.1 kW | HONDA 1 kW |
| Overall Size | 1120 X 550 X 940mm | 1120 X 550 X 940 mm |
| Weight | 15,5 kg | 15,5 kg |
| PRICE (IDR) | - | 41.330.000 |

| SCREED BLADE | SB 4-F | SB 6-F | SB 8-F | SB 10-F |
|---------------|-----------|-----------|------------|------------|
| Length | 1.2 m | 1.8 m | 2.4 m | 3 m |
| Width | 124 mm | 124 mm | 124 mm | 124 mm |
| PRICE (IDR) | 6.167.000 | 7.598.000 | 10.589.000 | 13.240.000 |



=== GASOLINE JACK HAMMER ===

BREAKER HAMMER / ROCK HAMMER

| TYPE | WACKER NEUSON - BH 23 / BH 55 |
|------------------------|-------------------------------|
| Application | Breaking/Tie Tamping/Ramming |
| Drive | WACKER 2-T gasoline |
| Power | 2 Kw (2,7 HP) |
| Fuel to Oil Ratio | 50 : 1 |
| Fuel Consumption | 1,2 ltr / hour |
| Dimension (L x W x H) | 790 x 450 x 333 mm |
| Weight | 23 kg |
| PRICE (IDR) | 112.500.000,- |

*Discount 20 % (Included pcs Chisel – Available type Moil Point / Flat)



=== ELECTRIC BREAKER HAMMER ===

| TYPE | EHB 7 M | EH 9-BLM | EH 11-BLM |
|----------------|---------------------|--------------|-------------------|
| Application | Drilling/Chiselling | Breaking | Breaking/Drilling |
| Output | 1.1 kW | 1.38 kW | 1.38 kW |
| Electric Drive | 230 V 1 | 230 V 1 | 230 V 1 |
| Output | | | |
| Weight | 6,3 kg | 10,7 kg | 11,7 kg |
| PRICE (IDR) | 45.000.000,- | 55.500.000,- | 66.500.000,- |

*Discount 20 % (Included 1 pcs Chisel– Available type Moil Point / Flat)



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Prapatan Joglo, Kembangan,
 Jakarta Barat – DKI Jakarta 11640
 Telepon / Faximili : (021) 22540184



**WACKER
NEUSON**

PRICE LIST UPDATE
 Maret 2017

=== ASPALT & CONCRETE CUTTER===



| <i>TECHNICAL - TYPE</i> | <i>BFS 16</i> | <i>BFS 20</i> |
|--------------------------------|---------------------------------|---------------------------------|
| Dry Weight (Without Water) | 105 Kg | 125 Kg |
| Operating Weight | 130 Kg | 145 Kg |
| Length x Width x Heigth (mm) | 1015 x 556 x 1045 mm | 1070 x 556 x 1045 |
| Blade Diameter | 305 - 450 mm (14 - 16 Inch) | 305 - 500 mm (14 -20 Inch) |
| Max Cutting Depth | 14 cm - 150 (400mm / 16" Blade) | 18 cm - 200 (500mm / 20" Blade) |
| Engine Models (GASOLINE) | WackerNeuson WM-270 | WackerNeuson WM-400 |
| Nominal Blade Speed | 2677 rpm | 2677 rpm |
| Water Tank Capacity | 45 Litre | 45 Litre |
| PRICE (IDR) | 58.500.000,- | 77.000.000,- |

Discount 20 %



| <i>WACKER BLADE</i> | <i>Ø 14 "</i> | <i>Ø 16 "</i> | <i>Ø 18 "</i> | <i>Ø 20 "</i> |
|----------------------|--------------------|--------------------|--------------------|--------------------|
| PRICE (IDR) | 2.500.000,- | 2.800.000,- | 4.100.000,- | 7.000.000,- |

Discount 10 %