


KADEGEN®

power generation



Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

Edisi 2020 / 2021

KADEGEN[®]

power generation



YANG DONG



DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby		Prime		Engineering	Cylinder	Dimension	Weight
	kw	kva	kw	kva	Type		cm	Kg
KDS-15 Y	11	13.6	10	12.5	YD385D	3L	170x90x113	600
KD-12,5 Y	11	13	10	12.5	YD385D	3L	175x85x105	600
KD-15 Y	13	16	12	15	YD480D	4L	185x*85x105	730
KD-20 W	17	21	16	20	K4100D	4L	206x91x115	780
KD-25 W	22	27	20	25	K4100D	4L	220x96x130	950
KD-30 W	27	33	25	30	N4100D	4L	220x96x130	980
KD-40 W	33	44	30	40	N4105D	4L	240x100x130	1000
KD-50 W	44	55	40	50	N4105D	4L	240x100x135	1100
KD-60 W	55	66	50	60	N4105ZD	4L	240x100x135	1100
KD-70 W	62	77	56	79	R4105BZLD	4L	240x100x135	1150
KD-85 W	74	93	68	85	R6105ZDS	6L	280x106x147	1450
KD-100 W	88	110	80	100	R6105AZLDS	6L	280x106x147	1500
KD-150 W	132	165	120	150	R6105BZLDS2	6L	280x106x147	1500

*KDS = Single Phase

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu



FAWDE DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby		Prime		Engineering	Dimension	Weight
	kw	kva	kw	kva	Type	mm	Kg
KD-20 FDS	22	28	20	25	4DW92-35D	1950x850x1050	800
KD-20 FD	16.5	20.5	15	18.75	4DW91-29D	1950x850x1050	800
KD-30 FD	27.5	34	25	31	4DW93-42D	1950x850x1050	850
KD-40 FD	35.2	44	32	40	4DX21-53D	2050x950x1200	990
KD-50 FD	44	55	40	50	4DX22-65D	2250x950x1300	1100

*FDS = Single Phase

KADEGEN®

power generation



ISUZU

DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby kw	Standby kva	Prime kw	Prime kva	Engineering Type	Cylinder	Dimension mm	Weight Kg
KD-25IS	22	28	20	25	4JBI	4L	195x85x108	820
KD-30IS	28	34	25	30	4JBIT	4L	196x85x108	850
KD-40IS	33	44	30	40	4JBITA	4L	205x85x108	950
KD-50IS	44	55	40	50	4BDI-Z	4L	221x89x123	1100
KD-60IS	53	66	48	60	4BGI-Z	4L	222x89x123	1100
KD-85IS	74	93	68	85	6BGI-Z	6L	265x107x139	1450
KD-100IS	88	110	80	100	6BGI-ZL	6L	265x107x140	1500
KD-120IS	105	132	96	120	6BGI-ZL	6L	266x107x140	1500

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu



DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby kw	Standby kva	Prime kw	Prime kva	Engineering Type	Cylinder	Dimension mm	Weight Kg
KD-70 L	60	77	56	70	1004TG	4L	2600x108x160	1300
KD-100 L	88	110	80	100	1006 TG2A	6L	293x108x165	1450
KD-135 L	118	148	108	135	1006 TAG	6L	293x108x165	1800

KADEGEN[®]

power generation



DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby kw	Standby kva	Prime kw	Prime kva	Engineering Type	Cylinder	Dimension mm	Weight Kg
KD-60 CD	55	66	50	60	4BTA3.9 G2	4L	240x100x140	1200
KD-100 CD	88	110	80	100	6BTA5.9 G2	6L	293x108x165	1500

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu




YANMAR

DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

■ Spesifikasi

Model	Standby		Prime		Engineering Type	Cylinder	Dimension mm	Weight Kg
	kw	kva	kw	kva				
KD-12,5 YCS	11	13.5	10	12.5	3TNV88-GGE	3L	155x70x105	671
KD-12,5 YC	11	13.5	10	12.5	3TNV88-GGE	3L	155x70x105	671
KD-20 YC	17.5	22	16	20	4TNV88-GLE	4L	155x70x105	771
KD-30 YC	26.5	33	24	30	4TNV88-GLE	4L	155x70x105	821

*YCS = Single Phase

KADEGEN®

power generation



Perkins®

DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

Spesifikasi

Model	Standby kw	Standby kva	Prime kw	Prime kva	Engineering Type	Cylinder	Dimension cm	Weight Kg
KD-10 P	9	11	8	10	403D-11G	3L	175x800x120	700
KD-13.5 P	11	14.5	10	13.5	403D-15G	3L	175x800x120	700
KD-20 P	17	22	16	20	404-22G	4L	175x800x120	760
KD-45 P	40	50	36	45	1103A-33TG1	3L	175x800x120	1050
KD-65 P	57	71	52	65	1104A-33TG1	4L	175x800x120	1600
KD-80 P	72	88	64	80	1104AA-44 TG2	4L	175x800x120	1700
KD-100 P	88	110	80	100	1006G-TG	6L	175x800x120	1750
KD-135 P	118	148	108	135	1006-TAG	6L	175x800x120	1890
KD-150 P	132	165	120	150	1006-TAG2	6L	175x800x120	2500
KD-200 P	176	220	160	200	1106-70 TAG2	6L	175x800x120	2900
KD-250 P	220	275	200	250	1306A-E 87 TAG6	6L	175x800x120	3300
KD-350 P	308	385	280	350	2206C-E 13 TAG2	6L	175x800x120	4600

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu



FOTON

DIESEL GENERATOR SET

Feature:

- Full control panel with power indicator light and oil light
- Emergency shutdown for low oil pressure and high water temperature
- Large fuel tank ensure continuous running
- Low noise & vibration level
- Compact structure
- Reliable performance
- Easy for installation and maintenance

Spesifikasi


Model	Genset Spec		Engine Specification							Silent Type		
	Power		Engineering Type	Cylinder	Bore*Stroke	Piston Displ	Fuel Consumption		Oil Capacity	Dimension	Weight	Tank
	kw	kva			mm	Ltr	75%	100%	Ltr	L*W*H (mm)	kg	Ltr
KD-25 F	20	25	4 JB1	4L	93*102	2771	4.20	5.60	5.5	2200x900x1150	850	44
KD-30 F	24	30	4 JB1-T	4L	93*102	2771	4.80	6.40	5.5	2200x900x1150	900	55
KD-40 F	32	40	4 JB1-TA	4L	93*102	2771	6.00	8.00	5.5	2200x900x1150	950	56

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu



ALTERNATOR

Single & Double Blower



SINGLE



DOUBLE

Features :
 2/3 Pitch Windings
 Class "H" Insulation System
 Advanced Automatic Voltage
 Regulator (AVR) Control

Spesifikasi


Model	Rated Output (KW)	Rated Capacity (KVA)	Rated Voltage (V)	Rated Current (A)	Power Factor (Cos ϕ)	Rated Speed (rpm)	Rated Frequency (Hz)	Gross Weight (Kg)
KD-164C	10.8	13.5	400	19.5	0.8	1500/1800	50/60	110
KD-164D	12.8	16	400	23	0.8	1500/1800	50/60	116
KD-184E	18	22.5	400	32.5	0.8	1500/1800	50/60	141
KD-184F	22	27.5	400	39.7	0.8	1500/1800	50/60	164
KD-184G	25	31.3	400	45.1	0.8	1500/1800	50/60	180
KD-184H	30	37.5	400	54.1	0.8	1500/1800	50/60	230
KD-184J	32	40	400	57.7	0.8	1500/1800	50/60	240
KD-224D	40	50	400	72.2	0.8	1500/1800	50/60	270
KD-224E	48	60	400	86.6	0.8	1500/1800	50/60	290
KD-224F	58	72.5	400	104.6	0.8	1500/1800	50/60	330
KD-224G	68	85	400	122.7	0.8	1500/1800	50/60	370
KD-274C	80	100	400	144.3	0.8	1500/1800	50/60	435
KD-274D	100	125	400	173.2	0.8	1500/1800	50/60	460
KD-274E	112	140	400	202	0.8	1500/1800	50/60	510
KD-274F	128	160	400	225.5	0.8	1500/1800	50/60	550
KD-274G	140	175	400	259.8	0.8	1500/1800	50/60	500
KD-274H	160	200	400	288.7	0.8	1500/1800	50/60	650
KD-274K	200	250	400	360.8	0.8	1500/1800	50/60	910
KD-314D	240	300	400	433	0.8	1500/1800	50/60	975
KD-314E	260	325	400	469	0.8	1500/1800	50/60	1055
KD-314F	320	400	400	548.5	0.8	1500/1800	50/60	1183
KD-354C	360	450	400	656.8	0.8	1500/1800	50/60	1350
KD-354D	400	500	400	721.7	0.8	1500/1800	50/60	1450
KD-354E	480	600	400	880.5	0.8	1500/1800	50/60	1598
KD-354F	536	670	400	967.1	0.8	1500/1800	50/60	1753

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu

AVR FOR GENERATOR



FOR STAMFORD




FOR KUTAI



FOR STC



FOR GENERAL



FOR MARELLI



FOR LEROYSOMER



FOR MARATHON

■ Spesifikasi

AVR FOR GENERATOR		AVR FOR GENERATOR	
TYPE	KETERANGAN	TYPE	KETERANGAN
AVR AS 440	For STAMFORD series	AVR EA05A	For KUTAI series
AVR SX 440 (GREY)	For STAMFORD series	AVR M4F4640A	For MARELLI alternator
AVR SX 440 A (RED)	For STAMFORD series	AVR M16FA655A	For MARELLI alternator
AVR SX 460 A (RED)	For STAMFORD series	AVR GB 170	For STC alternator
AVR SX 460 (GREY)	For STAMFORD series	AVR R 230	For LEROYSOMER
AVR MX-341	For STAMFORD series	AVR SE 350	For MARATHON series
AVR MX-321	For STAMFORD series	SMARTGEN 420	CONTROLLER
AVR AS 480	For STAMFORD series	SMARTGEN 6120	CONTROLLER
AVR GAVR-8A	For GENERAL series	REGULATOR 12/18V-24/28V	For MATSUMOTO SILENT
AVR GAVR-12A	For GENERAL series	SELENOID 12N/24V	For MATSUMOTO SILENT
AVR GAVR-15A	For GENERAL series	ELECTRIC SPEED REGULATOR	FOTON

Spesifikasi dan warna dapat berubah sewaktu-waktu tanpa pemberitahuan terlebih dahulu



KADEGEN[®]

power generation