



KATALOG PRODUK ALAT KONSTRUKSI (DATA SPESIFIKASI & HARGA)

1. Tamping Rammers / Stamper Kuda : Alat pemadatan Material Tanah, Asphalt, Kerikil, dll
2. Plate Compactors / Stamper Kodok : Alat pemadatan Paving Blok Material Tanah, Asphalt, Kerikil, dll
3. Reversible & Vibration Roller : Alat pemadat Material Tanah, Asphalt, Kerikil, Paving, dll
4. Vibrator Electric & Shaft Internal Vibrator : Alat pemadat Concrete (Dengan Energi Listrik)
5. Mechanical Engine Vibrator : Alat pemadat Concrete (Dengan Energi Bahan Bakar Minyak Petrol Gasoline)
6. Gasoline Jack Hammer / Concrete Breaker (Alat Bobok Beton / Pemecah Batu)
7. Aspalt & Concrete Cutter + Blade Cutter : Alat pemotong Jalan Aspal / Lantai Beton
8. Vibratory Truss Screed : Alat jidar Concrete / Jidar beton di Jalan atau Lantai
9. Vibratory Wet Screed : Alat Jidar concrete / meratakan hamparan beton concrete
10. Power Trowel : Alat Finishing Concrete pada Lantai
11. Barcutter & Barbender : Alat pemotong dan Tekuk Besi Ulir beton
12. Portable Rebar Tires : Alat pengikat Kawat Bendrat
13. Water Pump 3" : Alat pompa Air Buangan

Kondisi Pra Penawaran :

1. Harga Pengenaan pajak harap konfirmasi sebelum pemesanan
2. Harga Franco Jakarta & Sekitarnya
3. Harga terbaik yang di sepakati akan di ajukan pada Surat Penawaran Resmi (Harga dapat berubah berdasarkan Fluktuasi Nilai tukar mata uang yang berlaku saat pemesanan)
4. Pengiriman keluar kota / Luar pulau, Maka biaya Pengiriman Cargo dibiayai oleh pembeli
5. Garansi 6 Bulan (Franco Workshop resmi – Jakarta) : Berlaku bebas biaya service 6 Bulan (Syarat & Ketentuan Berlaku). Tidak berlaku : Jika kerusakan teridentifikasi di sebabkan karena salah Pemakain / Kesalahan Maintenance atau Kesalahan Prosedur saat Mesin di bongkar / kerusakan saat pengiriman

Pra-Syarat Pemesanan Barang :

1. Harap konfirmasi kepada Sales Support keadaan Stock dan kondisi barang sebelum pemesanan
2. Harap ajukan Pemesanan resmi dengan Purchase Order (PO)
3. Harap pembayaran di lakukan jika harga sudah di sepakati dan sudah kami ajukan Invoice / Faktur resmi
4. Barang akan di kirim 1 – 2 hari setelah PO dan pelunasan (COD harap konfirmasi / sudah di setuju penjual)
5. Pesanan Barang yang lunas / belum DP maka untuk stok barang yang tersedia tidak terikat.
6. Referensi Pembayaran Via Transfer Bank (Via Mandiri No : 118000-7855-892 a/n PT. Agusta Mitra Sukses) (Via BCA No. 887.041.3221 A/N Anisa Nur Fauziah Rohmah - Untuk Transaksi harga sebelum pajak)

Sales Support :
Mobile :
Email :



= TAMPING RAMMER / SOIL COMPACTION (STAMPER KUJA) =



TECHNICAL - TYPE	DYNAMIC DTR 85 H / R / DS
Impact Number	450-700 blow / min
Speed & Jumping	10-13 m / min - 80 mm
Impact Force	17.3 KN - 19,2 KN
Jumping System	Below Hydraulic System
Plate Size	1050 x 500 x 730 mm
Engine Type	-DTR 85-H : Engine 4T HONDA GX-160 (5,5 HP)
A	-ETR 80 D : Diesel 170-F (4.2 HP)
B	-DTR 85-DS : Diesel D 168F (6,5 HP)
C	
Fuel Tank Capacity	2.5 ltr
Fuel Consumption	1.9 ltr / hour
Weight + Accesories	85 Kg + Roda Trolley
PRICE Type A (Gasoline)	DTR 85 (H / R) : 12.000.000.-
Type. B - C (Diessel)	ETR 85 D : 12.000.000.-
	DTR 85 DS : 18.000.000.-

= PLATE COMPACTOR & REVERSIBLE (STAMPER KODOK) =

TECHNICAL - TYPE	EVERYDAY C 80 H	EVERYDAY C 160 H
		
Plate size (W x L)	520 mm x 500 mm	700 mm x 500 mm
Max Traver Speed (m/min)	21	20
Vibrating Frequecy (vpm)	4.930	4.500
Centrifugal Force (Kn)	14	30
Directions	Forward	Reversible
Engine Model	HONDA GX 160	HONDA GX 270
Power (HP)	5.5	9.0
UNIT DRIVE		
Weight (kg)	85	146
Dimension (mm)	750 x 525 x 540	785 x 480 x 1090
PRICE (IDR)	12.000.000	25.000.000

Sales Support :
 Mobile :
 Email :



= BABY ROLLER DOUBLE DRUM (WALK BEHIND) =



TECHNICAL DATA - TYPE	EVERYDAY RS 600 H	EVERYDAY RS 600 D
Walk Speed (Km/h)	0-4	0-4.5
Gradeability	30% / ≤15°	30% / ≤15°
Drive Type	Hydraulic Station	Hydraulic Transmision
Vibration Control	Automatic Cluth	Automatic Cluth
Vibration Frequency (Hz)	70	60
Existing Force (KN)	20	20
Water Tank (Liter)	20	40
Hydraulic Oil Tank	21	25
Engine Model / Power (HP)	HONDA GX 270	Changchai ZR 180
Starting Mode	9	9
Wheel Size (mm)	425 x 600 x 2	425 x 600 x 2
Weight (Kg)	550	660
Package Size (mm)	1.450 x 1.100 x 1.200	2.490 x 700 x 1.130
PRICE (IDR)	75.000.000,-	85.000.000,-

= RIDE ON VIBRATOR ROLLER =



TECHNICAL DATA - TYPE	DYNAMIC EVERYDAY RS 880 D
Walk Speed (Km / h)	0-5
Gradeability	30% / ≤15°
Drive Type	Hydraulic Transmision
Vibration Control	Electromagnetic Cloutch
Vibration Frequency (HZ)	70
Existing Force (Kn)	25
Water Tank (Liter)	60
Hydraulic Oil Tank (Liter)	19
Engine Model	Diesel
Power (HP)	9
Starting Mode	Electric and Hand
Wheel Size Front (mm)	540 x 740
Wheel Size Back (mm)	540 x 800
Weight & Size	1000 Kg & 2100 x 1000 x 1650
PRICE (IDR)	195.000.000,-

Sales Support :
 Mobile :
 Email :




= CONCRETE VIBRATOR =



ELECTRIC VIBRATOR / HIGH FREQUENCY CONVERTER - MEREK DYNAMIC (DHF Series)

CONVERTER - TYPE	DHF 54/3	DHF 36 / 2	DHF 25 / 2
Drive	380 V3 ~	380 V3 ~	380 V3 ~
Input Power	4,5 kVa	3,0 kVa	2,5 kVa
Output Current	54 A	36 A	25 A
Output Voltage	48 V3 ~	42 V3 ~	42 V3 ~
Output Freq'	200 Hz	200 Hz	200 Hz
No. Of Outlet	3	2	2
Power Cable	5m	5m	5m
Weight	58 Kg	50 Kg	37 Kg
PRICE (IDR)	29.500.000/U <i>(Exclud Shaft)</i>	25.500.000/U <i>(Exclud Shaft)</i>	24.000.000/U <i>(Exclud Shaft)</i>
	34.500.000 <i>(INC' DIVO 50)</i>	30.500.000 <i>(INC' DIVO 50)</i>	27.800.000 <i>(INC' DIVO 35)</i>

SHAFT INTERNAL VIBRATOR	DIVO 38	DIVO 50	DIVO 60	DIVO 35 (NEW)
Diameter Ø	38 mm	50 mm	60 mm	35 mm
Length(mm)	352	390	436	342
Weight	10 kg	13 kg	16 kg	9 kg
Power Source	48 V 3	48 V 3	48 V 3	48 V 3
Current	8 A	12 A	16 A	7 A
Vibrating Amplitude	1,8 mm	2,0 mm	2,2 mm	1,6 mm
Centrifugal Force	1,0 kN	3,5 kN	4,5 kN	0,90 kN

PRICE (IDR)		1 Unit	12.550.000/u	12.900.000/u	13.800.000/u	12.550.000/u
		3 Unit	11.550.000/u	11.900.000/u	12.800.000/u	11.550.000/u
		5 Unit	11.250.000/u	11.600.000/u	12.500.000/u	11.250.000/u

= MECHANICAL ENGINE VIBRATOR (GASOLINE) =



TECHNICAL - TYPE	HONDA POWER
Engine	HONDA GX-160
Power	Honda : 5,5 HP
Fuel Tank Capacity	3,8 litre
Fuel Consumption	1,10 litre / hour
Dimension	LxWxH : 460mm x 460mm x 510mm
Weight	35 kg
PRICE (IDR)	HONDA : Rp.5.500.000,-
ENGINE Shaft Ø 38 <i>(Type Tigon - Japan Tech)</i>	<ul style="list-style-type: none"> • 4 mtr : Rp.2.150.000,- • 6 mtr : Rp.2.350.000,-
ENGINE Shaft Ø 45 <i>(Type Tigon - Japan Tech)</i>	<ul style="list-style-type: none"> ○ 4 mtr : Rp.2.350.000,- ○ 6 mtr : Rp.2.500.000,-

Sales Support :
Mobile :
Email :



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 13 / 12 / 2017

= GASOLINE JACK HAMMER / CONCRETE BREAKER =



TECHNICAL - TYPE	DYNAMIC / EVERYDAY ECB 55
Impact Force	55 kN
Working Rotation Speed	4,250 r/min
Impact Number	22 HZ
Engine - House Power	2 Stroke - 2,1 HP
Dimensions	880 X 500 X 390 (mm)
Weight	30 kg
PRICE (IDR)	33.000.000,- (Includ 3 PC Chissel + Throlley)

= CONCRETE & ASPALT CUTTER =



TECHNICAL - TYPE	DCC / Q 450 - H 16	DCC / Q 450 - H 20
Maximal Diameter Blade ø	16 inch	20 inch
Maximal Cutting Depth	14 cm	18 cm
Water Tank Capacity	27 liters	27 liters
Engine Type	Air Cooled 1 Cylinder 4 T	Air Cooled 1 Cylinder 4 T
Engine Model	HONDA GX 270	HONDA GX 390
Power	6.6 Kw - 9 HP	69.6 Kw-13.0 HP
Fuel Consumption	3.5 Liters / HOUR	4.3 Liters / HOUR
Dimensions (Weight)	1.159 x 536 x 976 (95 Kg)	1.159 x 536 x 976 (110 Kg)
PRICE (IDR)	21.000.000.-	23.000.000.-



TECHNICAL - TYPE	DCC 500 H 18 inch - DIESEL
Maximal Diameter Blade ø	18 inch
Maximal Cutting Depth	16 cm
Water Tank Capacity	27 ltr
Engine Type	Single Cylinder, Vertical - Diesel Engine
Engine Model	Diesel Matsumoto MDX 186 FA
Power	6,3 Kw / 8,5 HP
Fuel Consumption	3.5 ltr / hour
Dimensions (L x W x H) - (mm)	1.159 x 536 x 976 mm
Weight	105 Kg
PRICE (IDR)	25.000.000.-

BLADE CUTTER	ø 14 "	ø 16 "	ø 18 "	ø 20 "
<i>Dynamic / Husqvarna</i>	1.700.000,-	2.900.000,-	3.000.000,-	3.500.000,-
<i>WACKER / TYROLIT</i>	4.000.000,-	4.750.000,-	5.700.000,-	6.700.000,-

Sales Support :
Mobile :
Email :



= VIBRATORY TRUSS SCREED =



EVERYDAY DYNAMIC TSP 6 (MODEL VTS 600)	POWER SECTION TSP 3	CENTER – END SECTION TSC 3 + TSE 3
L x W x H (mm)	3.000 (1.500 + 1.500) x 350 x 475	3.000 (1.500 + 1.500) x 350 x 475
Engine	HONDA GX 270	
Power	9.0 HP / 7 kW	
Vibration Freq (m/min)	2650	
Weight	95 Kg	45 Kg
PRICE (IDR) Acc- Outrigger 45 mm	65.000.000.- 1.600.000.-	(Includ Paket) 1.600.000.-

= VIBRATORY WET SCREED =

TECHNICAL DATA	EVERYDAY SFS 1
Drive Engine	HONDA GX 35 /1.1 Kw/ 1.5 HP- 4 T
Mechanism Capacity	Freq 8700 rpm / Centrifugal 1500 kG
Overall Size &Weight	1120 X 550 X 930mm - 13,5 kg
PRICE (IDR) (NETTO) ➤ Franco Jakarta ➤ Blade Only (Charge Delivery)	✓ Only Engine : 11.750.000,- ○ Paket in 1,2 m : 15.500.000,- ○ Paket in 1,8 m : 15.750.000,- ○ Paket in 2.4 m : 16.000.000,- ○ Paket in 3.0 m : 16.500.000,-



= POWER TROWEL =



TECHNICAL - TYPE	DYNAMIC DPT 36 H	EVERYDAY S 100
Trowel Diameter	910 mm	920 mm
Blade size (w x l)	205 x 343 mm	205 x 343 mm
Trowel speed	50 - 100 rpm	60 - 100 rpm
Engine	HONDA GX-160 (5,5 HP)	HONDA GX-160 (5,5 HP)
Dimensions (H X W)	810 x 1.010 mm	750 x 1.020 mm
Weight	78 Kg	78 Kg
PRICE (IDR)	17.500.000.-	13.500.000.-

Sales Support :
Mobile :
Email :

= BARCUTTER & BARBENDER =



EVERYDAY TYPE	Max. Bar Diameter	Motor Power	Operating Weight	Price List (IDR)	PRICE / SET (IDR)
BAR CUTTER BC 42	32 mm	4.0 HP	470 kg	46,000,000 / unit	80.000.000,-
BAR BENDER BB 52	32 mm	5,4 HP	466 kg	52,000,000 / unit	<i>(Paket 1 Cutter + 1 Bender)</i>

Type	Max. Bar Diameter	Motor Power	Operating Weight	Price List (IDR)	PRICE / SET (IDR)
BAR CUTTER BC 40	25 mm	4.0 HP	380 kg	35,000,000 / unit	60.000.000,-
BAR BENDER BB 40	25 mm	4.0 HP	305 kg	35,000,000 / unit	<i>(Paket 1 Cutter + 1 Bender)</i>

= SPIRAL BARBENDER =



TECHNICAL - TYPE	DYNAMIC EVERYDAY SB 32
Max Bending	25 mm
Angle Bending	180 ° / Second
Motor Power	4 HP
Electrical Phasa	3 Phasa AC 220-415,50/60 hz
Dimensions	900 X 800 X 850 (mm)
Weight	340 kg
PRICE (IDR)	45.000.000,-

= PORTABLE REBAR CUTTER =



TECHNICAL - TYPE	DYNAMIC RC 20	DYNAMIC RC 25
Power	850 w / 220 V / 50 HZ	1.300 w / 220 V / 50 HZ
Max. Dia- Cutting (mm)	20	25
Cutting Pressure (Ton)	15	30
Cutting Speed (s)	4.0 - 5.0	5.0
Weight (w/ Packaging) - (Kg)	13 (18.5)	24.5 (32)
Machine Size (mm)	410 x 115 x 220	480 x 150 x 255
PRICE (IDR)	14.000.000,-	18.000.000,-

Sales Support :
Mobile :
Email :



= PORTABLE REBAR TIRES WL 400 =



TECHNICAL - TYPE	DYNAMIC WL 400
Battery Type	Ni-MH Charger Voltage 110 - 240 V
Motor Voltage (V)	9.6
Max Tying Dia- (mm)	25
Wire Diameter (mm)	0.8
Wire Length (cm)	53 - 79
Weight (Kg) & Dimension (mm)	2.1 & 277 x 100 x 290
PRICE (IDR)	20.000.000,-


= PORTABLE CONCRETE CUTTER =

idngyui.com



TECHNICAL - TYPE	DYNAMIC EC 35
Blade Diameter	300 - 350
Max. Cutting Depth (mm)	125
Blade Speed (r / min)	5.400
Engine Model	2-Stroke
Power (HP)	4.5
Weight (Kg) & Dimensions (mm)	15 & 670 x 280 x 460
PRICE (IDR)	15.500.000,-

= WATER PUMP DCP 30X (3") =

	PRICE (IDR)
	UNIT DCP-30 X : Rp. 6.850.000,- ACCESORIES : A. Hose Flexible 3" : 62.500 / Meter

	TECHNICAL DATA	DCP - 30 X
ENGINE	Inlet House	3 (80 mm)
	Outlet House Dia. (inch)	3 (80 mm)
	Rotation Velocity (rpm)	3600
	Suction Height (m)	8
	Max. Delivery (m)	30
	Max. Flow Rate (l/min)	800
	Duration of Runs (h)	2
	Type &Max. Power Output	4-Stroke OHV - 4.7 kW / 3600 rpm
	Ignition System	Non-contact transistorized ignition (T.C.I.)
COMPLETE UNIT	Lenght x Width x Height (mm)	540 x 445 x 480
	Selang Flexible + Clamp	3" Inch
	Dry Mass (Kg)	31 (Non Packaging)

Sales Support :
 Mobile :
 Email :



PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640




Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com





PRICE LIST : 13 / 12 / 2017

= CONCRETE BUCKET / BUCKET COR =

	BUCKET COR 0,8 Kubik  
BC 1000 L	BC 800 L
Thick (mm) : 4	Thick (mm) : 4
Diameter (mm) : 1.450	Diameter (mm) : 1.350
Capacity Weight (Liter) : 1000	Capacity Weight (Liter) : 800
Diameter Hose (Inch) : 8	Diameter Hose (Inch) : 8
Lenght Hose (m) : 5	Lenght Hose (m) : 5
Rp. 22.000.000.-	Rp. 20.000.000.-

= ELECTRIC CONCRETE VIBRATOR=

ENAR (Made in Spain) : HIGH FREQUENCY CONVERTER (3 PHASA)

TECHNICAL DATA -TYPE	AFE 3500	AFE 2500 T
		
Power Drive	380 V3~	380 V3~
Input Power	4,5 kVa	3,0 kVa
Output Curent	54 AMPERE	36 AMPERE
Output Voltage	48 V3~	42 V3~
Output Frequency	200 Hz	200 Hz
No. Of Outlet	4 Plug (Max- 54 A / Space Under 3 A)	3 Plug (Max- 36 A / Space Under 3 A)
Length Power Cable	5 Mtr	5 Mtr
Weight (non Packaging)	58 Kg	50 Kg
PRICE @ (IDR)	36.000.000.-	25.000.000.-

ENAR (M / AFP - Series) SHAFT FLEXIBLE INTERNAL VIBRATOR



DATA - TYPE	M 38	M 5 AFP	MG AFP
Head Tube Diameter	Ø38 mm	Ø50 mm	Ø 60 mm
Length (mm)	352	390	436
Weight	10 kg	13 kg	16 kg
Power Source / RPM	48 V 3 / 12000	48 V 3 / 12000	48 V 3 / 12000
Frequency	200 Hz	200 Hz	200 Hz
Current	8 A	12 A	16 A
Centrifugal Force	1,0 kN	3,5 kN	4,5 kN
Hose Length + CABLE	5 m + 10 M	5 m + 10 M	5 m + 10 M
PRICE @ (IDR)	12.650.000.-	14.300.000.-	15.500.000.-

#notes : Harga dapat di peroleh lebih murah bila di beli dengan harga Paket 1 Converter + 1 Shaft internal Vibrator

Sales Support :
Mobile :
Email :