



## **KATALOG PRODUK ALAT KONSTRUKSI ( DATA SPESIFIKASI & HARGA )**

1. Tamping Rammers / Stamper Kuda : Alat pemadatan Material Tanah, Asphalt, Kerikil, dll
2. Plate Compactors / Stamper Kodok : Alat pemadatan Paving Blok Material Tanah, Asphalt, Kerikil, dll
3. Reversible & Vibration Roller : Alat pemadat Material Tanah, Asphalt, Kerikil, Paving, dll
4. Vibrator Electric & Shaft Internal Vibrator : Alat pemadat Concrete ( Dengan Energi Listrik )
5. Mechanical Engine Vibrator : Alat pemadat Concrete ( Dengan Energi Bahan Bakar Minyak Petrol Gasoline )
6. Gasoline Jack Hammer / Concrete Breaker ( Alat Bobok Beton / Pemecah Batu )
7. Asphalt & Concrete Cutter + Blade Cutter : Alat pemotong Jalan Aspal / Lantai Beton
8. Vibratory Truss Screed : Alat jidar Concrete / Jidar beton di Jalan atau Lantai
9. Vibratory Wet Screed : Alat Jidar concrete / meratakan hamparan beton concrete
10. Power Trowel : Alat Finishing Concrete pada Lantai
11. Barcutter & Barbender : Alat pemotong dan Tekuk Besi Ulir beton
12. Portable Rebar Tires : Alat pengikat Kawat Bendrat
13. Water Pump 3" : Alat pompa Air Buangan

### **Kondisi Pra Penawaran :**

1. Harga Pengenaan pajak harap konfirmasi sebelum pemesanan
2. Harga Franco Jakarta & Sekitarnya
3. Harga terbaik yang di sepakati akan di ajukan pada Surat Penawaran Resmi (Harga dapat berubah berdasarkan Fluktuasi Nilai tukar mata uang yang berlaku saat pemesanan )
4. Pengiriman keluar kota / Luar pulau, Maka biaya Pengiriman Cargo dibiayai oleh pembeli
5. Garansi 6 Bulan ( Franco Workshop resmi – Jakarta ) : Berlaku bebas biaya service 6 Bulan (Syarat & Ketentuan Berlaku ). Tidak berlaku : Jika kerusakan teridentifikasi di sebabkan karena salah Pemakain / Kesalahan Maintenance atau Kesalahan Prosedur saat Mesin di bongkar / kerusakan saat pengiriman

### **Pra-Syarat Pemesanan Barang :**

1. Harap konfirmasi kepada Sales Support keadaan Stock dan kondisi barang sebelum pemesanan
2. Harap ajukan Pemesanan resmi dengan Purchase Order ( PO )
3. Harap pembayaran di lakukan jika harga sudah di sepakati dan sudah kami ajukan Invoice / Faktur resmi
4. Barang akan di kirim 1 – 2 hari setelah PO dan pelunasan ( COD harap konfirmasi / sudah di setuju penjual )
5. Pesanan Barang yang lunas / belum DP maka untuk stok barang yang tersedia tidak terikat.
6. Referensi Pembayaran Via Transfer Bank ( Via Mandiri No :118000-7855-892 a/n PT. Agusta Mitra Sukses ) ( Via BCA No. 887.041.3221 A/N Anisa Nur Fauziah Rohmah - Untuk Transaksi harga sebelum pajak )

Sales Support :  
Mobile :  
Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = TAMPING RAMMER / SOIL COMPACTION ( STAMPER KUDA ) =



| TECHNICAL - TYPE                 | DYNAMIC DTR 85 H / R / DS                     |
|----------------------------------|-----------------------------------------------|
| Impact Number                    | 450-700 blow / min                            |
| Speed & Jumping                  | 10-13 m / min - 80 mm                         |
| Impact Force                     | 17.3 KN - 19,2 KN                             |
| Jumping System                   | Below Hydraulic System                        |
| Plate Size                       | 1050 x 500 x 730 mm                           |
| Engine Type                      | -DTR 85-H : Engine 4T HONDA GX-160 ( 5,5 HP ) |
| A                                | -ETR 80 D : Diesel 170-F ( 4.2 HP )           |
| B                                | -DTR 85-DS : Diesel D 168F ( 6,5 HP )         |
| C                                |                                               |
| Fuel Tank Capacity               | 2.5 ltr                                       |
| Fuel Consumption                 | 1.9 ltr / hour                                |
| Weight + Accesories              | 85 Kg + Roda Trolley                          |
| <b>PRICE Type A ( Gasoline )</b> | <b>DTR 85 ( H / R ) : 12.000.000.-</b>        |
| <b>Type. B - C ( Diessel )</b>   | <b>ETR 85 D : 12.000.000.-</b>                |
|                                  | <b>DTR 85 DS : 18.000.000.-</b>               |

### = PLATE COMPACTOR & REVERSIBLE (STAMPER KODOK ) =

| TECHNICAL - TYPE           | EVERYDAY C 80 H                                                                     | EVERYDAY C 160 H                                                                      |
|----------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                            |  |  |
| Plate size ( W x L )       | 520 mm x 500 mm                                                                     | 700 mm x 500 mm                                                                       |
| Max Traver Speed ( m/min ) | 21                                                                                  | 20                                                                                    |
| Vibrating Frequecy ( vpm ) | 4.930                                                                               | 4.500                                                                                 |
| Centrifugal Force ( Kn )   | 14                                                                                  | 30                                                                                    |
| Directions                 | Forward                                                                             | Reversible                                                                            |
| Engine Model               | HONDA GX 160                                                                        | HONDA GX 270                                                                          |
| Power ( HP )               | 5.5                                                                                 | 9.0                                                                                   |
| <b>UNIT DRIVE</b>          |                                                                                     |                                                                                       |
| Weight ( kg )              | 85                                                                                  | 146                                                                                   |
| Dimension ( mm )           | 750 x 525 x 540                                                                     | 785 x 480 x 1090                                                                      |
| <b>PRICE ( IDR )</b>       | <b>12.000.000</b>                                                                   | <b>25.000.000</b>                                                                     |

Sales Support :  
Mobile :  
Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = BABY ROLLER DOUBLE DRUM ( WALK BEHIND ) =



| TECHNICAL DATA - TYPE      | EVERYDAY RS 600 H     | EVERYDAY RS 600 D      |
|----------------------------|-----------------------|------------------------|
| Walk Speed ( Km/h )        | 0-4                   | 0-4.5                  |
| Gradeability               | 30% / $\leq 15^\circ$ | 30% / $\leq 15^\circ$  |
| Drive Type                 | Hydraulic Station     | Hydraulic Transmission |
| Vibration Control          | Automatic Clutch      | Automatic Clutch       |
| Vibration Frequency ( Hz ) | 70                    | 60                     |
| Existing Force ( KN )      | 20                    | 20                     |
| Water Tank ( Liter )       | 20                    | 40                     |

|                             |                       |                     |
|-----------------------------|-----------------------|---------------------|
| Hydraulic Oil Tank          | 21                    | 25                  |
| Engine Model / Power ( HP ) | HONDA GX 270          | Changchai ZR 180    |
| Starting Mode               | 9                     | 9                   |
| Wheel Size ( mm )           | 425 x 600 x 2         | 425 x 600 x 2       |
| Weight ( Kg )               | 550                   | 660                 |
| Package Size ( mm )         | 1.450 x 1.100 x 1.200 | 2.490 x 700 x 1.130 |
| <b>PRICE ( IDR )</b>        | <b>75.000.000,-</b>   | <b>85.000.000,-</b> |

### = RIDE ON VIBRATOR ROLLER =



| TECHNICAL DATA - TYPE      | DYNAMIC EVERYDAY RS 600 D |
|----------------------------|---------------------------|
| Walk Speed ( Km / h )      | 0-5                       |
| Gradeability               | 30% / $\leq 15^\circ$     |
| Drive Type                 | Hydraulic Transmission    |
| Vibration Control          | Electromagnetic Clutch    |
| Vibration Frequency ( HZ ) | 70                        |
| Existing Force ( Kn )      | 25                        |
| Water Tank ( Liter )       | 60                        |

|                              |                              |
|------------------------------|------------------------------|
| Hydraulic Oil Tank ( Liter ) | 19                           |
| Engine Model                 | Diesel                       |
| Power ( HP )                 | 9                            |
| Starting Mode                | Electric and Hand            |
| Wheel Size Front ( mm )      | 540 x 740                    |
| Wheel Size Back ( mm )       | 540 x 800                    |
| Weight & Size                | 1000 Kg & 2100 x 1000 x 1650 |
| <b>PRICE ( IDR )</b>         | <b>202.000.000.-</b>         |

Sales Support :  
Mobile :  
Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = CONCRETE VIBRATOR =



#### ELECTRIC VIBRATOR / HIGH FREQUENCY CONVERTER - MEREK DYNAMIC ( DHF Series )

| CONVERTER - TYPE     | DHF 54/3                                | DHF 36 / 2                              | DHF 25 / 2                              |
|----------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Drive                | 380 V3 ~                                | 380 V3 ~                                | 380 V3~                                 |
| Input Power          | 4,5 kVa                                 | 3,0 kVa                                 | 2,5 kVa                                 |
| Output Curent        | 54 A                                    | 36 A                                    | 25 A                                    |
| Output Voltage       | 48 V3 ~                                 | 42 V3 ~                                 | 42 V3 ~                                 |
| Output Freq'         | 200 Hz                                  | 200 Hz                                  | 200 Hz                                  |
| No. Of Outlet        | 3                                       | 2                                       | 2                                       |
| Power Cable          | 5m                                      | 5m                                      | 5m                                      |
| Weight               | 58 Kg                                   | 50 Kg                                   | 37 Kg                                   |
| <b>PRICE ( IDR )</b> | <b>29.500.000/U</b><br>( Exclud Shaft ) | <b>25.500.000/U</b><br>( Exclud Shaft ) | <b>24.000.000/U</b><br>( Exclud Shaft ) |
|                      | <b>34.500.000</b><br>( INC' DIVO 50 )   | <b>30.500.000</b><br>( INC' DIVO 50 )   | <b>27.800.000</b><br>( INC' DIVO 35 )   |

| SHAFT INTERNAL VIBRATOR | DIVO 38 | DIVO 50 | DIVO 60 | DIVO 35 ( NEW ) |
|-------------------------|---------|---------|---------|-----------------|
| Diameter Ø              | 38 mm   | 50 mm   | 60 mm   | 35 mm           |
| Length(mm)              | 352     | 390     | 436     | 342             |
| Weight                  | 10 kg   | 13 kg   | 16 kg   | 9 kg            |
| Power Source            | 48 V 3  | 48 V 3  | 48 V 3  | 48 V 3          |
| Current                 | 8 A     | 12 A    | 16 A    | 7 A             |
| Vibrating Amplitude     | 1,8 mm  | 2,0 mm  | 2,2 mm  | 1,6 mm          |
| Centrifugal Force       | 1,0 kN  | 3,5 kN  | 4,5 kN  | 0.90 kN         |

|                  |                                                                                     |               |                     |                     |                     |                     |
|------------------|-------------------------------------------------------------------------------------|---------------|---------------------|---------------------|---------------------|---------------------|
| PRICE<br>( IDR ) |  | <b>1 Unit</b> | <b>12.550.000/u</b> | <b>12.900.000/u</b> | <b>13.800.000/u</b> | <b>12.550.000/u</b> |
|                  |                                                                                     | <b>3 Unit</b> | <b>11.550.000/u</b> | <b>11.900.000/u</b> | <b>12.800.000/u</b> | <b>11.550.000/u</b> |
|                  |                                                                                     | <b>5 Unit</b> | <b>11.250.000/u</b> | <b>11.600.000/u</b> | <b>12.500.000/u</b> | <b>11.250.000/u</b> |



### = MECHANICAL ENGINE VIBRATOR ( GASOLINE ) =

| TECHNICAL - TYPE                   | HONDA POWER                     |
|------------------------------------|---------------------------------|
| Engine                             | HONDA GX-160                    |
| Power                              | Honda : 5,5 HP                  |
| Fuel Tank Capacity                 | 3,8 litre                       |
| Fuel Consupction                   | 1,10 litre / hour               |
| Dimension                          | LxWxH : 460mm x 460mm x 510mm   |
| Weigh                              | 35 kG                           |
| <b>PRICE ( IDR )</b>               | <b>HONDA : Rp.5.500.000,-</b>   |
| <b>ENGINE</b>                      | <b>• 4 mtr : Rp.2.150.000,-</b> |
| <b>Shaft Ø 38</b>                  | <b>• 6 mtr : Rp.2.350.000,-</b> |
| <b>( Type Tigon – Japan Tech )</b> | <b>○ 4 mtr : Rp.2.350.000,-</b> |
| <b>Shaft Ø 45</b>                  | <b>○ 6 mtr : Rp.2.500.000,-</b> |
| <b>( Type Tigon – Japan Tech )</b> |                                 |

Sales Support :

Mobile :

Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = GASOLINE JACK HAMMER / CONCRETE BREAKER =



| TECHNICAL - TYPE       | DYNAMIC / EVERYDAY ECB 55                                        |
|------------------------|------------------------------------------------------------------|
| Impact Force           | 55 kN                                                            |
| Working Rotation Speed | 4,250 r/min                                                      |
| Impact Number          | 22 HZ                                                            |
| Engine - House Power   | 2 Stroke - 2,1 HP                                                |
| Dimensions             | 880 X 500 X 390 ( mm )                                           |
| Weight                 | 30 kg                                                            |
| <b>PRICE ( IDR )</b>   | <b>33.000.000,-</b><br><b>( Includ 3 PC Chissel + Throlley )</b> |

### = CONCRETE & ASPALT CUTTER =



| TECHNICAL - TYPE         | DCC / Q 450 - H 16          | DCC / Q 450 - H 20         |
|--------------------------|-----------------------------|----------------------------|
| Maximal Diameter Blade ø | 16 inch                     | 20 inch                    |
| Maximal Cutting Depth    | 14 cm                       | 18 cm                      |
| Water Tank Capacity      | 27 liters                   | 27 liters                  |
| Engine Type              | Air Cooled 1 Cylinder 4 T   | Air Cooled 1 Cylinder 4 T  |
| Engine Model             | HONDA GX 270                | HONDA GX 390               |
| Power                    | 6.6 Kw - 9 HP               | 69.6 Kw-13.0 HP            |
| Fuel Consupction         | 3.5 Liters / HOUR           | 4.3 Liters / HOUR          |
| Dimensions ( Weight )    | 1.159 x 536 x 976 ( 95 Kg ) | 1.159 x 536 x 976 (110 Kg) |
| <b>PRICE ( IDR )</b>     | <b>21.000.000.-</b>         | <b>23.500.000.-</b>        |



| TECHNICAL - TYPE              | DCC 500 H 18 inch - DIESEL                |
|-------------------------------|-------------------------------------------|
| Maximal Diameter Blade ø      | 18 inch                                   |
| Maximal Cutting Depth         | 16 cm                                     |
| Water Tank Capacity           | 27 ltr                                    |
| Engine Type                   | Single Cylinder, Vertical - Diesel Engine |
| Engine Model                  | Diesel Matsumoto MDX 186 FA               |
| Power                         | 6,3 Kw / 8,5 HP                           |
| Fuel Consupction              | 3.5 ltr / hour                            |
| Dimensions (L x W x H) - (mm) | 1.159 x 536 x 976 mm                      |
| Weight                        | 105 Kg                                    |
| <b>PRICE ( IDR )</b>          | <b>25.000.000.-</b>                       |

| BLADE CUTTER        | Ø 14 "      | Ø 16 "      | Ø 18 "      | Ø 20 "      |
|---------------------|-------------|-------------|-------------|-------------|
| Dynamic / Husqvarna | 1.700.000,- | 2.900.000,- | 3.000.000,- | 3.500.000,- |
| WACKER / TYROLIT    | 4.000.000,- | 4.750.000,- | 5.700.000,- | 6.700.000,- |

Sales Support :

Mobile :

Email :





## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = VIBRATORY TRUSS SCREED =



| EVERYDAY DYNAMIC TSP 6<br>( MODEL VTS 600 )         | POWER SECTION<br>TSP 3                    | CENTER – END SECTION<br>TSC 3 + TSE 3         |
|-----------------------------------------------------|-------------------------------------------|-----------------------------------------------|
| L x W x H ( mm )                                    | 3.000 ( 1.500 + 1.500 )<br>x 350 x 475    | 3.000 ( 1.500 + 1.500 )<br>x 350 x 475        |
| Engine                                              | HONDA GX 270                              |                                               |
| Power                                               | 9.0 HP / 7 kW                             |                                               |
| Vibration Freq ( m/min)                             | 2650                                      |                                               |
| Weight                                              | 95 Kg                                     | 45 Kg                                         |
| <b>PRICE ( IDR )</b><br><b>Acc- Outrigger 45 mm</b> | <b>65.000.000.-</b><br><b>1.600,000.-</b> | <b>( Includ Paket )</b><br><b>1.600.000.-</b> |

### = VIBRATORY WET SCREED =

| TECHNICAL DATA                                                                                 | EVERYDAY SFS 1                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drive Engine                                                                                   | HONDA GX 35 /1.1 Kw/ 1.5 HP- 4 T                                                                                                                                                                            |
| Mechanism Capacity                                                                             | Freq 8700 rpm / Centrifugal 1500 kG                                                                                                                                                                         |
| Overall Size &Weight                                                                           | 1120 X 550 X 930mm - 13,5 kg                                                                                                                                                                                |
| <b>PRICE ( IDR )</b><br><b>( NETTO )</b><br>➤ Franco Jakarta<br>➤ Blade Only (Charge Delivery) | ✓ <b>Only Engine : 11.750.000.-</b><br>○ <b>Paket in 1,2 m : 15.500.000.-</b><br>○ <b>Paket in 1,8 m : 15.750.000.-</b><br>○ <b>Paket in 2.4 m : 16.000.000.-</b><br>○ <b>Paket in 3.0 m : 16.500.000.-</b> |



### = POWER TROWEL =



| TECHNICAL – TYPE     | DYNAMIC DPT 36 H        | EVERYDAY S 100          |
|----------------------|-------------------------|-------------------------|
| Trowel Diameter      | 910 mm                  | 920 mm                  |
| Blade size ( w x l ) | 205 x 343 mm            | 205 x 343 mm            |
| Trowel speed         | 50 – 100 rpm            | 60 – 100 rpm            |
| Engine               | HONDA GX-160 ( 5,5 HP ) | HONDA GX-160 ( 5,5 HP ) |
| Dimensions ( H X W ) | 810 x 1.010 mm          | 750 x 1.020 mm          |
| Weight               | 78 Kg                   | 78 Kg                   |
| <b>PRICE ( IDR )</b> | <b>17.500.000.-</b>     | <b>13.500.000.-</b>     |

Sales Support :  
Mobile :  
Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = BARCUTTER & BARBENDER =



| EVERYDAY TYPE    | Max. Bar Diameter | Motor Power | Operating Weight | Price List ( IDR ) | PRICE / SET ( IDR )                  |
|------------------|-------------------|-------------|------------------|--------------------|--------------------------------------|
| BAR CUTTER BC 42 | 32 mm             | 4.0 HP      | 470 kg           | 46,000,000 / unit  | <b>80.000.000,-</b>                  |
| BAR BENDER BB 52 | 32 mm             | 5,4 HP      | 466 kg           | 52,000,000 / unit  | <i>( Paket 1 Cutter + 1 Bender )</i> |

| Type             | Max. Bar Diameter | Motor Power | Operating Weight | Price List ( IDR ) | PRICE / SET ( IDR )                  |
|------------------|-------------------|-------------|------------------|--------------------|--------------------------------------|
| BAR CUTTER BC 40 | 25 mm             | 4.0 HP      | 380 kg           | 35,000,000 / unit  | <b>60.000.000,-</b>                  |
| BAR BENDER BB 40 | 25 mm             | 4.0 HP      | 305 kg           | 35,000,000 / unit  | <i>( Paket 1 Cutter + 1 Bender )</i> |

### = SPIRAL BARBENDER =



| TECHNICAL - TYPE     | DYNAMIC EVERYDAY SB 32       |
|----------------------|------------------------------|
| Max Bending          | 25 mm                        |
| Angle Bending        | 180 ° / Second               |
| Motor Power          | 4 HP                         |
| Electrical Phasa     | 3 Phasa AC 220-415, 50/60 hZ |
| Dimensions           | 900 X 800 X 850 ( mm )       |
| Weight               | 340 kg                       |
| <b>PRICE ( IDR )</b> | <b>45.000.000,-</b>          |

### = PORTABLE REBAR CUTTER =



| TECHNICAL - TYPE                 | DYNAMIC RC 20         | DYNAMIC RC 25           |
|----------------------------------|-----------------------|-------------------------|
| Power                            | 850 w / 220 V / 50 HZ | 1.300 w / 220 V / 50 HZ |
| Max. Dia- Cutting ( mm )         | 20                    | 25                      |
| Cutting Pressure ( Ton )         | 15                    | 30                      |
| Cutting Speed ( s )              | 4.0 – 5.0             | 5.0                     |
| Weight ( w/ Packaging ) – ( Kg ) | 13 ( 18.5 )           | 24.5 ( 32 )             |
| Machine Size ( mm )              | 410 x 115 x 220       | 480 x 150 x 255         |
| <b>PRICE ( IDR )</b>             | <b>14.000.000,-</b>   | <b>18.000.000,-</b>     |

Sales Support :

Mobile :

Email :



## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = PORTABLE REBAR TIRES WL 400 =



| TECHNICAL - TYPE                 | DYNAMIC WL 400                    |
|----------------------------------|-----------------------------------|
| Battery Type                     | Ni-MH Charger Voltage 110 – 240 V |
| Motor Voltage ( V )              | 9.6                               |
| Max Tying Dia- ( mm )            | 25                                |
| Wire Diameter ( mm )             | 0.8                               |
| Wire Lenght ( cm )               | 53 – 79                           |
| Weight ( Kg ) & Dimension ( mm ) | 2.1 & 277 x 100 x 290             |
| <b>PRICE ( IDR )</b>             | <b>20.000.000,-</b>               |

### = PORTABLE CONCRETE CUTTER =

idngyia.com



| TECHNICAL - TYPE                  | DYNAMIC EC 35        |
|-----------------------------------|----------------------|
| Blade Diameter                    | 300 – 350            |
| Max. Cutting Depth ( mm )         | 125                  |
| Blade Speed ( r / min )           | 5.400                |
| Engine Model                      | 2-Stroke             |
| Power ( HP )                      | 4.5                  |
| Weight ( Kg ) & Dimensions ( mm ) | 15 & 670 x 280 x 460 |
| <b>PRICE ( IDR )</b>              | <b>15.500.000,-</b>  |

### = WATER PUMP DCP 30X (3") =

|  | PRICE ( IDR )                                                                                                |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                                                                     | <b>UNIT DCP-30 X : Rp. 5.850.000,-</b><br><b>ACCESORIES :</b><br><b>A. Hose Flexible 3" : 62.500 / Meter</b> |

|               | TECHNICAL DATA               | DCP - 30 X                                   |
|---------------|------------------------------|----------------------------------------------|
| ENGINE        | Inlet House                  | 3 (80 mm)                                    |
|               | Outlet House Dia. (inch)     | 3 (80 mm)                                    |
|               | Rotation Velocity (rpm)      | 3600                                         |
|               | Suction Height (m)           | 8                                            |
|               | Max. Delivery (m)            | 30                                           |
|               | Max. Flow Rate (l/min)       | 800                                          |
|               | Duration of Runs (h)         | 2                                            |
|               | Type &Max. Power Output      | 4-Stroke OHV - 4.7 kW / 3600 rpm             |
|               | Ignition System              | Non-contact transistorized ignition (T.C.I.) |
| COMPLETE UNIT | Lenght x Width x Height (mm) | 540 x 445 x 480                              |
|               | Selang Flexible + Clamp      | 3" Inch                                      |
|               | Dry Mass (Kg)                | 31 ( Non Packaging )                         |

Sales Support :  
Mobile :  
Email :





## PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 17 / 07 / 2017

### = CONCRETE BUCKET / BUCKET COR =

|                                                                                   |                                                                                                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|  | <p><b>BUCKET COR 0,8 Kubik</b></p>  |
| <b>BC 1000 L</b>                                                                  | <b>BC 800 L</b>                                                                                                       |
| Thick ( mm ) : 4                                                                  | Thick ( mm ) : 4                                                                                                      |
| Diameter ( mm ) : 1.450                                                           | Diameter ( mm ) : 1.350                                                                                               |
| Capacity Weight ( Liter ) : 1000                                                  | Capacity Weight ( Liter ) : 800                                                                                       |
| Diameter Hose ( Inch ) : 8                                                        | Diameter Hose ( Inch ) : 8                                                                                            |
| Lenght Hose ( m ) : 5                                                             | Lenght Hose ( m ) : 5                                                                                                 |
| <b>Rp. 22.500.000,-</b>                                                           | <b>Rp. 19.500.000,-</b>                                                                                               |

### = ELECTRIC CONCRETE VIBRATOR=

ENAR ( Made in Spain ) : HIGH FREQUENCY CONVERTER ( 3 pHASA )

| TECHNICAL DATA -TYPE     | AFE 3500                               | AFE 2500 T                             |
|--------------------------|----------------------------------------|----------------------------------------|
| Power Drive              | 380 V3 ~                               | 380 V3 ~                               |
| Input Power              | 4,5 kVa                                | 3,0 kVa                                |
| Output Curent            | 54 AMPERE                              | 36 AMPERE                              |
| Output Voltage           | 48 V3 ~                                | 42 V3 ~                                |
| Output Frequency         | 200 Hz                                 | 200 Hz                                 |
| No. Of Outlet            | 4 Plug ( Max- 54 A / Space Under 3 A ) | 3 Plug ( Max- 36 A / Space Under 3 A ) |
| Length Power Cable       | 5 Mtr                                  | 5 Mtr                                  |
| Weight ( non Packaging ) | 58 Kg                                  | 50 Kg                                  |
| <b>PRICE @ ( IDR )</b>   | <b>36.000.000.-</b>                    | <b>25.000.000.-</b>                    |

### ENAR ( M'/AFP - Series )SHAFT FLEXIBLE INTERNAL VIBRATOR



| DATA - TYPE            | M 38                | M 5 AFP             | M6 AFP              |
|------------------------|---------------------|---------------------|---------------------|
| Head Tube Diameter     | Ø38 mm              | Ø50 mm              | Ø 60 mm             |
| Length (mm)            | 352                 | 390                 | 436                 |
| Weight                 | 10 kg               | 13 kg               | 16 kg               |
| Power Source / RPM     | 48 V 3 / 12000      | 48 V 3 / 12000      | 48 V 3 / 12000      |
| Frequency              | 200 Hz              | 200 Hz              | 200 Hz              |
| Current                | 8 A                 | 12 A                | 16 A                |
| Centrifugal Force      | 1,0 kN              | 3,5 kN              | 4,5 kN              |
| Hose Length + CABLE    | 5 m + 10 M          | 5 m + 10 M          | 5 m + 10 M          |
| <b>PRICE @ ( IDR )</b> | <b>12.650.000.-</b> | <b>14.300.000.-</b> | <b>15.500.000.-</b> |

#notes : Harga dapat di peroleh lebih murah bila di beli dengan harga Paket 1 Converter + 1 Shaft internal Vibrator

Sales Support :

Mobile :

Email :