

REMA TIP TOP – Automotive Product Catalogue

Jacking & Lifting





New South Wales	Victoria	Tasmania	Queensland
SYDNEY 3/20 Worth Street, Chullora, NSW 2190 PH: 02 8755 8400 FAX: 02 9742 3159	MELBOURNE 14/101-107 Wedgewood Rd, Hallam, VIC 3803 PH: 03 9703 3111 FAX: 03 9794 5615	LAUNCESTON 10 High Street, Longford, TAS 7301 PH: 0418 230 252 FAX 03 6391 2000	BRISBANE 10 Success Street, Acacia Ridge, QLD 4110 PH: 07 3710 8888 FAX: 07 3274 1472
North Queensland	South Australia	Northern Territory	Western Australia
TOWNSVILLE 2/355 Bayswater Rd, Garbutt, QLD 4814 PH: 07 4728 1953 FAX: 07 4779 6822	ADELAIDE 11 Lafitte Road, Wingfield, SA 5013 PH: 08 8169 2800 FAX: 08 8162 5607	DARWIN Unit 6/6 Steele Street, Winnellie, NT 0820 PH: 08 8947 1638 FAX: 08 8947 1648	PERTH 2/1-9 Kurnall Road Welshpool, WA 6108 PH: 08 6253 1900 FAX: 08 9356 2831

For further information please visit our website:
<http://www.rema-tiptop.com.au>

Jacking and Lifting

Bottle Jacks	156 – 157
Trolley Jacks	158 – 161
Earthmover Equipment	162 – 163
Axle Stands	163
Wheel Chocks	163
Lifting Equipment - Motorcycle, ATV and Mower	164

F

Outstanding products



Bottle jacks, hydraulic **Page 156**



LIFTECH LT215L **Page 160**



Axle stands **Page 163**

Bottle Jacks

Bottle jacks, hydraulic



205011



205013



205015



205017



205019



205021



205023



205024

Ref. No.	Description	Lifting capacity	Height	Lift	Extension screw height	Max height	Weight
205011	Masada, High	10,000 kg	240 mm	150 mm	80 mm	470 mm	7.9 kg
205013	Masada, Low	10,000 kg	170 mm	95 mm	75 mm	340 mm	6.4 kg
205015	Masada, High	15,000 kg	265 mm	165 mm	80 mm	510 mm	10.4 kg
205017	Masada, Low	15,000 kg	170 mm	90 mm	70 mm	330 mm	8 kg
205019	Masada, High	20,000 kg	270 mm	160 mm	n/a	305 mm	10.2 kg
205021	Masada, Low	20,000 kg	180 mm	85 mm	40 mm	470 mm	7.9 kg
205023	Masada, High	30,000 kg	280 mm	160 mm	n/a	470 mm	18.5 kg
205024	Masada, High	50,000 kg	305 mm	170 mm	n/a	475 mm	37 kg

Bottle jacks, air hydraulic



505200



505250



505255



505320

Ref. No.	Description	Lifting capacity	Height	Lift	Extension screw height	Max height	Weight
505200	Bottle jack air/manual, LT112AH	12,000 kg	260 mm	170 mm	80 mm	510 mm	11.5 kg
505250	Bottle jack air/manual, LT120AH	20,000 kg	262 mm	160 mm	84 mm	506 mm	15.5 kg
505255	Bottle jack air/manual, LT130AH	30,000 kg	265 mm	150 mm	n/a	415 mm	25kg
505320	Bottle jack air/manual, Gaither	20,000 kg	245 mm	130 mm	95 mm	470 mm	16.5 kg

Forklift jacks



205042



205045

Ref. No.	Description	Working load Head Toe	Closed height Head Toe	Maximum height Head Toe	Lift toe	Lift toe weight
205042	LIFTECH LT121N <ul style="list-style-type: none"> • Ideal for lifting forklift trucks and machinery • Two lifting points • Roll the saddle and you can lift either battery power fork trucks or internal combustion for trucks • The top of the lifting cylinder is used for lifting agricultural vehicles 	5 T 5 T	430 mm 65 mm	430 mm 760 mm	365 mm	46.5 kg
205045	Bottle jack 10/5 ton toe lift <ul style="list-style-type: none"> • Ideal for lifting loads with a low minimum jacking clearance. Uses a slide rail system for strength • Two lifting points the toe or top plate 	10 T 5 T	290 mm 22 mm	410 mm 142 mm	120 mm	18.5 kg

Trolley jacks

Trolley jacks, hydraulic



205309



205152



205053



205055

Ref. No.	Description	Load limit	Closed height	Lift	Max height	Max frame height	Length	Width	Weight
205309	Liftech, low profile turbo	1,500 kg	68 mm	432 mm	500 mm	145 mm	710 mm	390 mm	43 kg
205152	Liftech, YM200 FUN	2,000 kg	90 mm	410 mm	500 mm	160 mm	685 mm	400 mm	44 kg
205053	Liftech, YM500 D	5,000 kg	150 mm	536 mm	686 mm	200 mm	1575mm	428 mm	110 kg
205055	Liftech, YM1000 D	10,000 kg	160 mm	526 mm	686 mm	250 mm	1740mm	528 mm	150 kg

Trolley jacks, air hydraulic



205160



205161



205187



205170

Ref. No.	Description	Lifting capacity	No. of stages	Closed height	Lifting height	Screw height	Height per stage	Operating pressure	Weight
205160	YASUI YAJ-20C <ul style="list-style-type: none"> • Air-hydraulic lifting system for all kinds of heavy transport vehicles • Piston is retracted by external springs • One piece handle • 3 piece extension set 	20,000 kg	1	205 mm	120 mm	105 mm		8-12 bar	46 kg
205161	YASUI YAJ-40B <ul style="list-style-type: none"> • Air-hydraulic lifting system for heavier vehicles • Piston is retracted by external springs • One piece handle • 3 piece extension set 	40,000 kg	1	215 mm	120 mm	74 mm		8-12 bar	65 kg
205187	RODCRAFT LHH 22 <ul style="list-style-type: none"> • Air-hydraulic lifting system for all kinds of heavy transport vehicles • Piston is retracted by external springs • Two piece handle • 3 piece extension set. 20 mm, 60 mm, 100 mm 	20,000 kg	1	210 mm	115 mm	50 mm		8-12 bar	49 kg
205170	AC 25-2 <ul style="list-style-type: none"> • Two stage air-hydraulic system for all kinds of heavy transport vehicles • Dual descent valve to lift and lower piston • One piece handle • Dual descent valve ensures constant and controllable speed under load, and increased speed when not under load • Heavy duty construction • 3 piece extension set. 120 mm, 70 mm, 10 mm 	25,000 kg 10,000 kg	2	183 mm	92/102 mm		275/377 mm	9-12 bar	60 kg

Trolley jacks, air hydraulic - continued



205182



205183



205184



205163



205164

Ref. No.	Description	Lifting capacity	No. of stages	Closed height	Lifting height	Height per stage	Operating pressure	Weight
205182	LIFTECH LT215N <ul style="list-style-type: none"> Air-hydraulic lifting system for all kinds of heavy transport vehicles Piston is retracted automatically Dual descent valve ensures constant and controllable speed under load, and increased speed when not under load Heavy duty construction 3 piece extension set. 120 mm, 70 mm, 10 mm 	30,000 kg 15,000 kg	2	150 mm	72/78 mm	222/300 mm	8-12 bar	39kg
205183	LIFTECH LT215L (long) <ul style="list-style-type: none"> Air-hydraulic lifting system for all kinds of heavy transport vehicles Piston is retracted automatically Dual descent valve ensures constant and controllable speed under load, and increased speed when not under load Heavy duty construction 3 piece extension set. 120 mm, 70 mm, 10 mm 	30,000 kg 15,000 kg	2	150 mm	72/78 mm	222/300 mm	8-12 bar	
205184	LIFTECH LT218N (long) <ul style="list-style-type: none"> Air-hydraulic lifting system for extremely heavy vehicles Piston is retracted automatically 	60,000 kg 30,000 kg	2	180 mm	75/85 mm	255/340 mm	8-12 bar	67 kg
205163	GAITHER GT3531 <ul style="list-style-type: none"> Rigourously tested and constructed to withstand heavy daily use 3 piece extension set. 80mm, 40mm, 20mm 3 year warranty 	35,000 kg	1	185 mm	99 mm	284 mm	8-14 bar	42 kg
205164	GAITHER GT4532 <ul style="list-style-type: none"> Rigourously tested and constructed to withstand heavy daily use 3 piece extension set. 80mm, 40mm, 20mm 3 year warranty 	45,000 kg 25,000 kg	2	150 mm	130 mm	280 mm	8-14 bar	45 kg

Jack - Accessories



205165



205169

Ref. No.	Description
205165	Jack V Adaptor <ul style="list-style-type: none"> To suit 20T models
205169	Jack extension set <ul style="list-style-type: none"> To suit Karmot jacks

EM jacking - Accessories



205026



205028



205041

Ref. No.	Description
205026	Crib stand set <ul style="list-style-type: none"> Stackable to a total of 450 mm Recessed area on each crib fits 175 mm square plate on 55 ton cylinders
205028	Jack plate non-skid surface <ul style="list-style-type: none"> Rated to 100 tons
205041	Super Stack Cribbing Blocks, set of 12 <ul style="list-style-type: none"> 6" x 7" x 24" each Rated up to 150,000kg (depending on configuration) Resists oil and most chemicals Interlocking of aggressive non slip surface
205043	Super Stack Cribbing Block, single <ul style="list-style-type: none"> 6" x 7" x 24"

Earthmover Equipment

Lifting jacks



- The lifting jacks are manufactured from aluminium and are particularly lightweight
- Aluminium base plate ensures stability
- Used with air/hydraulic pumps 519 1535, 519 1530
- Shut-off valve allows the pump to be removed when the ram is extended



205030



205031



205032

Ref. No.	Description	Lifting capacity	Lifting height	Cylinder movement	Weight
205030	Bottle jack 55 ton aluminium AME 13080 <ul style="list-style-type: none"> • Extra thick aluminium cylinder walls (2cm) for heavy duty use • Base plate for stability during use 	55 t	455 mm	150 mm	14.5 kg
205031	Bottle jack 55 ton aluminium AME 13121 <ul style="list-style-type: none"> • Modified base plate no more broken bolts or bent/broken corners • Recessed base plate for stability during use 	55 t	450 mm	150 mm	13.2 kg
205032	Bottle jack 100 ton aluminium AME 13000 <ul style="list-style-type: none"> • Extra thick aluminium cylinder walls (2cm) for heavy duty use 	100 t	450 mm	150 mm	24 kg

Air/Hydraulic pumps available on (page 79)

Note: Jacks are only for lifting, stands should be used when servicing any vehicle.

Axle Stands

- All the axle stands are tested for the listed load capacities, but users are advised that all axle stands must be used on firm level surfaces, and every care taken to ensure that no movement of the vehicle takes place by either applying the handbrake or chocking the other wheels.
- Australian Standards Certified



180204



180199



180206



180202


Ref. No.	Working Load Limit	Closed Height	Max Height	Base Size	Weight	Content
180204	3000Kg	295mm	433mm	190x225mm	11.6Kg/pair	Pair
180199	5000Kg	276mm	445mm	345x345mm	11.6Kg/pair	Pair
180206	5000Kg	394mm	622mm	266x300mm	16.2Kg/pair	Pair
180202	8000Kg	445mm	700mm	307x274mm	26.1Kg/pair	Pair

F

Wheel Chocks



115757



115758



115759

Ref. No.	Description	Length	Width	Height	Weight
115757	Wheel Chock	250 mm	190 mm	160 mm	1.1 kg
115758	Wheel Chock	470 mm	270 mm	330 mm	10 kg
115759	Wheel Chock	650 mm	380 mm	400 mm	18 kg

Lifting Equipment - Motorcycle, ATV and Mower



518 3195



518 3185

Ref. No.	Description	Cap- acity	Min height	Max height	Platform length	Platform width	Weight	Operat- ing pres- sure
518 3195	ATV motorcycle lift LT3292H <ul style="list-style-type: none"> • Air hydraulic lift for heavy motorcycles, quads, ATV's and ride-on mowers • Suitable for use in professional workshops for lifting motorcycles, quads and ATVs weighing up to 450 kilogrammes • Suitable for medium and large workshops • Can be extended for wider vehicles • Front wheel vice Includes: <ul style="list-style-type: none"> • Hydraulic lift platform with air/hydraulic pump • Approach ramps • Side extension panels • Rods and pins to connect extension panels • Rear support poles 	680 kg	170 mm	980 mm	2250 mm	800/1270 mm (with side panels)	210 kg	8-10 bar
518 3185	Ride-on mower lift LT2448 <ul style="list-style-type: none"> • Designed to lift ride-on mowers and ride-on lawn tractors • Allows easy access to the cutter deck for blade and belt changes and easy cleaning underneath the mower/ tractor 	180 kg	50 mm	500-620 mm			39 kg	

Editor:

REMA TIP TOP Australia Pty Limited
Business Unit Automotive

Building 3/20 Worth Street
Chullora NSW 2190

Phone +61 (0)2 8755 8400

Fax +61 (0)2 9742 3159

E-Mail info@rema-tiptop.com.au

www.rema-tiptop.com.au

Legal Notice:

Copyright© 2012

REMA TIP TOP Australia Pty Limited

All information is given to the best of our knowledge. All specifications are to be considered non-binding information. Any claim for damages of any kind is excluded. We reserve the right to change technical specifications without prior notice, provided that they ensure product improvement. The information presented is based on technical experience but does not guarantee a product's suitability for specific applications, and does not relieve the users of the responsibility to undertake their own testing, including where any third-party trademark rights are concerned. Pictures in the catalogue may contain optional accessories which are not included in the standard shipment, and need to be ordered additionally.

All relevant product information can be found in the respective documents, including operating instructions, technical datasheets as well as conditions for storage and application.

The specified qualities of our products are based on information from the accompanying inspections for approval. They represent statistical product data and are not to be considered as guaranteed properties of an individual product.

In order to preserve product properties, the storage conditions indicated in DIN 7716 should be followed (including storing the product in the original package and in an area that is dry, cool and dark).

Attention:

Unless otherwise noted, the content is one and will not be listed separately.

General Terms and Conditions for Sales, Delivery and Payment

Rema takes pride in the quality of its products and its services to customers. Customers are requested to inform Rema if an order is incorrectly delivered or if there is dissatisfaction with the goods.

These Trading Terms and Conditions ("Terms") are current for trading with Rema at the time of issue, however the Terms may be varied by Rema from time to time.

1. Definitions

"Additional Charges" includes all delivery, handling and storage charges, goods and services tax, stamp duty, interest, legal and other costs of recovery of unpaid money and all other government imposts and all money, other than the Purchase Price, payable by the Customer to Rema arising out of the sale of the Goods.

"Customer" means the person to or for whom the Goods are supplied by Rema.

"Goods" means the goods sold to the Customer by Rema.

"List Price" means that price in force on the date of receipt of Customer's order by Rema.

"Rema" means Rema Tip Top Asia Pacific Pty Ltd (ACN 104 702 614) or one of its subsidiaries being Rema Tip Top Australia Pty Ltd (ACN 003 380 827) or Rema Tip Top Industrie Pty Ltd (ACN 121 411 229) or Rema Tip Top Industrial Australia Pty Ltd (ACN 110 697 624) or Rema Tip Top Holdings Pty Ltd (ACN 104 705 571).

"Purchase Price" means the List Price of the Goods or such other price as may be agreed

by Rema and the Customer prior to delivery of the Goods.

2. Order for Goods

An order given to Rema is binding on Rema and the Customer if:

written acceptance is signed by or on behalf of Rema; or the Goods are supplied by Rema in accordance with the order. An acceptance of the order by Rema is then to be an acceptance of these conditions of sale by Rema and the Customer and these Terms will override any conditions contained in the Customer's order. Rema reserves the right to accept a part only of any order by notifying the Customer in writing or by delivering the Goods to the Customer. No order is binding on Rema until accepted by it.

An order which has been accepted in whole or in part by Rema cannot be cancelled by the Customer without obtaining the prior written approval of Rema, which it may refuse in its absolute discretion.

3. Prices

The Customer must pay the Purchase Price and the Additional Charges, unless otherwise agreed in writing, to Rema.

4. Retention of Title

4.1 Goods are supplied only on the condition that they remain the property of Rema until payment is made in full of the Purchase Price and any interest owed thereon. In addition to any other rights that Rema may have, and in the event that: payment for goods in not made upon due date, or prior to payment in full, the Customer is bankrupt, becomes insolvent or a receiver or trustee is appointed over the Customer's property or the Customer makes a general assignment for the benefit of its creditors or a voluntary or involuntary petition under any bankruptcy laws is filed with respect to the Customer, then Rema or its authorized representative may enter upon the premises of the Customer with or without notice and retake possession of any Goods in respect of which title has not at that date passed to the Customer

If the Goods cannot be distinguished from similar Goods which the Customer claims to have paid for in full, Rema may in its absolute discretion seize all goods matching the description of the Goods and hold same for reasonable period so that the respective claims of Rema and the Customer can be ascertained. Rema must promptly return to the Customer any goods the property of the Customer and Rema is in no way liable or responsible for any loss or damage to Goods or for an loss or destruction to the Customer's business howsoever arising from the seizure of the Goods. In the event that the Customer sells the Goods prior to payment in full, then the Customer must hold the proceeds of such sale in trust for Rema. The Customer will pay Rema such funds held in trust upon demand of Rema.

5. Personal Property and Securities Act 2009 ("PPSA")

5.1 Defined terms in this clause have the same meaning as given to them in the PPSA.

5.2 Rema and the Customer acknowledge that these Terms constitute a Security Agreement and give rise to a Purchase

Money Security Interest (PMSI) in favour of Rema over the Goods supplied or to be supplied to Customer as Grantor pursuant to these Terms.

5.3 The Goods supplied or to be supplied under these Terms fall within the PPSA classification of "Other Goods" acquired by Customer pursuant to these Terms.

5.4 Rema and Customer acknowledge that Rema, as Secured Party, is entitled to register its interest in the Goods supplied or to be supplied to Customer, as Grantor, under these Terms on the PPSA Register as Collateral.

5.5 Customer waives its right to receive notification of or a copy of any Verification Statement confirming registration of a Financing Statement or a Financing Change Statement relating to a Security Interest granted by Customer, as Grantor, to Rema.

5.6 Customer agrees to indemnify Rema on demand for all costs and expenses, including legal costs and expenses on a solicitor / client basis, associated with the;

a) registration or amendment or discharge of any Financing Statement registered by or on behalf of Rema; and

b) enforcement or attempted enforcement of any Security Interest granted to Rema by Customer.

5.7 The Customer agrees:

a) that, to the extent permitted at law, nothing in sections 130 to 143 of the PPSA will apply to these Terms or the Security under these Terms;.

b) to waive its right to do any of the following under the PPSA:

i) receive notice of removal of an Accession under section 95;

ii) receive notice of an intention to seize Collateral under section 123;

iii) receive notice of disposal of Collateral under section 130;

iv) receive a Statement of Account if there is no disposal under section 130(4);

v) receive notice of retention of Collateral under section 135;

vi) redeem the Collateral under section 142;

vii) reinstate the Security Agreement under section 143;

viii) object to the purchase of the Collateral by the Secured Party under section 129; and

ix) receive a Statement of Account under section 132(3)(d) following a disposal showing the amounts paid to other Secured Parties and whether Security Interests held by other Secured Parties have been discharged.

6. Delivery

6.1 Delivery will be as specified on the Form overleaf. The terms used mean: "ex•works": Customer for his carrier takes delivery of Goods and risk passes to the Customer at Rema's warehouse;

"FOB"/"FOR"/"FOT": Delivery by Rema to the specified mode of transport. Risk passes to the Customer when the Goods are loaded on to the transport and transport is at the Customer's expense;

"CIF": Goods are delivered to the Customer's nominated delivery place at Rema expense and risk passes to the Customer at the time of unloading at the delivery address;

"F & F": Goods are freighted to Customer at Rema expense but are at Customer's risk from the time of loading on to the relevant transport.

"FIS": Goods are delivered into the Customer's store at Rema expense and risk passes to the Customer at the entry point to the Customer's store.

6.2 Where none of the terms referred to in Clause 5.1 are specified on the Form overleaf, risk shall be deemed to pass on delivery of the Goods to the Customer's premises.

6.3 The times quoted for delivery are estimates only and Rema accepts no liability for failure or delay in delivery of Goods. The Customer is not relieved of any obligation to accept or pay for Goods by reason of any delay in delivery. Goods may be delivered by instalments at the discretion of Rema.

6.4 To the extent permitted by law, if the Customer cancels its order at any time prior to delivery but before the Goods are ready for dispatch, Rema reserves the right to invoice the Customer for all expenses involved in the preparation of the order.

7. Payment

7.1 Providing that credit terms have been approved in writing by Rema, payment is required prior to the end of the calendar month following that in which the invoice is raised.

7.2 If the Customer is in default, Rema may at its option, without further deliveries or cancel a contract without prejudice to any of its existing rights.

7.3 If credit terms have not been approved payment is required by cash on delivery.

7.4 Interest shall be charged upon amounts outstanding after the due date for payment, at the rate of 18% per annum calculated on a daily basis until the date of payment is received by Rema.

7.5 All amounts payable by Customer under these Terms must be paid without set-off or counterclaim of any kind.

8. Returns

8.1 Except where there is a breach of a consumer guarantee and subject to the Australian Consumer Law;

a) Goods for credit must be returned to the point of dispatch at the Customer's expense within twenty-one days of invoice date. Invoice number and date must be quoted and the Goods must be in their original condition, no allowance being made for wear and tear;

b) no credit shall be issued for Goods returned in excess of twenty-one days from the date of original invoice or for Goods supplied specially to Customer's requirements.

9. Warranties & Conditions

9.1 Rema's liability in respect of a breach of a consumer guarantee for any Goods not of a kind ordinarily acquired for personal, domestic or household use is limited, to the extent permissible by law and at Rema's option;

a) in relation to the Goods:

i) the replacement of the products or the supply of equivalent products;

ii) the repair of the products;

iii) the payment of the cost of replacing the products or of acquiring equivalent products; or

iv) the payment of the cost of having the products repaired.

b) in relation to the services:

i) the supply of the services again; or

ii) the payment of the cost of having the services supplied again.

9.2 To the extent permitted by law, all other warranties whether implied or otherwise, not set out in these Terms are excluded and Rema is not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate

Customer for:

a) any increased costs or expenses;

b) any loss of profit, revenue, business, contracts or anticipated savings;

c) any loss or expense resulting from a claim by a third party; or

d) any special, indirect or consequential loss or damage of any nature whatsoever caused by Rema's failure to complete or delay in completing the order to deliver the Goods or by Rema's breach of any of the provisions in these Trading Terms and Conditions.

9.3 Any claims to be made against Rema for short delivery of Goods must be lodged with Rema in writing within 14 days of the delivery date, unless agreed to by the parties otherwise.

9.4 To the full extent permitted by law, the Customer will indemnify Rema and keep Rema indemnified from and against any claims made against Rema in respect of any loss, damage, death or injury arising directly or indirectly from or in connection with the contract formed pursuant to these Terms and the Customer further agrees to indemnify Rema against all losses and expenses which Rema may sustain as a result of any breach, act or omission arising directly or indirectly from or in connection with any breach of these Terms by the Customer or its representatives.

10. Governing Law and Jurisdiction

These Terms shall be governed by and construed in accordance with the law in effect in New South Wales and the parties hereto accept the jurisdiction of the Courts of New South Wales in relation to any dispute between them and in so far as the Vienna Convention for the International Sale of Goods might otherwise govern the terms of sale, its application to these Terms is excluded.

11. General

Any conditions found to be void, unenforceable or illegal may, to that extent be severed from these terms and conditions.

These Terms contain all of the terms and conditions of the contract between the parties and may only be varied by agreement in writing between the parties. No waiver of any of these Terms or failure to exercise a right or remedy by Rema will be considered to imply or constitute a further waiver by Rema or the same or any other term, conditions, right or remedy.

The conditions specified above apply to all sales of goods by REMA TIP TOP. Please read the conditions carefully acceptance of this sale form by the purchaser constitutes the purchaser's acceptance of these terms and in the absence of acknowledgment. The delivery of the goods and acceptance of such delivery by the purchaser shall constitute a binding contract comprised of these terms and conditions

REMA TIP TOP Australia Pty Limited
Business Unit Automotive
Building 3/20 Worth Street
Chullora NSW 2190

Phone +61 (0)2 8755 8400
Fax +61 (0)2 9742 3159
E-Mail info@rema-tiptop.com.au
www.rema-tiptop.com.au

Your local Contact:

594 9995

REMA TIP TOP Australia Pty Limited
Business Unit Automotive

3/20 Worth Street
Phone:
Fax:
www.rema-tiptop.com.au

Chullora NSW 2190
+61 (0)2 8755 8400
+61 (0)2 9742 3159
info@rema-tiptop.com.au

