



- Products
- Information
- Service
- Company Profile
- Global Network
- ▶ Contact Us

▶ CONCRETE CUTTER

MCD-012



MCD-L14



MCD-214V DX



MCD-218V DX



[Specification for Concrete Cutter (Features and specifications are subject to change without notification.)

								Remarks
model	dimensions	blade size	cutting depth	arbor size	adjusting for cutting depth	cooling system	water tank capacity (lits.)	power source
MCD-012	L: 761mm W: 435mm H: 746mm WT: 58kg	254mm (10") 305mm (12")	70mm 100mm	27mm	manual lifting screw system	centrifugal injection type	14	Robin EH17-2D max.output 3.7kw(5PS)
MCD-L12	L: 1,650mm W: 527mm H: 747mm WT: 88kg	254mm (10") 305mm (12")	70mm 100mm	27mm	manual lifting screw system	centrifugal injection type	26	Robin EH17-2D max.output 3.7kw(5.0PS)
MCD-L14	L: 1,650mm W: 527mm H: 747mm WT: 100kg	254mm (10")- 356mm (14")	70mm- 120mm	27mm	manual lifting screw system	centrifugal injection type	26	Robin EH25-2D max.output 5.9kw(8.0PS)

MCD-214V	L: 1,990mm W: 585mm H: 981mm WT: 149kg	254mm (10")- 356mm (14")	70mm- 120mm	27mm	manual lifting screw system	centrifugal injection type	45	Robin EH25-2D max.output 5.9kw(8.0PS)
MCD-218VDX MCD-218CEH	L: 1,990mm W: 585mm H: 981mm WT: 169kg/184kg	254mm (10")- 457mm (18")	70mm- 170mm	27mm	manual lifting screw system	centrifugal injection type	45	Robin EH34-2D max.output 8.1kw(11.0PS) Honda GX390 max.output 9.6kw(13.0PS)



Copyrights 2005 MIKASA SANGYO CO.,LTD All Rights Reserved.