

87 Open End Slogging Spanner



Type	steelgrey, heavy duty pattern
Material	high grade tool steel
Standard	according to DIN 133

Stock-No. mm	mm		g	Stock-No. AF	mm		g
87- 24	180	1	340	87A- 1	180	1	340
87- 27	180	1	340	87A- 1.1/16	180	1	345
87- 30	190	1	440	87A- 1.1/8	180	1	345
87- 32	190	1	425	87A- 1.3/16	190	1	440
87- 36	215	1	750	87A- 1.1/4	190	1	425
87- 38	215	1	750	87A- 1.5/16	190	1	425
87- 41	235	1	930	87A- 1.3/8	215	1	750
87- 46	255	1	1200	87A- 1.7/16	215	1	750
87- 50	275	1	1675	87A- 1.1/2	215	1	750
87- 55	300	1	1900	87A- 1.9/16	235	1	930
87- 60	320	1	2500	87A- 1.5/8	235	1	930
87- 65	342	1	3460	87A- 1.11/16	235	1	930
87- 70	375	1	4450	87A- 1.3/4	255	1	1200
87- 75	375	1	4050	87A- 1.13/16	255	1	1200
87- 80	408	1	6000	87A- 1.7/8	255	1	1200
87- 85	408	1	5650	87A- 1.15/16	275	1	1675
87- 90	445	1	7800	87A- 2	275	1	1675
87- 95	445	1	7800	87A- 2.1/16	275	1	1675
87- 100	485	1	11500	87A- 2.1/8	300	1	1900
87- 105	485	1	11500	87A- 2.3/16	300	1	1900
87- 110	510	1	13500	87A- 2.1/4	300	1	1900
87- 115	510	1	13500	87A- 2.5/16	320	1	2500
87- 120	545	1	16000	87A- 2.3/8	320	1	2500
87- 125	545	1	16000	87A- 2.7/16	320	1	2500
87- 130	575	1	19000	87A- 2.1/2	342	1	3460
87- 135	575	1	19000	87A- 2.9/16	342	1	3460
87- 140	575	1	20700	87A- 2.5/8	342	1	3460
87- 145	640	1	27100	87A- 2.3/4	375	1	4450
87- 150	640	1	27300	87A- 2.13/16	375	1	4450
87- 155	640	1	27400	87A- 2.7/8	375	1	4450
87- 160	715	1	25500	87A- 2.15/16	375	1	4050
87- 165	715	1	40000	87A- 3	375	1	4050
87- 170	715	1	39000	87A- 3.1/8	408	1	6000
87- 175	715	1	39000	87A- 3.1/4	408	1	6000
				87A- 3.3/8	408	1	5650
				87A- 3.1/2	445	1	7800
				87A- 3.5/8	445	1	7800
				87A- 3.3/4	445	1	7800
				87A- 3.7/8	485	1	11500
				87A- 4	485	1	11500
				87A- 4.1/8	485	1	11500
				87A- 4.1/4	510	1	13500
				87A- 4.1/2	510	1	13500

other sizes on request

other sizes in AF and WW on request

88 Single End Ring Spanner



Type	straight pattern, steelgrey
Material	high grade tool steel
Standard	according to DIN 3111

Stock-No. mm	mm		g
88- 13	138	6	45
88- 14	138	6	45
88- 17	155	6	75
88- 19	171	6	100
88- 22	190	6	140
88- 24	215	3	160
88- 27	230	3	200
88- 30	254	3	280
88- 32	265	3	350
88- 36	295	1	500
88- 41	330	1	750
88- 46	365	1	950
88- 50	400	1	1200
88- 55	442	1	1600
88- 60	475	1	1800
88- 65	510	1	2400
88- 70	555	1	2700
88- 75	590	1	3400
88- 80	620	1	3800
88- 85	665	1	4400
88- 90	698	1	5300
88- 95	700	1	5800