

CV.CAHAYA ABADI TEKNIK

SPECIALIS CLEANROOM



Office & Workshop

Jl. Kenjeran 368 K Surabaya 60134

Telp : 031-3811210 / 031-3823240

Hp / WA : 085233128798 / 081230919440 / 081235612130

Email : cahayaabaditeknik16@gmail.com

www.cvcatsby.com

“ KONSUMEN PUAS , KAMI SUKSES “

SANDWICH PANEL POLYURETHANE (PU):

- Skin PPGI, Thickness 0.45 mm, Powder Coating (White)
- Foam Polyurethane
- Density : 45 kg/ m³
- System Joint Panel to Panel Semi Knockdown with Came Lock
- With Modular of Panel 1200 mm
- Thickness : 50 mm, 75 mm, 100 mm, 120 mm And 150 mm

SANDWICH PANEL EPS :

- Skin PPGI, Thickness 0.35 mm, Powder Coating (White)
- Foam EPS
- Density : 16 kg/ m³
- System Joint Panel to Panel Slip Joint
- With Modular of Panel 1170 mm
- Thickness : 50 mm, 75 mm, 100 mm, And 150 mm


GALERI :



PROJECT RUANG LAB
RS. ANWAR MEDIKA




PROJECT CLEANROOM
RSUD BOJONEGORO



RUANG OK TASIK




DOOR INSULATED




RUANG OK RSUD MAKASAR

PROJECT FURNITURE LABORATORIUM TERANOKOKO
BANJARMASIN :



AKSESORIS :



JASA PEMASANGAN :



TECHNICAL INFORMATION

DETAIL OF ROOFING :

- Skin Galvaniş Thidnesss 0.5 mm
- Foam Polyurethane
- Thichness 35 mm
- Density : 50 kg/ m³
- Colour Silver
- With Modular of Roofing 750 mm

GALERI :

