

**e-STUDIO™ 2508A**

**e-STUDIO™ 3008A**

**e-STUDIO™ 3508A**

**e-STUDIO™ 4508A**

**e-STUDIO™ 5008A**

- > Black & White Multifunction Printer
- > Up to 50 PPM
- > Small/Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





Every industry has unique workflow needs. Toshiba has

## CONNECT. INTEGRATE. SIMPLIFY.

### Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs.

- Speeds of 25, 30, 35, 45 and 50 PPM
- High-volume and high-toner yields
- Advanced e-BRIDGE technology
- Fast dual-core processor

### Produce more with less effort.

The Toshiba e-STUDIO5008A series is designed to put a fast, efficient, secure MFP in the hands of small and medium workgroups. Not only is it high-volume, it also produces high-quality type and images.

- Impressive resolution with new laser design providing 2,400 dpi x 600 dpi
- A time-saving, high-speed, high-capacity 300-sheet optional Dual-Scan Document Feeder
- Up to 150,000 maximum monthly copy volume
- Excellent black toner yields up to 43,900 pages at 5%

The same power and performance typically enjoyed only by larger businesses is now available for smaller groups and companies. After all, size does not have to limit capability, nor production, especially thanks to Toshiba's e-STUDIO5008A series.

### Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. And, it is part of the bold new look being introduced across the new e-STUDIO series.





# A COMPACT DESIGN THAT LEAVES NOTHING OUT.

Small to medium workgroups need to get a lot more done often using fewer resources and minimal space. That's the thinking behind the e-STUDIO5008A series, too. Plenty of functions, lots of capacity, and a small footprint with a fresh, new look.

*Dual-Scan Document Feeder* holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

*Fast Warm-Up Time* is 20 seconds from off and 12 seconds from the Low-Power Mode.

*First Copy Out Time* clocks in at 3.6 seconds for 35-50 PPM models and 4.3 seconds for 25-30 PPM models.

*Print Around* eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

*Limitless Job Reservation* will queue up multiple copy or print jobs so users can send jobs whenever.

*Saddle/Fold Capabilities* offer saddle-stitch finishing and the ability to fold without stapling.

*Scan-to and Print-from USB* lets you print straight from your USB drive or scan documents to it.


*Advanced e-BRIDGE Technology* enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

*Notifications Feature* takes the hassle out of checking for depleted supplies or maintenance needs.

*Paper Volume Indicators* on the front panel make it easy to see the paper sizes, types and levels in each cassette.

*Context-Sensitive Help Button* provides instant, thorough explanations straight from the manual to help as needed.

*Service Module Design* significantly reduces the cost and time spent servicing the MFP.





## TOSHIBA TECHNOLOGY AT WORK FOR YOU.

At Toshiba, we work hard to make your work easier, and more productive. In fact, we haven't even mentioned all of our impressive features, like PCL 6, PS3, XPS support and universal drivers that offer connectivity to Windows®, Macintosh® and more. Then there are driver plug-ins such as Job Point that splits large jobs over multiple machines, Job Replicator for multipart form replacement, Job Separator for batch printing with any Windows app, and Job Build to print different documents together as a single job.

### Security for Your Business


We're constantly looking for new ways to make your work, and ours, safer, and more secure.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- IPsec is available to securely encrypt data sent to and from the MFP

### Responsibility for the Planet

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely why we're always looking for ways to be even more environmentally responsible.

- RoHS compliance, the use of recycled plastics, and Low-Power (1W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star Tier 2 meets the latest, most stringent requirements





# THE FEATURES YOU EXPECT, AND MORE.

## 1 Document Feeder Options

- MR4000 Dual-Scan Document Feeder (DSDF)
- MR3031 Reversing Automatic Document Feeder (RADF)
- KA5005PC Platen Cover

## 2 Accessory Tray & Keyboard Options

- GR1250 Accessory Tray
- GR1260 10-Key Numeric Keypad

## 3 Finishing Options

- MJ1042 50-Sheet Inner Finisher
- MJ1109 50-Sheet Console Finisher
- MJ1110 50-Sheet Saddle-Stitch Finisher
- MJ5014 Job Separator
- MJ5015 Job Separator

## 4 Additional Paper Options

- KD1058 Paper Feed Pedestal
- KD1059 2,000-Sheet Large Capacity Feeder
- MY1048 Additional Drawer Module for PFP
- MY1049 Envelope Cassette

## Additional Option Highlights

- Embedded OCR Enabler
- Multi-Station Print Solution
- IPsec Security Enabler
- Hardcopy Security Printing
- Single & Dual-Line Facsimile
- Hidden Card Reader Pocket
- Expansive Third-Party Solutions List



The e-STUDIO5008A series includes all the features you would expect from a top quality MFP, along with a few new ones that may come as a pleasant surprise.

### In Control with the Greatest of Ease

A new tiltable, touch swipe 9" colour panel works like a tablet or smartphone interface so you can find whatever you need by just swiping your finger

### Advanced e-BRIDGE Technology

Built on Linux®, this next-generation e-BRIDGE architecture features an Embedded Web Browser, a fast dual-core processor, 4GB RAM and a 320GB Self-Encrypting Drive (SED) enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications

### Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

### Special Envelope Cassette

Keep your envelopes firmly in place for accurate printing from start to finish with a new envelope cassette that holds 50 at a time.

### Add What You Need, All at Once

A 1,200-sheet capacity comes standard, but if you need more, just add 2 optional 550-sheet cassettes or a tandem LCF for 2,000 A4 only for a total capacity of 3,200.

### High Volume, High Toner Yield

The monthly copy volume reaches 150,000 and an equally impressive toner yield tops out at 43,900 at 5% coverage.

### Multi-Station Print Solution

Toshiba's internally developed Multi-Station Print Solution allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.



# e-STUDIO™ 2508A/3008A/3508A/4508A/5008A

## Main Specifications

<b>Copy System</b>	Indirect Electrostatic Photographic Method
<b>Display</b>	9" Colour WVGA Touch Screen Tilting Display
<b>Copy Speed</b>	25/30/35/45/50 PPM (A4)
<b>First Copy Out</b>	4.3/4.3/3.6/3.6/3.6
<b>Warm-Up Time</b>	Approx. 20 Seconds
<b>Copy Resolution</b>	2,400 x 600 dpi with Smoothing
<b>Stack Feed Bypass</b>	100 x 148 mm to A3, Envelope
<b>Multiple Copying</b>	Up to 999 Copies
<b>Paper Capacity</b>	Standard 1,200 Sheets/Max. 3,200 Sheets (w/Optional LCF)
<b>Original Feed</b>	Optional 300-Sheet DSPF or 100-Sheet RADF
<b>Scan Speed &amp; Weights</b>	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour)(35-209 g/m <sup>2</sup> ) RADF Scan: Up to 73 IPM (Monochrome or Colour), Simplex: 35-157 g/m <sup>2</sup> Duplex: 50-157 g/m <sup>2</sup>
<b>Max. Original Size</b>	A3
<b>Paper Feed Sizes /Weights</b>	Drawer 1, Drawer 2: 550 Sheets-A5-R to A3 (60-256 g/m <sup>2</sup> ) Stack Feed Bypass: 100 Sheets-100 x 148 mm to A3 (52-256 g/m <sup>2</sup> ) Opt. 550-Sheet Paper Feed Pedestal-A5-R to A3 (60-256 g/m <sup>2</sup> ) Opt. 550-Sheet Drawer for PFP-A5-R to A3 (60-256 g/m <sup>2</sup> ) Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-A5-R to A4-R (60-256 g/m <sup>2</sup> ) Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only (64-105 g/m <sup>2</sup> )
<b>Duplex</b>	Standard Automatic Duplex Unit (60-256 g/m <sup>2</sup> )
<b>Reproduction Ratio</b>	25% to 400%
<b>Weight</b>	Approx. 55 kg for e-STUDIO2508A/3008A Approx. 58 kg for e-STUDIO3508A/4508A/5008A
<b>Approx. Dimensions</b>	585 (W) x 585 (D) x 787 (H) mm
<b>Toner Yield</b>	43.9K (5% Coverage)
<b>Power Source</b>	220-240 Volts, 50/60 Hz, 8 Amps
<b>Power Consumption</b>	Maximum 2.0 kW (220-240V)
<b>CPU</b>	Intel Atom™ 1.33GHz (Dual-Core)
<b>Memory</b>	4GB
<b>Hard Disk Drive</b>	320GB Self-Encrypting Drive Toshiba Secure HDD

## e-BRIDGE Print Specifications

<b>PDL</b>	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
<b>Print Speed</b>	25/30/35/45/50 Pages Per Minute (A4)
<b>Print Resolution</b>	600 x 600 dpi (1 bit) 2,400 x 600 dpi (with Smoothing) 1,200 x 1,200 dpi (2 bit) 3,600 x 1,200 dpi (with Smoothing; PS3 Only)
<b>Operating Systems</b>	Windows® Vista, Windows 7, 8, 8.1, 10, Windows Server 2008/R2, Windows Server 2012/R2, Macintosh® (Mac OS x 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 10.10, 10.11), Unix®, Linux®
<b>Network Protocols</b>	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk® for Macintosh Environments
<b>Interface</b>	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed)
<b>Device Management</b>	Top Access, EFMS 6.2 (e-BRIDGE Fleet Management Software)
<b>Account Control</b>	Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List and User Function
<b>Environmental Stds. Certification</b>	Energy Star (V2.0), EPEAT Gold, Blue Angel Mark (RAL UZ-171, MFD), RoHS WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP



This is Class 1 laser product complying with IEC60825-1.

This brochure was compiled based on information that was accurate prior to product launch. Product design and specifications are subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. 1GB is equivalent to 1 billion bytes. Warm-up time and print speed may vary depending on the operating environment. ©2016 TOSHIBA TEC CORPORATION All rights reserved.

As an ENERGY STAR Partner TOSHIBA TEC CORPORATION has determined that this multifunctional device model meets the ENERGY STAR guidelines for energy efficiency.

TOSHIBA TEC SINGAPORE  
www.estudio.com.sg

**Toshiba TEC Singapore Pte Ltd**  
2 Ang Mo Kio Street 62  
Singapore 569138  
Tel : (65) 6481 9488  
Fax : (65) 6481 2385

## Scan Specifications

<b>Scan Speed</b>	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) RADF Scan: Up to 73 IPM (Monochrome or Colour)
<b>Scan Modes</b>	Full Colour, Auto Colour, Monochrome, Grayscale
<b>Scan Resolution</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
<b>File Formats</b>	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.), Searchable PDF (Opt.) Colour/Grayscale: TIFF-Multi/Single Page, PDF-Multi/Single Page, XPS-Multi/Single Page, Slim PDF, JPEG, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.), Searchable PDF (Opt.)

## Facsimile Specifications

<b>Compatibility</b>	Super G3, G3
<b>Data Compression</b>	MH/MR/MMR/JBIG
<b>Transmission Speed</b>	Approx. 3 Seconds Per Page
<b>Fax Modem Speed</b>	Up to 33.6 Kbps
<b>Memory Transmission</b>	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
<b>Scan Speed</b>	0.7 Seconds Per Page, Maximum 73 IPM

## e-Filing Specifications

<b>Operation Method</b>	Colour Touch Screen Control Panel or Client PC
<b>Number of Boxes</b>	1 Public Box, 200 Private User Boxes
<b>Capacity of Boxes</b>	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

## Accessories (Options)

<b>Platen &amp; Document Feeder Options</b>			
DSDF	MR4000	Printer/Scanner Enabler	GM2280
RADF	MR3031	Data Overwrite Enabler	GP1070
Platen Cover	KA5005PC	Card Reader Holder	GR1290
<b>Additional Paper Options</b>		Meta Scan Enabler	GS1010
Paper Feed Pedestal	KD1058	IPsec Enabler	GP1080
Drawer Module	MY1048	Unicode Font Enabler	GS1007
Envelope Cassette Option	MY1049	Embedded OCR Option	
Large Capacity Feeder	KD1059A4	Single License	GS1080
<b>Finishing Options</b>		Five Licenses	GS1085
Inner Finisher	MJ1042	Multi-Station Print Solution Option	
50-Sheets Staple Finisher	MJ1109	Single License	GS1090
Saddle-Stitch Finisher	MJ1110	Five Licenses	GS1095
Hole Punch Unit for MJ1042	MJ6011	USB Hub Option	GR1270
Hole Punch Unit for MJ1109/MJ1110	MJ6105	<b>Miscellaneous Options</b>	
Bridge Kit	KN5005	Stand	MH5000
Job Separator	MJ5014	Accessible Arm	KK2560
Job Separator	MJ5015	Work Tray	KK5005
Staple Cartridge for Finisher	STAPLE2400	Harness Kit for Coin Controller	GQ1280
Staple Cartridge for Saddle	STAPLE3100	Manual Pocket	KK5008
<b>Connectivity/Security Options</b>			
FAX Unit/2nd Line for FAX Unit	GD1370		
Accessory Tray	GR1250		
Panel 10-Key Option	GR1260		

## Distributed by

All company and/or product names are trademarks and/or registered trademarks of their respective owners. All features and specifications described in this brochure are subject to change without notice.

©2016 TOSHIBA TEC CORPORATION. All rights reserved.

R140611P0200-TTEC