


小型挖掘机



AKS-SE06T

600 Kg MINI EXCAVATOR
MADE IN CHINA 中國制造

SPECIFICATION	TYPE	AKS-SE06T
OPERATION WEIGHT		600 kg
BUCKET CAPACITY		0.02 cbm
MAX. UNLOADING HEIGHT		1750 mm
MAX. VERTICAL DIGGING DEPTH		1200 mm
EXCAVATING STRENGTH		500 kg
OVERALL DIMENSION		1500 x 730 x 2100 mm
WEIGHT		715 kg

ENGINE BRAND	KOOP
ENGINE MODEL	KD192F
ENGINE TYPE	1 cylinder, 4 stroke, air cooler
COMBUSTION SYSTEM	Direct Injection
BROKE x STROKE	92 x 75 mm
DISPLACEMENT	499 CC
COMPRESSION RATIO	19.5 : 1
RATED POWER	9 kw (3000 rpm)
STARTING SYSTEM	Recoil Starter
FUEL TANK CAPACITY	5.5 Litre
LUBE	1.65 Litre
FUEL CONSUMPTION	≤275 g/kwh
ENGINE DIMENSION	417 x 441 x 494 mm
ENGINE WEIGHT	50 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com



小型挖掘机



AKS-SE1T

1000 Kg MINI EXCAVATOR
MADE IN CHINA 中國制造

SPECIFICATION	TYPE	AKS-SE1T
OPERATION WEIGHT		1000 kg
BUCKET CAPACITY		0.02 cbm
MAX. UNLOADING HEIGHT		1750 mm
MAX. VERTICAL DIGGING DEPTH		2300 mm
MAX. DIGGING RADIUS		1200 mm
OVERALL DIMENSION		2270 x 940 x 2200 mm
WEIGHT		865 kg

ENGINE BRAND	KOOP
ENGINE MODEL	KD192FE
ENGINE TYPE	1 cylinder, 4 stroke, air cooler
COMBUSTION SYSTEM	Direct Injection
BROKE x STROKE	92 x 75 mm
DISPLACEMENT	499 CC
COMPRESSION RATIO	19.5 : 1
RATED POWER	9 kw (3600 rpm)
STARTING SYSTEM	Electric Starter
FUEL TANK CAPACITY	5.5 Litre
LUBE	1.65 Litre
FUEL CONSUMPTION	≤280 g/kwh
ENGINE DIMENSION	417 x 441 x 494 mm
ENGINE WEIGHT	55 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com

小型挖掘机



AKS-SE1.6T

1600 Kg MINI EXCAVATOR
MADE IN CHINA 中國制造

SPECIFICATION	TYPE	AKS-SE1.6T
OPERATION WEIGHT		1600 kg
BUCKET CAPACITY		0.03 cbm
EXCAVATING STRENGTH		800 kg
MAX. UNLOADING HEIGHT		1900 mm
MAX. VERTICAL DIGGING DEPTH		1500 mm
MAX. DIGGING RADIUS		2550 mm
OVERALL DIMENSION		2500 x 1150 x 2377 mm
WEIGHT		968 kg

ENGINE BRAND	YANMAR
ENGINE MODEL	3TNV70-SSY
CYLINDER DIAMETER x STROKE	3 -Ø70 x 74 mm
INJECTION METHOD	Spray
COMPRESSION RATIO	23.4
DISPLACEMENT	854 CC
RATED POWER	15 Kw (2200 rpm)
MAX. TORQUE	47.6 ~ 51.9 Nm
OIL CAPACITY	2.8 Litre
FUEL CONSUMPTION	274 g/kwh
ENGINE WEIGHT (DRY)	98 kg
HYDRAULIC PRESSURE	3.5 kgf/cm ²
COOLING FAN	6 - Ø320 suction
COOLANT CAPACITY	0.9 Litre
STARTER	12V-1.4 kw
ENGINE NOISE	full load, rated speed ≤81.5 dB

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com

履带式挖掘机



SPECIFICATION	AKS-WS60Y
WEIGHT ★	5800 kg
BUCKET WIDTH	674 mm
BUCKET CAPACITY	0.25 m³
BUCKET DIGGING FORCE	36.7 kn
ARM DIGGING FORCE	32.6 kn
GROUND PRESSURE	33 kpa
GRADE ABILITY	35°
MAX. DIGGING DEPTH	3778 mm
MAX. DIGGING HEIGHT	5641 mm
MAX. DIGGING REACH	6090 mm
MAX. DUMPING HEIGHT	3929 mm
MAX. FRONT SWING RADIUS	2441 mm
MIN. GROUND CLEARANCE	377 mm
MIN. SWING RADIUS	1645 mm
OVERALL DIMENSION	596 x 192 x 258 cm
ENGINE SYSTEM	
BRAND & ORIGIN	YANMAR
MODEL	4TNV94L-SYU
RATED POWER	35.5/2200 kw/rpm
MAX. TORQUE	214/1000 n.m/rpm
IDLE SPEED	1100 rpm
ENGINE DISPLACEMENT	3.054 L
CYLINDER NO. BORE x STROKE	4-94 x 110 mm
ENGINE OIL CAPACITY	6.7 - 12 L
FUEL TANK CAPACITY	113 L
FUEL CONSUMPTION RATE	< 235 g/kw.h or less
HYDRAULIC SYSTEM	
BRAND & ORIGIN	KYB
RATED PRESSURE	23.3 Mpa
NOMINAL DISPLACEMENT	59.2 x 2 + 42.2 L/Min
RATED PRESSURE	2.15 Mpa
TRAVEL MOTOR BRAND & ORIGIN	KYB
TRAVELING SPEED	4/2.2 H/L km/h
SWING MOTOR BRAND & ORIGIN	KYB
SWING SPEED	10.5 Rpm
BOOM CYLINDER	110 x 65 mm
ARM CYLINDER	85 x 55 mm
BUCKET CYLINDER	80 x 50 mm
HYDRAULIC OIL TANK CAPACITY	90 L



**DISKON
SPECIAL
持價**

AKS-WS60Y

CRAWLER EXCAVATOR

(ENGINE YANMAR) MADE IN CHINA 中國制造

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com