




手动液压升高车



AKS-TK1016U

HAND STACKER "U" FRAME

MADE IN CHINA 中國制造

SPECIFICATION	AKS-TK1016U
RATED LIFTING CAPACITY	1000 kg
MAX. LIFTING HEIGHT	1600 mm
HEIGHT OF FORKS LOWER	85 mm
FORK LENGTH	880 mm
MAX. WIDTH OF THE FORKS	660 mm
LIFTING SPEED	20 mm/stroke
LOWERING SPEED	CONTROLLABLE
FRAME (Thickness x width)	6 x 100 mm
OUTER WIDTH OF FRONT LEG	790 mm
MIN. REFUEL VOLUME FOR FUEL TANK	3.0 L
FRONT WHEEL SIZE	Ø 80 x 70 mm
REAR WHEEL SIZE	Ø 180 x 50 mm
OVERALL DIMENSION	148 x 74 x 203 cm
WEIGHT	174 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com

AKS-SY1016U
"U" FRAME

AKS-SY2016H
"H" FRAME


手
动
液
压
升
高
车



AKS-SY1016U AKS-SY2016H
HAND STACKER
MADE IN CHINA 中國製造

SPECIFICATION	AKS - SY1016U	AKS - SY2016H
Rated lifting capacity	1000 kg	2000 kg
Max. Lifting height	1600 mm	1600 mm
Fork length	830 mm	820 mm
Max. width of the forks	580 mm	590 mm
Lifting speed	20 mm/stroke	14 mm/stroke
Lowering speed	CONTROLLABLE	CONTROLLABLE
Frame (Thickness x width)	6 x 100 mm	6 x 120 mm
Front wheel size	Ø 80 x 70 mm	Ø 75 x 70 mm
Rear wheel size	Ø 180 x 50 mm	Ø 180 x 50 mm
Overall dimension	137 x 71 x 208 cm	137 x 71 x 204 cm
Weight	134 kg	158 kg

手动
液压
升高
车



AKS-TK2016C
"C" FRAME



AKS-TK1016C, AKS-TK2016C

HAND STACKER

MADE IN CHINA 中國制造

SPECIFICATION	AKS - TK1016C	AKS - TK2016C
Rated lifting capacity	1000 kg	2000 kg
Max. Lifting height	1600 mm	1600 mm
Height of forks lower	85 mm	100 mm
Fork length	900 mm	900 mm
Max. width of the forks	750 mm	750 mm
Lifting speed	20 mm/stroke	14 mm/stroke
Lowering speed	CONTROLLABLE	CONTROLLABLE
Frame (Thickness x width)	6 x 110 mm	6 x 120 mm
Outer width of front leg	690 mm	740 mm
Min. Refuel volume for fuel tank	1.5 L	2.0 L
Front wheel size	Ø 75 x 52 mm	Ø 100 x 50 mm
Rear wheel size	Ø 180 x 50 mm	Ø 180 x 50 mm
Overall dimension	147 x 77 x 203 mm	147 x 77 x 203 mm
Weight	190 kg	226 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com

全电动液压升高车 (双门架)

AKS-TK1030AHD
FULL AUTOMATIC WALKED
HYDRAULIC STACKER
MADE IN CHINA 中國制造



SPECIFICATION	AKS - TK1030AHD
DRIVE UNIT	1 Electric
LOAD CAPACITY	1000 kg
FRONT WHEEL DIMENSION	Ø 80 x 60 mm
REAR WHEEL DIMENSION	Ø 130 x 55 mm
TRACTION WHEEL	Ø 250 x 80 mm
FORK DIMENSION	1150 x 160 x 80 mm
LIFTING HEIGHT	3000 mm
EXTENDED HEIGHT	3500 mm
CLOSED HEIGHT	2080 mm
FORKS CLEARANCE FROM GROUND	80 - 90 mm
TOTAL LENGTH	2070 / 2300 mm
TOTAL WIDTH	815 mm
MAXIMUM FORKS WIDTH	680 mm
TURNING RADIUS (OPEN PEDAL)	1600 mm
BATTERY CHARGER	AC220V/50Hz / DC24V/40A
OVERALL DIMENSION	2100 x 820 x 2150 mm
WEIGHT	975 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com

全电动液压升高车 (双门架)

AKS-TK2025A

FULL AUTOMATIC WALKED
HYDRAULIC STACKER
MADE IN CHINA 中國制造



SPECIFICATION	AKS - TK2025A
DRIVE UNIT	1 Electric
LOAD CAPACITY	2000 kg
FRONT WHEEL DIMENSION	Ø 80 x 60 mm
REAR WHEEL DIMENSION	Ø 130 x 55 mm
TRACTION WHEEL	Ø 250 x 80 mm
FORK DIMENSION	1150 x 160 x 80 mm
LIFTING HEIGHT	2500 mm
EXTENDED HEIGHT	3000 mm
CLOSED HEIGHT	1850 mm
FORKS CLEARANCE FROM GROUND	80 - 90 mm
TOTAL LENGTH	2070 / 2300 mm
TOTAL WIDTH	815 mm
MAXIMUM FORKS WIDTH	680 mm
TURNING RADIUS (OPEN PEDAL)	1600 mm
BATTERY CHARGER	AC220V/50Hz / DC24V/40A
OVERALL DIMENSION	1200 x 820 x 1820 mm
WEIGHT	1015 kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com