


# 卧式带锯机



## AKS-BST300

SINGLE HEAD HORIZONTAL BAND RESAW  
MADE IN TAIWAN 台湾制造

| SPECIFICATION                       | TYPE | AKS-BST300            |
|-------------------------------------|------|-----------------------|
| MAX. WORKPIECE SIZE (W x H)         |      | 300 x 300 mm          |
| DISTANCE FM BLADE TO CONVEYOR TABLE |      | 5 - 130 mm            |
| CONVEYER BELT SIZE (W x L)          |      | 285 x 5480 mm         |
| SAW WHEEL DIAMETER                  |      | Ø 28" x 1"            |
| FEED SPEED                          |      | 5 - 25 m/min          |
| SAW BLADE SIZE (L x W x T)          |      | 168" x 1"             |
| SAW WHEEL MOTOR                     |      | 20 Hp                 |
| CONVEYOR MOTOR                      |      | 2 Hp                  |
| DUST HOOD DIAMETER                  |      | Ø 4" x 2              |
| PACKING DIMENSION                   |      | 2180 x 1140 x 1140 mm |
| FAMER CONVEYOR                      |      | 2870 x 640 x 700 mm   |
| WEIGHT                              |      | 1235 kg               |

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)

# 双头卧式带锯机



## AKS-BST300DR

DIGITAL DISPLAY HYDRAULIC  
TWIN HEAD HORIZONTAL BAND SAW  
MADE IN TAIWAN 台湾制造


| SPECIFICATION                             | TYPE | AKS-BST300DR          |
|-------------------------------------------|------|-----------------------|
| MAX. WORKPIECE SIZE (W x H)               |      | 300 x 250 mm          |
| DISTANCE FM UPPER BLADE TO CONVEYOR TABLE |      | 20 - 170 mm           |
| DISTANCE FM LOWER BLADE TO CONVEYOR TABLE |      | 5 - 125 mm            |
| DISTANCE BETWEEN TWO TABLE                |      | 12 mm                 |
| CONVEYER BELT SIZE (W x L)                |      | 285 x 5480 mm         |
| SAW WHEEL DIAMETER                        |      | Ø 28" x 1"            |
| FEED SPEED                                |      | 5 - 25 m/min          |
| SAW BLADE SIZE (L x W)                    |      | 4265 x 27 x 0.90 mm   |
| SAW WHEEL MOTOR                           |      | 20 Hp x 2             |
| GEAR BOX MOTOR                            |      | 1/4 Hp x 2            |
| DUST HOOD DIAMETER                        |      | Ø 4" x 2              |
| PACKING DIMENSION                         |      | 2170 x 1140 x 2200 mm |
| FAMER CONVEYOR                            |      | 2870 x 650 x 770 mm   |
| WEIGHT                                    |      | 1650 kg               |

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)



# 单头卧式带锯机



## AKS-BST400D

DIGITAL DISPLAY SINGLE HEAD  
HORIZONTAL BAND RESAW  
MADE IN TAIWAN 台湾制造

| SPECIFICATION                       | TYPE | AKS-BST400D           |
|-------------------------------------|------|-----------------------|
| MAX. WORKPIECE SIZE (W x H)         |      | 400 x 250 mm          |
| CUTTING THICKNESS                   |      | 3 - 250 mm            |
| CONVEYER BELT SIZE (W x L)          |      | 385 x 5480 mm         |
| SAW WHEEL DIAMETER                  |      | Ø 28" x 1"            |
| FEED SPEED                          |      | 4 - 25 m/min          |
| SAW BLADE SIZE (L x W x T)          |      | 180" x 1"             |
| DISTANCE FM BLADE TO CONVEYOR TABLE |      | 4 mm                  |
| SAW WHEEL MOTOR                     |      | 30 Hp                 |
| GEAR BOX MOTOR                      |      | 1/2 Hp                |
| ELEPHATION MOTOR                    |      | 1/4 Hp x 6            |
| DUST HOOD DIAMETER                  |      | Ø 4" x 2              |
| PACKING DIMENSION                   |      | 2780 x 2150 x 1880 mm |
| WEIGHT                              |      | 1475 kg               |

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)