




雙排多軸木工鉗床



三排多軸木工鉗床



**AKS - WH212**

TWO LINING MULTI-AXLE DRILLING  
MADE IN CHINA 中國製造



**AKS - DP213**


THREE LINING MULTI-AXLE DRILLING  
MADE IN CHINA 中國製造

SPECIFICATION	TYPE	AKS - WH212
MAX. DRILL DIAMETER		35 mm
MAX. WORKING DEPTH		60 mm
DISTANCE BETWEEN SPINDLES		950 mm
INSTALLATION DRILLING DIAMETER		10 mm
NUMBER OF BORING HEAD		21 Pcs x 2 Unit
SPINDLE SPEED		2840 rpm
AIR PRESSURE		0.5 - 0.6 Mpa
MAIN MOTOR		3 Kw
OVERALL DIMENSION		1700 x 2500 x 1500 mm
WEIGHT		620 kg

SPECIFICATION	TYPE	AKS - DP213
MAX. DRILL DIAMETER		35 mm
MAX. WORKING DEPTH		60 mm
NUMBER OF DRILLING		21 x 3 Pcs
INSTALLING PITCH OF DRILLING HEAD		10 mm
MAX. DISTANCE BETWEEN HOLES		L = 2100 mm, B = 640 mm
MIN. DISTANCE BETWEEN HOLES		L = 130 mm, B = 32 mm
SPINDLE SPEED		2840 rpm
MOTOR POWER		4.5 Kw
OVERALL DIMENSION		3000 x 2800 x 1600 mm
WEIGHT		1175 Kg



Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)



## 三排多軸木工鉗床

DISKON  
SPESIAL  
特價



AKS - HW213D


AKS - AYU213D  
AKS - HW213D

## THREE LINING MULTI-AXLE DRILLING ( Double Motor ) MADE IN CHINA 中国制造


SPECIFICATION	TYPE	AKS - AYU213D	AKS - HW213D
MAX. DRILL DIAMETER		35 mm	35 mm
MAX. WORKING DEPTH		60 mm	60 mm
MAX. WORKING SIZE		1600 x 640 x 80 mm	2400 x 640 x 80 mm
DISTANCE TWO HORIZONTAL HEAD		752 mm	752 mm
MAX. PROCESSING LENGTH		1600 mm	1600 mm
NUMBER OF BORING HEAD		11 Pcs x 4 & 21 Pcs x 1	11 Pcs x 3 & 21 Pcs x 1
SPINDLE SPEED		2840 rpm	2840 rpm
AIR PRESSURE		6 - 8 Kg/cm <sup>2</sup>	0.5 - 0.6 Mpa
MOTOR POWER		2 Hp x 5	7.5 Kw
OVERALL DIMENSION		2550 x 2500 x 1500 mm	2560 x 3000 x 1530 mm
WEIGHT		1256 Kg	1100 Kg★

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)



## 四排多軸木工鉗床



AKS - HW214D

AKS - AYU214D  
AKS - HW214D

DISKON  
SPESIAL  
特價


FOUR LINING MULTI-AXLE DRILLING ( Double Motor )  
MADE IN CHINA 中国制造

SPECIFICATION	TYPE	AKS - AYU214D	AKS - HW214D
MAX. DRILL DIAMETER		35 mm	35 mm
MAX. WORKING DEPTH		60 mm	60 mm
MAX. WORKING SIZE		2800 x 752 x 80 mm	2800 x 752 x 80 mm
PROCESSING LENGTH OF HORIZONTAL HEAD		2450 mm	2400 mm
DISTANCE OF TWO LONGITUDINAL HEAD		752 mm	752 mm
MIN. LENGTH BETWEEN VERTICAL HEAD		140 mm	130 mm
MIN. CENTER DISTANCE BETWEEN SPINDLE		32 mm	32 mm
NUMBER FOR BORING HEAD		88 Pcs	84 Pcs
SPINDLE SPEED		2840 Rpm	2840 Rpm
AIR PRESSURE		6 - 8 Kg/cm <sup>2</sup>	6 - 8 Kg/cm <sup>2</sup>
MOTOR POWER		1.5 Hp x 6 Pcs	1.5 Hp x 6 Pcs
OVERALL DIMENSION		3800 x 2500 x 1500 mm	3500 x 2500 x 1650 mm
WEIGHT ★		2000 Kg	1500 Kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)





## 多軸木工鉗床



AKS - DP215



4, 5, 6 LINING MULTI-AXLE DRILLING  
MADE IN CHINA 中国制造

AKS - DP214  
AKS - DP215  
AKS - DP216

SPECIFICATION	TYPE	AKS - DP214	AKS - DP215	AKS - DP216
MAX. DRILL DIAMETER		35 mm	35 mm	35 mm
MAX. WORKING DEPTH		60 mm	60 mm	60 mm
NUMBER OF DRILLING		21 x 4 Units	21 x 5 Units	21 x 6 Units
INSTALLING PITCH OF DRILLING HEAD		10 mm	10 mm	10 mm
MAX. DISTANCE BETWEEN HOLES		L = 2600 mm, B = 640 mm	L = 2100 mm, B = 640 mm	L = 2800 mm, B = 640 mm
MIN. DISTANCE BETWEEN HOLES		L = 130 mm, B = 32 mm	L = 130 mm, B = 32 mm	L = 130 mm, B = 32 mm
SPINDLE SPEED		2840 rpm	2840 rpm	2840 rpm
MOTOR POWER		6.0 Kw	7.5 Kw	9.0 Kw
OVERALL DIMENSION		4000 x 2800 x 1600 mm	3000 x 2800 x 1600 mm	4500 x 2800 x 1600 mm
WEIGHT		1485 Kg	1753 Kg	1985 Kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

[www.aksjakarta.com](http://www.aksjakarta.com)