

双面铣床

DISKON
SPESIAL
特價




AKS - CD210

DOUBLE FACE PLANER TYPE MILLING MCH
MADE IN CHINA 中國製造

SPECIFICATION	TYPE	AKS-CD210
BED LENGTH		2100 x 620 x 620 mm
TABLE SIZE		1050 x 580 x 190 mm
MAX. TRAVEL		900 mm
ADAPTIVE MOTIVE FORCE HEAD	4	5.5
FEEDING BOX		JHT I / JHT III
TABLE SIZE		760 mm
DISTANCE BETWEEN ACCESSORIAL SPINDLE AND SPINDLE	197 mm	217 mm
RECOMMENDATION MILLER DIA.	Ø250 mm	Ø300 mm
MAX. DISTANCE BETWEEN TOOL SURFACE AND TABLE SURFACE		760 / 100 mm
SINGLE MILLER		3550 x 1460 x 1420 mm
DUPLEX MILLER		3250 x 2300 x 1420 mm
WEIGHT ★		3700 kg

双面龙门铣床

DISKON
SPESIAL
特價




AKS - CD3464

DOUBLE FACE PLANER TYPE MILLING MCH
MADE IN CHINA 中國製造

SPECIFICATION	TYPE	AKS-CD3464
LONGMEN OPEN FILE INSIDE DISTANCE		1050 mm
MAX. WORK WIDTH		850 - 1000 mm
WORK TABLE SIZE		860 x 1610 mm
LONGITUDINAL TABLE TRAVEL		1600 mm
T-SLOT NUMBER / WIDTH x T-SLOT PITCH	5 / 4 / 22 mm x 150 mm	
WORK BANCH FEED SPEED 9 STEPS (mm/min)	9-18-27-40.5-60-90-132-200-300-450	
FAST-FORWARD SPEED		1020 mm/min (100 Hz)
SLIDE DRIVE MOTOR		2.2 Kw
MAIN MOTOR OF MILLING HEAD		4.0 + 5.5 Kw
MAX. FEEDING FORCE		3000 Kg
SPINDLE SPEED RANGE (6 Steps)		93/150/203/252/326/550 rpm
RECOMMENDED CUTTER DISC DIA.		250 (Cost Iron) / 200 (Steel Pieces)
MILLING HEAD SPINDLE BOX ITINERARY		300 mm
HORIZONTAL MILLING HEAD SPEED		30/48/85/130/175/270/480/740 rpm
MILLING HEAD SPINDLE TAPPER		7:24, No:50, Dia. Hole: 69.85
BEAMS OFF LANDING SPEED		840 mm/min
OVERALL DIMENSION		3650 x 2340 x 2200 mm
WEIGHT ★		5500 Kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com



双面铣床

AKS - CD300

3000 mm DOUBLE FACE PLANER TYPE MILLING MACHINE
MADE IN CHINA 中国制造

SPECIFICATION	TYPE	AKS - CD300	
BED LENGTH		3000 x 620 x 620 mm	
TABLE SIZE		1500 x 580 x 195 mm	
MAX. TRAVEL		1500 mm	
ADAPTIVE MOTIVE FORCE HEAD		4	5.5
FEEDING BOX		JHT I	JHT II
DISTANCE BETWEEN ACCESSORIAL SPINDLE AND SPINDLE		197 mm ±³	217 mm ±³

SPECIFICATION	TYPE	AKS - CD300	
TABLE SIZE		760 mm	
RECOMMENDATION MILLER DIA.		Ø250 mm	Ø300 mm
MAX. DISTANCE BETWEEN TOOL SURFACE AND TABLE SURFACE		760 mm / 100 mm	
SINGLE MILLER		4150 x 1460 x 1420 mm	
DUPLEX MILLER		4150 x 2300 x 1420 mm	
WEIGHT ★		4300 Kg	

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com



双面龙门铣床

AKS - CD34120

DOUBLE FACE PLANER TYPE MILLING MCH MADE IN CHINA 中国制造

SPECIFICATION	TYPE	AKS-CD34120
LONGMEN OPEN FILE INSIDE DISTANCE		1050 mm
MAX. WORK WIDTH		850 - 1000 mm
WORK TABLE SIZE		860 x 3000 mm
LONGITUDINAL TABLE TRAVEL		3000 mm
T-SLOT NUMBER / WIDTH x T-SLOT PITCH		5 / 4 / 22 mm x 150 mm
WORK BANCH FEED SPEED (mm/min)		9-18-27-40.5-60-90-132-200-300-450
FAST-FORWARD SPEED		1020 mm/min (100 Hz)
SLIDE DRIVE MOTOR		2.2 Kw
MAIN MOTOR OF MILLING HEAD		5.5 + 5.5 Kw
MAX. FEEDING FORCE		3000 Kg

SPECIFICATION	TYPE	AKS-CD34120
SPINDLE SPEED RANGE (6 Steps)		93/150/203/252/326/550 rpm
RECOMMENDED CUTTER DISC DIA.		250 (Cost Iron) / 200 (Steel Pieces)
MILLING HEAD SPINDLE BOX ITINERARY		300 mm
ROTARY ANGLE MILLING HEAD		45°
HORIZONTAL MILLING HEAD SPEED		30/48/85/130//175/270/480/740 rpm
MILLING HEAD SPINDLE TAPPER		7:24, No:50, Dia. Hole: 69.85
BEAMS OFF LANDING SPEED		840 mm/min
TABLE FOR LARGEST VOLUME		4000 Kg
OVERALL DIMENSION		5460 x 2340 x 2200 mm
WEIGHT ★		7500 Kg

Gambar dan Spesifikasi Mesin tidak semua 100% sesuai

www.aksjakarta.com