



朋来包装机
PENGLAIPACK








1. TECHNICAL PARAMETER

Item	Automatic face mask main body (without ear loops) making machine
Model	PL-KZ2
Production capacity	80-100 pcs/min
layer	3 layers standard
Face mask size	175*95mm
Power	220V, 50Hz/60Hz, 1P
Machine weight	800kg





Item	fully-automatic face mask ear loop welding machine
Model	PL-ED2
Production capacity	30-40 pcs/min
Control system	Touch screen
Power	220V, 50Hz/60Hz, 1P, 3KW
Machine weight	250kg

Finished products:







Specification Sheet

1. Applications

Suitable for packing regular objects, such as biscuits, fruits, candy, moon-cake, bread, bars, dessert, instant noodle, industrial parts, box, trays, face mask, etc

2. Features:

1. **Three servo system control**, flexible bag length cutting, operator needn't to adjust the unloading working, saving time and saving films.
2. human-machine operation, convenient and quick parameter setting.
3. Self diagnosis failure function, clear failure display.
4. High sensitivity optical electric color mark tracking , digital input cut position which makes the sealing and cutting more accurate.
5. Separate PID control to temperature, suitable for various packing materials.
6. Stopping the machine in selected position, no sticking to the knife and no waste packing film.
7. Simple driving system, reliable working, convenient maintenance.
8. .All the controls are achieved by software, convenient for function adjusting and upgrading.

3. Technical Parameters:

Model	PL-350
Film Width	Max.350mm
Bag Length	No limit
Bag Width	30-165mm
Products height	Max.60mm
Film Roll diameter	Max.320mm
Packing speed	40-200bags/min
Powder	220V, 50/60Hz, 2.6KVA
Machine size	(L)4020×(W)770×(H)1450mm
Frame Material	Stainless steel + carbon steel
weight	600kg

