

Alkaline Water Ionizer for industrial use

フリナリサン

NDX-3000LMW

3000LWW

STATE OF THE STATE OF

Alkaline ionized water

Product 3000L/hour

lonized Alkaline water should be one of the profit key to make better your life.



OSG Corporation Co., Ltd.

JASDAQ

Our Alkaline PET bottles in Asia

【Japan】 「NISACO(佐渡海洋深層水)」

[China]
[ALKAQUA]

Experience of Japan (major bottling maker)





【Taiwan】 「台塩海洋鹼性離子水」



[Vietnam]





[Expansion]

Taiwan 5 machines + Dec 2014 expansion 3machines

Vietnam 1 machine +2014 expansion 1 machine



Preliminary calculation [Capacity 1 machine]

[NDX-3000LMW]



Amount of water flow: Alkaline 3,000L/h

Time for continuous run: Max 23 hours

Max product: 69,000L

500ml bottle: max138,000 bottle/day

Price of NDX-3000LMW: JPY 10,000,000


Installation fee:fee depends on factory plan

Additional fee: 1 Travel expense

2Cost for Primary water supply and electric source works


3 Cost for connecting to secondary

equipment






Alkaline ionized water contains a rich hydrogen




Water is decomposed into hydrogen and hydroxide ion around the electrode when electrolyzing. Hydrogen ion is increased at cathode side and hydroxide ion is increased at the anode side. Receiving electron from electrode, hydrogen ion at the cathode side is changed into hydrogen. It is said that an increment of hydrogen ion at the cathode side causes the change like $2H++2e \rightarrow H2$, leading to a rich hydrogen at cathode side.









Inlet water