

SMT 624 Supra

Abrasive mop discs for Stainless steel, Steel





























Performance class	SUPRA	Applications	Properties
Aggression	■■■■■■■□	Stainless steel	● Grain Zirconia alumina
Service life	■■■■■■□□	Steel	● Backing plate Glass fibre

Advantages: Aggressive stock removal rate and comfortable grinding behaviour - For universal use in demanding grinding work on steel and stainless steel - Optimal removal rate when used on high power angle grinders

Available grits

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------

Diameter in mm	Bore in mm	Form	Grit	Vmax in m/s	Max. RPM in rpm	Cat.number
100.0	16		36	80	15300.0	322758
100.0	16		40	80	15300.0	322759
100.0	16		60	80	15300.0	322760
100.0	16		80	80	15300.0	322761
100.0	16		120	80	15300.0	322762
115.0	22.23		36	80	13300.0	322764
115.0	22.23		40	80	13300.0	322765
115.0	22.23		50	80	13300.0	322766
115.0	22.23		60	80	13300.0	322767
115.0	22.23		80	80	13300.0	322768
115.0	22.23		120	80	13300.0	322769
125.0	22.23		36	80	12200.0	322771
125.0	22.23		40	80	12200.0	322772

125.0	22.23		50	80	12200.0	322773
125.0	22.23		60	80	12200.0	322774
125.0	22.23		80	80	12200.0	322775
125.0	22.23		120	80	12200.0	322776
150.0	22.23		40	80	10200.0	322778
150.0	22.23		60	80	10200.0	322779
150.0	22.23		80	80	10200.0	322780
180.0	22.23		36	80	8500.0	322782
180.0	22.23		40	80	8500.0	322783
180.0	22.23		50	80	8500.0	322784
180.0	22.23		60	80	8500.0	322785
180.0	22.23		80	80	8500.0	322786
180.0	22.23		120	80	8500.0	322787