

Longer. Stronger. Yellow.

The new Klingspor
abrasive mop discs

SMT 624

/// SUPRA



The new Yellow line

SMT 624 SUPRA

The Megaseller



Our most popular abrasive mop disc is now even better: a newly developed high performance abrasive cloth ensures superior results.

Applications

- Removal of weld seams and burrs
- Metalworking
- Plant construction
- Steel construction

SMT 624 SUPRA




Quality

SUPRA

Aggression	■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ □ □

Recommended materials

Stainless steel	●
Steel	●



Properties

Corpus	Glass fibre
Design	convex 12°
Grain type	Zirconia alumina

Diameter × bore hole in mm	Form	Abrasive grit	Maximum operating speed	Max. RPM	Packaging unit in pieces	Article number
100 x 16		36	80 m/s	15.300 1/min	10	322758
100 x 16		40	80 m/s	15.300 1/min	10	322759
100 x 16		60	80 m/s	15.300 1/min	10	322760
100 x 16		80	80 m/s	15.300 1/min	10	322761
100 x 16		120	80 m/s	15.300 1/min	10	322762
115 x 22.23		36	80 m/s	13.300 1/min	10	322764
115 x 22.23		40	80 m/s	13.300 1/min	10	322765
115 x 22.23		50	80 m/s	13.300 1/min	10	322766
115 x 22.23		60	80 m/s	13.300 1/min	10	322767
115 x 22.23		80	80 m/s	13.300 1/min	10	322768
115 x 22.23		120	80 m/s	13.300 1/min	10	322769
125 x 22.23		36	80 m/s	12.200 1/min	10	322771
125 x 22,23		40	80 m/s	12.200 1/min	10	322772
125 x 22,23		50	80 m/s	12.200 1/min	10	322773
125 x 22,23		60	80 m/s	12.200 1/min	10	322774
125 x 22,23		80	80 m/s	12.200 1/min	10	322775
125 x 22,23		120	80 m/s	12.200 1/min	10	322776
150 x 22,23		40	80 m/s	10.200 1/min	10	322778
150 x 22,23		60	80 m/s	10.200 1/min	10	322779
150 x 22,23		80	80 m/s	10.200 1/min	10	322780
180 x 22,23		36	80 m/s	8.500 1/min	10	322782
180 x 22,23		40	80 m/s	8.500 1/min	10	322783
180 x 22,23		50	80 m/s	8.500 1/min	10	322784
180 x 22,23		60	80 m/s	8.500 1/min	10	322785
180 x 22,23		80	80 m/s	8.500 1/min	10	322786
180 x 22,23		120	80 m/s	8.500 1/min	10	322787

Other grits and sizes available on request.

Klingspor Schleifsysteme

GmbH & Co. KG

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de