

NEMO



Powerful professional underwater adjustable projector family. Offering solutions for even the largest of water features.

Luminaire Structure


- Stainless steel grade body and fasteners in grade 316.
- Cable entry PG7 for Nemo 1 and PG11 for Nemo 2 and Nemo 3. Cable gland supplied with 2m. 2x1.0sqmm. of outdoor submersible power cable.
- Durable silicone rubber gasket.
- High-efficiency optical reflector.
- Clear toughened glass.
- Remote driver required to be installed by others.
- Maximum depth 2 meter.
- The luminaire must be submerged when operational.
- Accessory must be ordered separately.
- Remote driver is included.
- Remote IP gearbox is not included.



Feature Symbols



Light Symbols



Product colors




NEMO

Technical information

	Model No.	Lamp	Power	Lumen	Optic				CCT	Dimming type	Efficacy	EEC	CRI	Weight
					N	M	W	AS						
NEMO 1	NM-50001	1 COB	14 W	1255 lm	25°	33°	50°	-	3000K, 4000K	1-10V, DALI, On/Off	84 - 102 lm/W	A++	Ra > 80	0.8 kg
NEMO 2	NM-50011	1 COB	20 W	1816 lm	24°	39°	54°	-	3000K, 4000K	1-10V, DALI, On/Off	86 - 93 lm/W	A++	Ra > 80	1.6 kg
NEMO 3	NM-50021	1 COB	27 W	2918 lm	22°	35°	52°	46°x56°	3000K, 4000K	1-10V, DALI, On/Off	81 - 109 lm/W	A++	Ra > 80	2.9 kg

Accessories

	Remote box IP65 A61551	Connector IP68 A62591	Remote box IP65 A80191
NM-50001		•	•
NM-50011	•	•	
NM-50021	•	•	



Format Reference	Format Name
NM-50011-N-W30-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 3000K - On/Off - Stainless Steel
NM-50011-N-W30-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 3000K - 1-10V - Stainless Steel
NM-50011-N-W30-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 3000K - DALI - Stainless Steel
NM-50011-N-W40-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 4000K - On/Off - Stainless Steel
NM-50011-N-W40-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 4000K - 1-10V - Stainless Steel
NM-50011-N-W40-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 24° - 4000K - DALI - Stainless Steel
NM-50011-M-W40-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 4000K - On/Off - Stainless Steel
NM-50011-M-W40-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 4000K - 1-10V - Stainless Steel
NM-50011-M-W40-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 4000K - DALI - Stainless Steel
NM-50011-M-W30-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 3000K - On/Off - Stainless Steel

NEMO

NM-50011-M-W30-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 3000K - 1-10V - Stainless Steel
NM-50011-M-W30-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 39° - 3000K - DALI - Stainless Steel
NM-50011-W-W30-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 3000K - On/Off - Stainless Steel
NM-50011-W-W30-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 3000K - 1-10V - Stainless Steel
NM-50011-W-W30-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 3000K - DALI - Stainless Steel
NM-50011-W-W40-ND	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 4000K - On/Off - Stainless Steel
NM-50011-W-W40-DI	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 4000K - 1-10V - Stainless Steel
NM-50011-W-W40-DA	NEMO 2 - NM-50011 - 1 COB - 20 W - 54° - 4000K - DALI - Stainless Steel
NM-50021-N-W30-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 3000K - On/Off - Stainless Steel
NM-50021-N-W30-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 3000K - 1-10V - Stainless Steel
NM-50021-N-W30-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 3000K - DALI - Stainless Steel
NM-50021-N-W40-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 4000K - On/Off - Stainless Steel
NM-50021-N-W40-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 4000K - 1-10V - Stainless Steel
NM-50021-N-W40-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 22° - 4000K - DALI - Stainless Steel
NM-50021-M-W30-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 3000K - On/Off - Stainless Steel
NM-50021-M-W30-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 3000K - 1-10V - Stainless Steel
NM-50021-M-W30-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 3000K - DALI - Stainless Steel
NM-50021-M-W40-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 4000K - On/Off - Stainless Steel
NM-50021-M-W40-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 4000K - 1-10V - Stainless Steel
NM-50021-M-W40-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 35° - 4000K - DALI - Stainless Steel
NM-50021-W-W30-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 3000K - On/Off - Stainless Steel
NM-50021-W-W30-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 3000K - 1-10V - Stainless Steel
NM-50021-W-W30-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 3000K - DALI - Stainless Steel
NM-50021-W-W40-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 4000K - On/Off - Stainless Steel
NM-50021-W-W40-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 4000K - 1-10V - Stainless Steel
NM-50021-W-W40-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 52° - 4000K - DALI - Stainless Steel
NM-50021-AS-W30-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 3000K - On/Off - Stainless Steel
NM-50021-AS-W30-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 3000K - 1-10V - Stainless Steel
NM-50021-AS-W30-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 3000K - DALI - Stainless Steel
NM-50021-AS-W40-ND	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 4000K - On/Off - Stainless Steel
NM-50021-AS-W40-DI	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 4000K - 1-10V - Stainless Steel
NM-50021-AS-W40-DA	NEMO 3 - NM-50021 - 1 COB - 27 W - 46°x56° - 4000K - DALI - Stainless Steel
NM-50001-W-W30-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 3000K - On/Off - Stainless Steel
NM-50001-W-W30-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 3000K - 1-10V - Stainless Steel
NM-50001-W-W30-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 3000K - DALI - Stainless Steel
NM-50001-W-W40-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 4000K - On/Off - Stainless Steel
NM-50001-W-W40-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 4000K - 1-10V - Stainless Steel
NM-50001-W-W40-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 50° - 4000K - DALI - Stainless Steel
NM-50001-M-W40-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 4000K - On/Off - Stainless Steel
NM-50001-M-W40-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 4000K - 1-10V - Stainless Steel
NM-50001-M-W40-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 4000K - DALI - Stainless Steel
NM-50001-M-W30-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 3000K - On/Off - Stainless Steel
NM-50001-M-W30-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 3000K - 1-10V - Stainless Steel
NM-50001-M-W30-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 33° - 3000K - DALI - Stainless Steel
NM-50001-N-W30-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 3000K - On/Off - Stainless Steel
NM-50001-N-W30-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 3000K - 1-10V - Stainless Steel
NM-50001-N-W30-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 3000K - DALI - Stainless Steel
NM-50001-N-W40-ND	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 4000K - On/Off - Stainless Steel
NM-50001-N-W40-DI	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 4000K - 1-10V - Stainless Steel
NM-50001-N-W40-DA	NEMO 1 - NM-50001 - 1 COB - 14 W - 25° - 4000K - DALI - Stainless Steel